53883-238 1/10/2008

Pape 185



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

53883-238

Date of Issuance:

JAN 10 2008

NOTICE OF PESTICIDE:

X Registration ·

Reregistration

(under FIFRA, as amended)

Term of Issuance:

EPA Reg. Number:

Conditional

Name of Pesticide Product:

CSI Fly Bait

Name and Address of Registrant (include ZIP Code):

Control Solutions, Inc. 5903 Genoa - Red Bluff Pasadena, Texas 77507

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
- Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 53883-238".
 - Include the name of the company and the company's address.
 - Throughout the label, revise "fly" and "flies" to read "house fly" and "house flies."
 - Include a disclaimer on the front of the label stating that this product is for house flies d. only.
 - Revise "For the Control of Nuisance Flies in and around such as Livestock Facilities and Stables, Restaurants, Bakeries, Supermarkets, Warehouses, Dumpsters, Grease Pits, Recycling Areas, Loading Docks." to read "For the control of house flies in and around livestock facilities and stablel."

Signature of Approving Official:

Date:

JAN 10 2008

Kable Bo Davis, Entomologist

Insecticide-Rodenticide Branch, Registration Division (7505P)

- f. Within the FIRST AID section of the label, move the statements "Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall International (866) 897-8050 for emergency medical treatment information." to immediately before the Note to Physician.
- g. Within the **NOTE** section of the label, revise the sentence "TO THE FULLEST EXTENT PERMITTED BY LAW CONTROL SOLUTIONS, INC. SHALL NOT BE..." to read "TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CONTROL SOLUTIONS, INC. SHALL NOT BE..."
- 3. The data requirements for storage stability (830-6317) and corrosion characteristics (830-6320) have not been satisfied, and must be submitted within eighteen months of the date of this letter.
- 4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Kable Bo Davis Entomologist Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

3, 3.5

ACCEPTED
with COMMENTS
In EPA Lover Deves

JAN 10 2008

CSI Fly Bait

For the Control of Nuisance Flies in and around such as Livestock Facilities and Stables, Restaurants, Bake Supermarkets, Warehouses, Dumpsters, Grease Pits, Recycling Areas, Loading Docks.

Under the Pedarul Installation Facilities, and Redistricte de as assented, for the position

 ACTIVE INGREDIENT:
 0.50%

 Imidacloprid; 1-[6-Chloro-3-pyridinyl]-N nitro-2-imidazolidinimine
 0.50%

 Z-9-Tricosene
 0.10%

 OTHER INGREDIENTS
 99.4%

 TOTAL
 100.00%

STOP-Read the label before use. KEEP OUT OF REACH OF CHILDREN CAUTION

Have the product treatment. You ma	FIRST AID container or label with you when calling a polson control center or doctor, or going for ay also contact SafetyCall® International (866) 897-8050 for emergency medical treatment informat	ion.
If swallowed:	Call a poison control center of doctor immediately for treatment advice.	
	1 lave person sip a glass of tracer if able to shallow.	· · ·
	 Do not induce vomiting unless told to do so by the poison control center or doctor. 	, i
	Do not give anything by mouth to an unconscious person.	
If on skin	Take off contaminated clothing.	
	Rinse skin immediately with plenty of water for 15 to 20 minutes.	
	Call a poison control center or doctor for treatment advice.	
If inhaled	Move person to fresh air.	
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.	
	Call a poison control center or doctor for further treatment advice.	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. 	
	Call a poison control center or doctor for treatment advice.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage:Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle an open container in a manner as to prevent spillage.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not re-use or re-fill this container. Offer for recycling if available. Completely empty container. Dispose of container at an approved waste disposal facility or by incineration if allowed by state and local authorities. Do not use container in connection with food, feed, or drinking water.

Spills: If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area. In spill or leak incidents, keep unauthorized people away.

CSI FLY BAIT is a fast acting ready-to-use fly bait that may be applied as scatter bait, paint-on, or in bait stations. It contains a specially formulated mixture of attractants in extruded pellet form and it works against flies which are resistant to organophosphates and carbamates.

CSI FLY BAIT is a ready-to-use bait containing 0.5% imidacloprid and the attractant Z-9-Tricosene. It also contains Bitrex® bittering agent to help prevent ingestion by animals, children and pets.

CSI FLY BAIT controls nuisance flies

COVERAGE

1.5 oz./250 sq ft (1.5 oz = 3 Tablespoons)

RE-APPLY

Re-apply every 7 days as needed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read entire label and Conditions of Sale before using this product.

FLY MANAGEMENT

WHERE TO APPLY

Do not place CSI FLY BAIT in areas accessible to animals, children and pets. Scatter Application

For use around the outside of:

- Agricultural production facilities like broiler houses, turkey houses, caged layer houses, feedlots, dairy barns, and swine confinement buildings.
- Canneries; dairy, meat and poultry processing plants; food processing plants, warehouses; dumpsters; recycling areas and loading docks.

Scatter Application

For use in walkways of:

· Caged layer houses.

Bait Station Application

For use inside of:

- Horse Stables
- · Broiler, turkey, and caged layer houses.
- · Swine confinement buildings.
- Dairy barns and milking parlors.

Paint on Application

- · For use inside and around the outside of.
- Broiler, turkey, and caged layer houses.
- Swine confinement buildings.
- Dairy barns.

USE RATE

1.5 oz/250 sq ft (scatter bait and bait station).

HOW TO APPLY

Apply the bait in many locations. Avoid cool or windy locations because flies prefer warm, motionless sites for resting. Time applications to begin at the start of the season before fly populations have reached their peak.

- Scatter Application: Scatter the balt directly from the container onto dry level surfaces so that the individual
 granules lie near each other without forming small piles.
- Balt Station Application: Place in any fly bait station. Use 1 bait station to cover approximately 250 sq. ft., and add up to 1.5 oz of bait per station. Secure bait stations at least 4 feet above the ground.
- Paint-on Application: Mix 1.5 oz. bait with 1 fl oz warm water (3 lbs in 1 quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where flies rest, avoiding surfaces that are dusty.

RESTRICTIONS

- Do not place bait in areas accessible to food producing animals, children and pets.
- Do not allow contact with food or water.
- Use environmental controls, such as proper light management.
- · Do not apply directly onto milking equipment.
- Do not apply inside food processing plants or restaurants.

MANAGEMENT TIPS

For Best Results:

- Use the bait as part of an overall Integrated Pest Management program.
- Use proper sanitation and manure management.
- · Use along with dilutable sprays.
- Use environmental controls, such as proper light management.
- Consult with Cooperative Extension Services.

NOTE: Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein. [Optional Marketing Language]

NOTE: CONTROL SOLUTIONS, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. INEFFECTIVENESS OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF CONTROL SOLUTIONS, INC. TO THE FULLEST EXTENT PERMITTED BY LAW CONTROL SOLUTIONS, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EPA REG. NO. 53883-XXX EPA EST. NO. XXXXXX-XX-XXX