01/16/2008



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Joe Blake Control Solutions, Inc. 5903 Genoa – Red Bluff Pasadena, Texas 77507

JAN 16 2008

Dear Mr. Blake:

Subject:

Labeling Amendment; Revisions Required By Registration Notice

CSI Fly Bait

EPA Registration No. 53883-238 Date Submitted: January 15, 2008

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

- 1. Delete the statements "Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall International (866) 897-8050 for emergency medical treatment information." located immediately below the FIRST AID header. These statements are already correctly located immediately above the Note to Physician section.
- 2. Within the NOTE section of the label, revise the sentence "To the econsistent with applicable law, Control Solutions, Inc. shall not be..." to read "To the extent consistent with applicable law, Control Solutions, Inc. shall not be..."

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the referenced label, incorporating the above changes, before releasing the product for shipment. If you have any questions regarding this letter, please contact me at (703) 306-0415.

Sincerely.

Entomologist

Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

ACCEPTED 3/L with COMMENTS In EPA Letter Dated:

JAN 16 2008

Under the Federal Insecticide, Fungicide, and Radondeide Act, as amonded, for the posticide registered under EPA Reg. No.

53883-238

CSI FIV Balt

For the Control of House Flies In and Around Areas Such as Livestock Facilities and Stables, Warehouses, Dumpsters, Recycling Areas, and Outside Non-Food Contact Areas of Restaurants, Bakeries, Supermarkets, Grease Pits, or Loading Docks.

ACTIVE INGREDIENT:	
Imidacloprid; 1-[6-Chloro-3-pyridinyl)methyl]-N nitro-2-imidazolidinimine	0.50%
Z-9-Tricosene	0.10%
OTHER INGREDIENTS	99.4%
TOTAL	100.00%

STOP-Read the label before use. KEEP OUT OF REACH OF CHILDREN

FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.	
 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	
 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination:

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle an open container in a manner as to prevent spillage.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not re-use or re-fill this container. Offer for recycling if available. Completely empty container. Dispose of container at an approved waste disposal facility or by incineration if allowed by state and local authorities. Do not use container in connection with food, feed, or drinking water.

Spills: If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area. In spill or leak incidents, keep unauthorized people away.

CSI FLY BAIT is a fast acting ready-to-use house fly bait that may be applied as scatter bait, paint-on, or in bait stations. It contains a specially formulated mixture of attractants in extruded pellet form and it works against house flies which are resistant to organophosphates and carbamates.

CSI FLY BAIT is a ready-to-use bait containing 0.5% imidacloprid and the attractant Z-9-Tricosene. It also contains Bitrex® bittering agent to help prevent ingestion by animals, children and pets.

CSI FLY BAIT controls nuisance house flies

COVERAGE

1.5 oz./250 sq ft (1.5 oz = 3 Tablespoons)

RE-APPLY

Re-apply every 7 days as needed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read entire label and Conditions of Sale before using this product.

HOUSE FLY MANAGEMENT

WHERE TO APPLY

Do not place CSI FLY BAIT in areas accessible to animals, children and pets.

Scatter Application

For use around the outside of:

- Agricultural production facilities like broiler houses, turkey houses, caged layer houses, feedlots, dairy barns, and swine confinement buildings.
- Canneries; dairy, meat and poultry processing plants; food processing plants, warehouses; dumpsters; recycling areas and loading docks.

Scatter Application

For use in walkways of:

Caged layer houses.

Bait Station Application

For use inside of:

- Horse Stables
- Broiler, turkey, and caged layer houses.
- Swine confinement buildings.
- Dairy barns and milking parlors.

Paint on Application

- For use inside and around the outside of.
- Broiler, turkey, and caged layer houses.
- Swine confinement buildings.
- Dairy barns.

USE RATE

1.5 oz/250 sq ft (scatter bait and bait station).

HOW TO APPLY

Apply the balt in many locations. Avoid cool or windy locations because house flies prefer warm, motionless sites for resting. Time applications to begin at the start of the season before house fly populations have reached their peak.

- Scatter Application: Scatter the bait directly from the container onto dry level surfaces so that the individual
 granules lie near each other without forming small piles.
- Balt Station Application: Place in any fly balt station. Use 1 balt station to cover approximately 250 sq. ft., and add up to 1.5 oz of balt per station. Secure balt stations at least 4 feet above the ground.
- Paint-on Application: Mix 1.5 oz. balt with 1 fl oz warm water (3 lbs in 1 quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where house flies rest, avoiding surfaces that are dusty.

RESTRICTIONS

- Do not place bait in areas accessible to food producing animals, children and pets.
- Do not allow contact with food or water.
- Use environmental controls, such as proper light management.
- Do not apply directly onto milking equipment.
- Do not apply inside food processing plants or restaurants.

MANAGEMENT TIPS

For Best Results:

- Use the bait as part of an overall Integrated Pest Management program.
- Use proper sanitation and manure management.
- Use along with dilutable sprays.
- Use environmental controls, such as proper light management.
- Consult with Cooperative Extension Services.

NOTE: Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein. [Optional Marketing Language]

NOTE: CONTROL SOLUTIONS, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. INEFFECTIVENESS OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF CONTROL SOLUTIONS, INC. TO THE ECONSISTENT WITH APPLICABLE LAW, CONTROL SOLUTIONS, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EPA REG. NO. 53883-238 EPA EST. NO.

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041