



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 1 5 2010

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Anne Turnbough Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

Subject: Additional Marketing Claims

Dear Ms. Turbough:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated April 1, 2010 for:

EPA Registration 53883-238

CSI fly Bait

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN-98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or contact me electronically at daniel.dani@epa.gov.

Sincerely,

Dani Daniel Registration Division (7504P) Insecticide/Rodenticide Branch

2066

SEPA APR 15	ATION U Environmental 2010 Washir	nited States Protectiongton, DC 204	on Age	ncy		✓	Registra Amendr Other	tion	1	entifie	r Number		
		Application	n for F	esticio	le - Sect	tion	<u>l</u>						
1. Company/Product Number					roduct Man	ager		3. Proposed Classification					
53883 - 238			Venus Eagle					_ \ \	None		Restricted		
4. Company/Product (Name) CSI Fly Bait				PM# 1					····				
5. Name and Address of App	licant <i>(Include ZIP Co</i>	de)		•			In accorda						
Control Solutions, Inc.				(b)(i), my product is similar or identical in composition and labeling									
5903 Genoa-Red Bluf				to: EPA Reg. No									
Pasadena, TX 77507													
Check if this	is a new address		·. ··.		ct Name			<u> </u>					
			Sect	ion - I	<u> </u>								
	onse to Agency letter	dated		- [Agency lett "Me Too" A	er dat Applica	ation.	• to					
Notification - Explain	below.				Other - Exp	iain be	BIOW.						
Explanation: Use addition Notification of additional mark CFR 152.46, and no other cha 18 USC Sec. 1001 to willfully and 40 CFR 152.46, this prod	eting claims per PR No anges have been made make any false statem	otice 98-10. The to the labeling	is notificati or the cor urther unde	on is cons fidential s erstand tha	tatement of fat at if this notifi	ormula cation	a of this produ- is not consist	ct. I unde ent with th	stand that e terms o	t it is a f PR N	violation of otice 98-10		
			Sect	ion - II	1	'		-					
1. Material This Product Will	Be Packaged In:												
Child-Resistant Packaging	Unit Packaging		Water	Soluble Pa	ackaging		2. Type of	Containe					
Yes Yes			Yes				Metal ✓ Plastic						
✓ No			√ No					Glass					
* Certification must If "Yes" No. per Unit Packaging wgt. No. per container			If "Yes" No. per Package wgt container					4 '	Paper Other (Specify)				
3. Location of Net Contents I	nformation	4. Size(s) Ret	ail Contair	ner		5. Lo	cation of Lab	el Directi	ons				
Container Container			.5 lb - 50 lb on label										
6. Manner in Which Label is Affixed to Product											-		
		Stence		on - I\	,			<u></u>					
1. Contact Point (Complete i	itama disantly holay f	or identificatio	-		-	if noo	occary to pr	nooss this	applicat	ion I			
Name	terris un ectry below to	or identification	Title		COMBCIOL,		essary, to pr				Area Code)		
				anager, Regulatory Affairs				•	Telephone No. (Include #Area Code) 866-242-8532				
I certify that the staten I acknowledge that any both under applicable I	knowlinglly false or	Certifica this form and misleading sta	all attach	ments the	reto are trud ishable by fi	e, acci	urate and cor imprisonmen	o e o o o nplete. t or o o	5	Appli ived Stam o o			
2. Signature	1-10M		3. Title Manager	Regulato	ry Affairs				,	ς ς ς ς			
4. Typed Name			5. Date						، ا		C		
Anne Turnbough		04-01-10											



April 1, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, Virginia 22202-4501

Re:

Notification per (PR) Notice 98-10

EPA Reg. No. 53883-238

Dear Sir or Madam:

Enclosed is a Notification for Optional Marketing Language per PR Notice 98-10. See highlighted text on copy of attached label.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed please find:

- 1. Application for Pesticide (EPA Form 8570-1).
- 2. Two copies of label with highlighted statement.

If you have any questions or need additional information, please do not hesitate to contact me.

Sincerely,

Anne Turnbough Regulatory Manager



NOTIFICATION

APR 1 5 2010 CSI Fly Dail
[alt name: Martin's Quick-Draw Fly Bait™] [alt name: Bonanza™ Fly Bait] [alt name : Martin's Bonanza™ Fly Bait]

For the Control of House Flies In and Around Areas Such as Livestock Facilities and Stables, Warehouses, Dumpsters, Recycling Areas, and Outside Non-Food Contact Areas of Restaurants, Bakeries, Supermarkets, Grease Pits, or Loading Docks.

ACTIVE INGREDIENT:	
Imidacloprid; 1-[6-Chloro-3-pyridinyl)methyl]-N nitro-2-imidazolidinimine	0.50%
Z-9-Tricosene	0.10%
OTHER INGREDIENTS	99.4%
TOTAL	100.00%

STOP-Read the label before use. KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID						
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 					
lf on skin	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 					
if inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 					
lf in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 					
treatment. You ma	container or label with you when calling a poison control center or doctor, or going for y also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information. No specific antidote is available. Treat the patient symptomatically.					

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is a cose present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater. 00000 contamination.

coco



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original container in a dry place. Store in locked area out of reach of children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Offer for recycling, if available. If recycling is not available; then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

CSI FLY BAIT is a fast acting ready-to-use house fly bait that may be applied as scatter bait, paint-on, or in bait stations, It contains a specially formulated mixture of attractants in extruded pellet form and it works against house flies which are resistant to organophosphates and carbamates.

CSI FLY BAIT is a ready-to-use bait containing 0.5% imidacloprid and the attractant Z-9-Tricosene. It also contains Bitrex® bittering agent to help prevent ingestion by animals, children and pets.

CSI FLY BAIT controls nuisance house flies

COVERAGE

1.5 oz./250 sq ft (1.5 oz = 3 Tablespoons)

Re-apply every 7 days as needed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read entire label and Conditions of Sale before using this product.

HOUSE FLY MANAGEMENT

WHERE TO APPLY

Do not place CSI FLY BAIT in areas accessible to animals, children and pets.

Scatter Application

For use around the outside of:

- Agricultural production facilities like broiler houses, turkey houses, caged layer houses, feedlots, dairy barns, and swine confinement buildings.
- Canneries; dairy, meat and poultry processing plants; food processing plants, warehouses; dumpsters; recycling areas and loading docks.

Scatter Application

For use in walkways of:

Caged layer houses.

Bait Station Application

For use inside of:

- Horse Stables
- Broiler, turkey, and caged layer houses.
- Swine confinement buildings.
- Dairy barns and milking parlors.

Paint on Application

- For use inside and around the outside of.
- Broiler, turkey, and caged layer houses.
- Swine confinement buildings.
- Dairy barns.

USE RATE

1.5 oz/250 sq ft (scatter bait and bait station).

HOW TO APPLY

Apply the bait in many locations. Avoid cool or windy locations because house flies prefer warm, motion/less-sites for resting. Time applications to begin at the start of the season before house fly populations have reached their peak.

Scatter Application: Scatter the bait directly from the container onto dry level surfaces so that the individual granules lie near each other without forming small piles.



....

Master Label



- Bait Station Application: Place in any fly bait station. Use 1 bait station to cover approximately 250 sq. ft., and add up to 1.5 oz of bait per station. Secure bait stations at least 4 feet above the ground.
- Paint-on Application: Mix 1.5 oz. bait with 1 fl oz warm water (3 lbs in 1 quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where house flies rest, avoiding surfaces that are dusty.

RESTRICTIONS

- Do not place bait in areas accessible to food producing animals, children and pets.
- Do not allow contact with food or water.
- Use environmental controls, such as proper light management.
- Do not apply directly onto milking equipment.
- Do not apply inside food processing plants or restaurants.

MANAGEMENT TIPS

For Best Results:

- Use the bait as part of an overall Integrated Pest Management program.
- Use proper sanitation and manure management.
- Use along with dilutable sprays.
- Use environmental controls, such as proper light management.
- Consult with Cooperative Extension Services.

NOTE: Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herein. [Optional Marketing Language]

NOTE: CONTROL SOLUTIONS, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH THE DIRECTIONS FOR USE. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. INEFFECTIVENESS OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF CONTROL SOLUTIONS, INC. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CONTROL SOLUTIONS, INC. SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER [Optional Marketing Language].

EPA REG. NO. 53883-238 EPA EST. NO. 53883-TX-002

Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

[Optional Marketing Language]

- Treats x sq.ft [2,667 sq. ft./lb] [Optional Marketing Language]
- Attracts flies with Z-9 Tricosene sexual attractant [Optional Marketing Language]
- [Product Name] contains Imidacloprid and Z-9 Tricosene, the same active ingredients found in QuickBayt®. QuickBayt® is a registered trademark of Bayer Animal Health.
- Ready to Use [Optional Marketing Language]
- Effective against Organophosphate & Carbamate resistant flies [Optional Marketing Language]
- For use in scatter, bait station and paint on applications [Optional Marketing Language]

To use in scatter, but station and paint on applications [Optional Marketing Language]

Tigates 10,889 equate feet [for 42] peckage stad] [Optional Marketing Language]

Tigates 101,846 equate feet [for 42] peckage stad] [Optional Marketing Language]

Tigates 101,846 equate feet [for 88] peckage stad) [Optional Marketing Language]



