53883-240

4 25 2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

> > APR 25 2012

Anne Turnbough Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507

Subject: Trifluralin 5G EPA Reg. No. 53883-240 Label Notification per PRN 98-10 Application Dated: January 23, 2012

Dear Ms. Turnbough,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for Trifluralin 5G (EPA Reg. No. 53883-240) dated January 23, 2012. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Emily Hartman via email at hartman.emily@epa.gov or by phone at (703) 347-0189.

Kathryn V. Montague, Project Manager 23

Herbicide Division Registration Division Office of Pesticide Programs

Please read instructions on	reverse before comp	form.		Form Appro	ved. BN	lo. 2070-006	204 30. Approval expires 2-28-9
€PA	Environmental	nited States Protection Ington, DC 204			Regis	tration ndment	OPP Identifier Number
		Applicatio	n for Pestic	ide - Sectio	n I		
1. Company/Product Numb 53883-240	ər			Product Manage yn Montague	ər	3. Pi	roposed Classification
4. Company/Product (Name Trifluralin 5G	)		<b>РМ#</b> 23				
5. Name and Address of Ap Control Solutions, In 5903 Genoa-Red Blu Pasadena, TX 7750 <i>Check if thi</i>	c. uff	de)	(b)(i), to: EPA				FIFRA Section 3(c)(3) omposition and labeling
			Section -				
Amendment - Explain Resubmission in res Notification - Explain Explanation: Use additio	ponse to Agency letter n below.			"Me Too" App       Other - Explain	lication.		rification PR 2.5 2012
			Section -				
1. Material This Product Wi	Il Be Packaged In:						
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes No If "Yes" Package wgt	Packaging No. per container	2. Type	of Container Metal Plastic Glass Paper Other (S	Specify)
3. Location of Net Contents	Information Container	4. Size(s) Reta	ail Container	5.	1	Label Direction	
3. Manner in Which Label is	Affixed to Product	Lithogr Paper of Stencil	aph glued ed	Other _			
			Section -	IV			
1. Contact Point (Complete	items directly below fo	or identification	n of individual to l	be contacted, if i	necessary, to	process this	application.)
<b>lame</b> Anne Turnbough			Title Director,Regula	atory Affairs		Tolophen 281-892	<b>No. (Include Area Code)</b>
	ements I have made on ny knowlinglly false or r Iaw.		all attachments th				6. Date Application Received (Stamped)
2. Signature Anne M	7. Jurel		3. Title Director, Regulato	bry Affairs			
. Typed Name		1 5	5. Date				

<sup>(</sup>original)

CONTROL SOLUTIONS incorporated

January 23, 2012

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202-4501

Re: Notification per (PR) Notice 2008-1 EPA Reg. No. 53883-240

Dear Sir or Madam:

Control Solutions, Inc. (CSI) is requesting a notification to add optional marketing language "Contains 1 pound (1 lb.) active ingredient per 20 pound (20 lb.) bag" to EPA Reg. #53883-240.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

The following documents are enclosed in support of this application

- 8570-1
- 1 copy of label- highlighted and un-highlighted

Please contact me directly should you need any additional information,

Sincerely.

Anne Turnbough Ph.D. Director, Regulatory Affairs

## **Trifluralin 5G**

## A selective preemergence herbicide for control of certain annual grasses and broadleaf weeds in:

- Container Grown Ornamentals 
   Ornamental Bulbs
- Landscape Ornamentals
- Nursery Stock
- Ground Covers
- Established Flowers
- Christmas Tree Plantations
  Non-cropland
- Under Paved Surfaces

Non-bearing Vineyards

Non-bearing Fruit and Nut Trees and

APR 2 5 2012

#### **Active Ingredient:**

Trifluralin: a,a,	a-trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine	. 5.0%
Inert Ingredients:		95.0%
Total		00.0%

Contains 2 pounds active ingredient per 40 pound bag.

# Keep Out of Reach of Children CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

## **Precautionary Statements**

## Hazards to Humans and Domestic Animals

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt and long pants, socks and shoes. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid
Flush eyes with plenty of water. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician if irritation persists.
Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Safety Call® (866) 897-8050 for emergency medical treatment information.

## 50f2C

## **Personal Protective Equipment (PPE)**

#### Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- Chemical resistant gloves, such as butyl rubber > 11 mils; or natural rubber > 14 mils; or neoprene rubber > 14 mils; or nitrile rubber > 14 mils.
- Shoes plus socks

Follow manufacturer's instructions for cleaning maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## **Engineering Controls**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

## User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## **Environmental Hazards**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner that will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwaters.

## **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

(00f7()

Do not enter or allow worker entry into treated areas during the restricted entry interval (RE) of

12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

 Coveralls over long-sleeved shirt and long pants, socks and chemical-resistant footwear and waterproof gloves.

#### **Non-Agricultural Use Requirements**

The requirements of this-box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. It soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

## Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

**Pesticide Storage:** Store in original container only. Keep in an area that is inaccessible to children and pets.

In case of leak or spill, contain material and dispose as waste.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal: If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Never pour unused product down any indoor or outdoor drain.

## **General Information**

Trifluralin 5G herbicide is a preemergence herbicide for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards, Christmas tree plantations, noncropland, and under paved surfaces. Apply Trifluralin 5G before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of Trifluralin 5G. Do not apply over 240 pounds per acre total of Trifluralin 5G within a 12-month period.

## **Use Precautions**

Trifluralin 5G does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation, is required to activate Trifluralin 5G. Optimum weed control is obtained when Trifluralin 5G is activated within 3 days of application. If rainfall or irrigation has not occurred within 3 days of application and tillage is possible, Trifluralin 5G may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate Trifluralin 5G within 3 days of application may result in erratic weed control. Do not apply when wind conditions favor drift of Trifluralin 5G granules from the target area.

Optimum weed control will be obtained when followed by overhead irrigation or rainfall within a few hours after surface application.

#### Do not aerially apply this product.

## Weeds Controlled

The following list of weeds and grasses will be controlled when Trifluralin 5G is applied at 80 lb/acre (1.8 lb/1000 sq ft).

## **Annual Grasses**

Common Name barley, hare barnyardgrass (watergrass) bluegrass, annual brome cheat crabgrass cupgrass, southwestern fescue, rattail foxtail goosegrass junglerice lovegrass oat, wild panicum, fall	
oat, wild panicum, fall sandbur, field signalgrass	

#### **Scientific Name**

Hordeum leporinum Echinochloa crus-galli Poa annua Bromus spp. Bromus secallnus Digitaria spp. Eriochloa gracilis Vulpia myuros Setaria spp. Eleusine indica Echinochloa colonum Eragrostis spp. Avena fatua Panicum dichotomiflorum Cenchrus incertus Brachiaria spp.

sprangletop, Mexican stinkgrass witchgrass Leptochloa univervia Eragrostis cilianensis Panicum capillare

#### **Annual Broadleaf Weeds**

#### Common Name

chickweed, common goosefoot, nettleleaf knotweed, prostrate kochia lambsquarters, common nettle, stinging pigweed purslane, common thistle, Russian Panicum capillare
Scientific Name
Sttellana media

Chenopodium murale Polygonum aviculare Kochia scoparia Chenopodium album Urtica dioica Amaranthus spp. Portulaca oleracea Salsola iberica

The following weeds will be partially controlled or suppressed at 80 lb/acre (1.8 lb/1000 sq ft).

Scientific Name Mollugo verticillata Sorghum halepense Panicum texanum Richardia scabra Sorghum bicolor

#### Common Name

carpetweed johnsongrass (from seed) panicum, Texas pusley, Florida shattercane

## **Application Instructions**

Apply Trifluralin 5G using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

#### **Application Techniques**

1. When using a drop-type spreader, a splash board mounted under the hopper will provide more even granule distribution.

2. A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.

3. For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.

4. A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, hard to treat areas. Carefully measure the amount of product needed to avoid cvar-application.

## **Use Sites**

Trifluralin 5G is recommended as a preemergence treatment for control of certain annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, nursery stock, ground covers, established flowers, ornamental bulbs, non-bearing fruit and nut trees and nonbearing vineyards and Christmas tree plantations. Apply Trifluralin 5G before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information" section of this label for general use precautions and information on application, application rates and weeds controlled.

#### **Use Precautions**

To avoid possible injury, do not apply Trifluralin 5G to:

- · nursery forest or Christmas tree seedling beds, cutting beds, or transplant beds
- unrooted liners or cuttings that have been planted in pots for the first time
- · pots less than four inches wide
- · ground covers until they are established and well rooted

Do not apply Trifluralin 5G to newly transplanted ornamentals, nursery stock, ground covers, flowers and non-bearing fruit and nut crops and non-bearing vineyards until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Do not make preplant applications of Trifluralin 5G to areas where gladioli corms less than one inch in diameter will be planted or injury may occur.

Do not apply Trifluralin 5G in greenhouse or other enclosed structures.

Repeat applications should not be made sooner than 60 days after a previous application of Trifluralin 5G. Do not apply over 240 pounds per acre total of Trifluralin 5G within a 12-month period.

Users who wish to use Trifluralin 5G on plant species not recommended on this label may determine suitability for such uses by making trial application of Trifluralin 5G at a recommended rate to small number of plants. Prior to using Trifluralin 5G on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from the use of Trifluralin 5G on plant species not recommended on this label.

Trifluralin 5G May Be Used On The Following Established Plant Species When Container Grown or Field Grown:

#### Trees

Scientific Name Abies balsamea Abies concolor Abutilon hybridum

Acer gimmala Acer piatanoides Acer rubrum

Acer saccharinum Acer saccharum Areacastrum

romanzoffianum Betula nigra Betula papyrifera Betula pendula Brachychiton populneus Bucida buceras Castanea mollissima Ceratonia siliqua Cercis canadensis Chamaecyparis obtuse

Chamaecyparis pisifera

Chamaedorea cataractarum Chamaedorea costaricana Chamaedorea elegans Cornus florida

Cornus kousa Crataegus viridis Cupaniopsis anacardioides Cupressus glabra Elaeagnus angustifolia Eucalyptus camaldulensis Eucalyptus cinerea

Eucalyptus microtheca Eucalyptus sideroxyion Ficus benjamina

Fraxinus americana Fraxinus udhei Ginko biloba Gleditsia triacanthos

Heteromeles arbutiflora Illicium fioridanum Juniperus virginiana Larix kaempferi

Optional Mark Lang 01/23/12

## Common Name

Balsam fir White fir Albus-flowering maple Luteus-flowering maple Roseus-flowering maple Tangerine-flowering maple Vesuvius red-flowering maple flame maple Norway maple Red maple Red sunset maple Silver maple Sugar maple Queen palm **River birch** Paper birch European white birch Bottle tree Black olive Chinese chestnut Carob Redbud Filicoides-fernspray cypress Gracilis-slender Hinoki cypress Swara false cypress Squarrosa-moss cypress Palm Palm Parlor palm

Cloud nine dogwood Flowering dogwood Dogwood, kousa Green hawthorn Carrot wood Arizona cypress Russian olive Redgum eucalyptus Mealy eucalyptus Silver dollar eucalyptus Coolibah tree Red ironbark eucalyptus Ficus Mini ficus White ash Sharnel ash Ginko-maidenhair tree Honey locust Shademaster honey locust Toyan Florida anise-tree Eastern red cedar

Japanese larch

## 100f2D

Liquidambar styraciflua Liriodendron tulipifera Magnolia spp.

*Malus* spp. *Morus alba Musa aluminata Nyssa sylvatica Oxydendrum arboreum Picea abies* 

Picea glauca conica Picea glauca Picea pungens

Pinus aristata Pinus canariensis Pinus contorta Pinus eldarica Pinus leucodermis Pinus mugo Pinus nigra Pinus radiata Pinus resinosa Pinus taeda Pinus strobus Pinus sylvestris

Pinus thunbergiana Platanus acerifoiia Platanus occicentalis Platanus racemosa Podocarppus spp. Populus deltoides Prosopis chilensis Prunus yedoensis Pseudotsuga menziesii Quercus coccinea Quercus ilicifolia Quercus palustris Quercus phellos Quercus rubra

Quercus virginiana Robinia pseudoacacia Salix spp. Sequoiadendron giganteum Swietenia mahogani Tabebula caraiba Taxodium distichum Tilia spp. Tsuga canadensis Ulmus parvitolia Washingtonia robusta

American sweet gum Tuliptree Magnolia Crabapple White mulberry Banana Blackgum Sourwood Norway spruce Pendula-weeping Norway spruce Repens-spreading Norway spruce Dwarf Alberta spruce White spruce Dwarf globe blue spruce Glauca-Colorado blue spruce Haopsii-Hoop's blue spruce Koster-Koster blue spruce Bristlecone pine Canary Island pine Shore pine, beach pine Eldarica pine Bosnian pine Pumilio-shrubby Swiss mountain pine Austrian black pine Monterey pine Red pine Labially pine White pine Columnar Scotch pine Scotch pine Japanese black pine London planetree American sycamore Califorina sycamore Podocarpus Cottonwood Chilean mesquite Yoshino flowering cherry Douglasfir Scarlet oak Bear oak Pin oak Willow oak Red oak Live oak Black locust Willow Giant sequoia Mahogany Yellow tab Baldcypress Linden Eastern hemlock Chinese elm Mexican fan palm

## **Ornamental Shrubs**

Scientific Name Abelia grandiflora

Acacia abyssinica Acacia redolens Acacia stenophylla Acalypha wilkesiana Acer ginnala Acer palmatum

Agave americana Asti/be chinensis Athyrium nipponimcum Baccharis pilularis Berberis gladwynensii Berberis mentorensis Berberis thunbergii

Bougainvillea spp.

Buxus microphyla japonica Buxus microphylla Koreana Buxus sempervirens Callistemon citrinus Callistemon viminalis Calluna vulgaris Camellia sasanqua Camellia japonica Cassia artemisloides Ceanothus spp. Cephalotaxus drupacae Cerastium tomentosum Chamaecyparis obtusa spp.

Chamaecyparis pisifera Chrysalldocarpus lutescens Clethra alnifolia Cleyera japonica Cornus alba Cornus stolonifera

Cotinus coggygria Cotinus dammeri

Cotoneaster adpressus

#### Common Name

Edward Goucher abelia Glossy abelia Abyssinica acacia Prostrate acacia Shoestring acacia Copper leaf Amur maple Coral bark Japanese maple Dwarf Japanese maple Century plant False spiraea Japanese painted fem Coyotebush William Penn barberry Mentor barberry Atropurea-redleaf Japanese barberry Aurea-golden Japanese barberry Crimson pygmy barberry Rose glow barberry Barbara Karst California gold Pink pixie Scarlet O'Hara Temple fire Texas dawn Japanese boxwood Korean boxwood Common boxwood Lemon bottlebrush Weeping bottlebrush Spring torch scotch heather Sasangua camellia Japanese camellia Feathery cassia Wild lilac Plum yew Snow-in-summer Kosteri cypress Nana-dwarf Hinoki cypress Torulosa cypress Filifera-thread cypress Areca palm Summersweet Japanese cleyera Sibirica-Siberian dogwood Baileyi red osier dogwood Flaviramea-yellowtwig dogwood Royal purple smoke tree Coral beauty smoke tree Eichholz smoke tree Praecox-early cotoneaster

Cotoneaster apiculatus Cotoneaster congestus Cotoneaster dammeri Cotoneaster himalayan Cotoneaster horizontalis Cotoneaster zabelii Cycas revoluta Cytisus praecox Cytisus scopanus Daphne odora Deutzia spp. Dodonea viscosa Elaeagnus pungens Erica cinerea Erica x darlevensa Erica vagans Euonymus alatus Euonymus fortunei

#### Euonymus japonica

Euonymous kiautschovica Feijoa sellowiana Forsythia spp. Gardenia jasminoides

Gaultheria shallon Gelsemium sempervirens Genista pilosa Hibiscus rosa-sinensis Hibiscus syriacus

*llex* spp. *lllicium annisatum ltea ilicifola lxora collinea Juniperus* spp. *Kalmia latifolia Lagerstroemia indica Lantana* spp. *Leucothoe axillaris Leucothoe fontainesiana Ligustrum* spp. *Livistona chinensis Lonicera periclymenum* 

Lonicera sempervirens Mahonia bealel Mahonia repens Myrica cerifera Nandina domestica

\_ranberry cotoneaster Pyrenees cotoneaster Bearberry cotoneaster Himalayan cotoneaster Rock cotoneaster Zabel cotoneaster Sago palm Hollandia-warminster broom Lena-Scotch broom Fragrant daphne Deutzia Hopseed bush Fruitland silver berry Purple bell heather Mediterranean pink heather Cornish heather Winged euonymus Canadale gold euonymus Emerald'n gold euonymus Sunspot euonymus Wintercreeper euonymus Silver king-euonymus Variegated evergreen euonymus Spreading euonymus Pineapple guava Forsythia August beauty gardenia Gardenia Radican gardenia Salallemon leaf Carolina jessamine Woadwaxen Ross Estey-hibiscus Rose of Sharon-heart Rose of Sharon-red bird Rose of Sharon-woodbridge Holly Mystery gardenia Henry Garnet holly leaf sweetspire Ixora Juniper Mountain laurel Crape myrtle Lantana Coast leucothoe Drooping leucothoe Privet Chinese fountain palm Flowering woodbine Serotina woodbine Trumpet honeysuckle Leather leaf mahonia Creeping mahonia Wax myrtle Compacta-dwarf heavenly bamboo

#### Nerium oleander

Osmanthus fortunei Philadelphus spp. Phoenix roeloelenii Photinia fraseri Pieris japonica

Pieris japonica x forestii Pinus mugo Piffosporum tobira

Plumbago ariculata Plumbago capensis Podocarpus macrophyllus Polystichum polyblepharum Potentilla spp. Prunus caroliniana Prunus gladulosa Pyracantha spp. Rhaphiolepis indica

Rhaphiolepis ovata Rhododendron spp. Rhus lancea Rosa rugosa Rosmarinus officinalis Skimmia japonica Skimmia revesiana Spiraea bumalda Spiraea japonica

Spiraea vanhouttii Syringa rothomagensis Syringa vulgarls Taxus cuspidata Taxus media Tecomaria capensis Ternstroemia gymnanthera Thuja occidentalis

. larbour dwarf-heavenly bamboo Heavenly bamboo Nana compacta-heavenly bamboo Nana purpurea-heavenly bamboo Woods dwarf heavenly bamboo Hardy red oleander Oleander Ruby lace oleander Fortunes osmanthus Mockorange Pigmy date palm Fraser's photinia Japanese andromeda Mountain fire lily-of-the-valley Snowdrift lily-of-the-valley Templebells lily-of-the-valley Valley rose lily-of-the-valley Valley valentine lily-of-the-valley Forest flame lily-of-the-valley Mugo-mugho pine Green pittosporum Japanese pittosporum Wheeler's dwarf pittosporum Blue cape pumbago Plumbago Yewpine Tassel fern Cinquefoil Carolina laurel cherry Dwarf pink flowering almond Pyracantha Charisma-Monruce rhaphiolepis **Enchantress-Moness rhaphiolepis** India hawthorn Springtime-Monme rhaphiolepis Roundleaf rhaphiolepis Azalea/rhododendron Atrica sumac Ramanas rose Rosemary Japanese skimmia Reeve's skimmia Anthony Waterer spiraea Dolchia spiraea Japanese alpine spiraea Shirobana spiraea Bridal wreath Chinese lilac Common lilac Upright Japanese yew Anglojap yew Cape honeysuckle

American arborvitae Emerald arborvitae

## Thuja orientalis

Veitchia merrilli Viburnum spp. Weigela spp. Xylosma congestum Yucca filamentosa

## **Ground Covers**

### Scientific Name

Achillea tomentosa Agapanthus spp. Ajuga spp. Ammophila breviligulata Arctotheca calendufa Armeria maritima Asparagus densiflorus Campanula spp. Carex spp. Carpobrotus edulis Ceratostigma plumbaginoides Cistus spp. Coreopsis spp. Coronilla vana Cortaderia selloana Cotoneaster spp. Delosperma alba Descampsia caespitosa Drosanthemum floribundum Drosantheumum hispidum Festuca ovina glauca Fragaria chiloensis Gazania spp. Hakonechloa macroaureola Hedera canariensis Hedera helix Hemerocallis spp. Herniaria glabra Hosta lancifoila Hypenicum spp.

Jasminum nitidum Lampranthus spectabilis Liriope gigantea Liriope muscari Globosa-globe arborvitae Little giant-dwarf arborvitae Nigra-dark American arborvitae Pyramidalis-pyramid arborvitae Rheingold arborvitae Techny arborvitae Aureus nana-dwarf golden arborvitae Minima glauca-dwarf arborvitae Christmas palm Viburnum Weigela Xylosma Yucca

## Common Name

Wooly yarrow Lily-of-the-nile Carpet bugle Beechgrass Cape weed Thrift Asparagus fern Bellflower Variegated carex Largeleaf iceplant Dwarf plumbago Rockrose Coreopsis Crown vetch Pampas grass Cotoneaster White iceplant Descampsia Trailing rosea iceplant Iceplant Blue fescue Strawberry, beach Gazania Golden hakonechloa Algerian ivy English ivy Daylilly Rupturewort Albomarginata hosta Aaronsbeard St. Johnswort Angelwing jasmine Trailing iceplant White lily turf Big blue lily turf Lilac beauty lily turf Magestic lily turf Silvery sunproof lily turf

Liriope spicata Miscanthus sinensis Muehlenbeckia axillaris Myoporum laetum Ophiopogon japonicus

Osteospermum fruticosum Pachysandra terminalis Pennisetum alopecuroides Phalaris arundinacea picta Sedum spp. Teucrium chamaedrys Trachelospermum asiaticum Verbena spp. Veronica spp. Vinca spp.

## **Established Flowers**

## Scientific Name

Achillea spp. Ageratum houstonianum Alyssum spp. Antirrhinum majus Arctotis spp. Artemisia schmidtiana Artemisia stellerana Aster spp. Begonia spp. Calendula officianalis Centaurea cyanus Centaurea gymnocarpa Centaurea moschata Chrysanthemum spp. Convolvulus spp. Coreopsis spp. Cosmos spp. Dahlia spp.

Dianthus spp. Dicentra eximia Digitalis mertonensis Digitalis purpurea Dimorphotheca spp. Echinacea purpurea Eschscholzia californica Euphorbia marginata Geranium spp. Geum spp. Gaillardia spp. Gladiolus spp. Guara lindheiveri Gypsophila paniculata Helianthus spp.

variegated liriope lily turf Green/creeping lily turf Eulalia grass Creeping wirevine Myoporum Dwarf Mondo grass Mondo grass Trailing African daisy Japanese spurge Fountain grass **Ribbon** grass Stonecrop (sedum) Germander Asaian jasmine Verbena Speedwell Periwinkle

## Common Name

Yarrow Floss flower Alvssum Snapdragon African daisy Silver mound **Dusty miller** Aster (perennial) Begonia Calendula Cornflower Velvet centaurea Sweet sultan Chrysanthemum Morningglory Coreopsis Cosmos Dahlia Dianthus **Bleeding heart** Foxglove Common foxglove Marigold, cape Purple coneflower California poppy Snow-on-the-mountain Geranium Geum Gaillardia Gladiolus Guara Baby's breath Sunflower

Optional Mark Lang 01/23/12

Heuchera spp. Hypericum calycinum Impatiens balsamina Impatiens spp. Iris spp. Ixora spp. Lathyrus odoratus Lavandula angustifolia Leucanthemum superbum Liatris spicata Limonium spp. Lobelia spp. Lobularia maritima Lupinus spp. Matthiola spp. Mirabilis jalapa Monarda didyma Myosotis spp. Nicotiana spp. Oenothere missouriensis Papaver spp. Petunia hybrida Penstemon barbatus Perovskia atriplicifolia Phlox spp. Portulaca grandiflora Rosa spp. Rudbeckia hirta Rudbeckia laciniata Salvia spp. Scabiosa spp. Sedum spectible Stachys spp. Stokesia laevis Tagetes spp. Tanacetum cocineum Tropaeolum spp. Veronica spicatum Vinca spp. Zinnea spp.

oral bells Aaron's beard Balsam Impatiens Iris Ixora Sweet pea English lavander Shasta daisy Gayfeather Statice Lobelia Sweet alyssum Lupine Stock Four o'clock Bee balm Forget-me-not Nicotiana Ozark sundrop Poppy, California Petunia Beard tongue Russian sage Phlox Portulaca Rose Blackeyed susan Golden glow Salvia **Pincushion flower** Stonecrop Lamb's ears Stoke's aster Marigold Painted daisy Nasturtium Speedwell Vinca Zinnia

170f20

## **Ornamental Bulbs**

Trifluralin 5G may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply Trifluralin 5G to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. Trifluralin 5G may also be applied following bulb emergence. For fall planted bulbs, apply Trifluralin 5G again in late winter or early spring to weed-free soil surfaces.

#### Non-bearing\* Fruit and Nut Trees and Non-bearing Vineyards

Almond Apple Apricot Avocado Blackberry Blueberry Boysenberry Cherry, sour Cherry, sweet Currant Dewberry Elderberry Fig Filbert Gooseberry Grape, American Grape, European Grapefruit

Kiwi Lemon Loganberry Macadamia nut Nectarine Olive Orange Peach Pear Pecan Pistachio Plum Pomegranate Prune Raspberry Walnut, black Walnut, English 180F20

\* Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants that will not bear fruit for at least one year after treatment.

#### **Christmas Tree Plantations**

Apply Trifluralin 5G to established plantings of field grown Christmas tree species listed on this label. Do not apply to seedbeds or seedling transplant beds. Apply only to established plantings. Established plants are defined as those that have been transplanted into their final growing location for a sufficient period of time to allow the soil to be firmly settlec around the roots from packing and rainfall or irrigation. Follow all instructions provided in the "General Information" section of this label.

## **Non-cropland Areas**

Trifluralin 5G is recommended as a preemergence herbicide for control of certain annual grasses and broadleaf weeds on industrial sites, utility substations, highway guard rails, sign posts and delineators.

Apply Trifluralin 5G anytime prior to germination of target weeds. Areas to be treated should be free of established weeds or existing weeds should be controlled with postemergence herbicides.

Refer to the "General Information" section prior to using this product on non-cropland.

#### **Use Under Paved Surfaces**

#### **Site Preparation**

Trifluralin 5G should be used only where the soil to be treated has been prepared according to good construction practices. If rhizomes, stolons, tubers or other vegetative plant parts are present in the site, they should be removed by scalping with grader blade to a depth sufficient to ensure their complete removal.

#### Application

Applications may be made only when the final road bed is established or after the base rock has been added. Do not move soils following application of Trifluralin 5G and do not apply Trifluralin 5G to areas where asphalt is to be laid directly on top of soil.

Paving should follow applications of Trifluralin 5G as soon as possible.

Apply Trifluralin 5G to ensure thorough coverage of the base rock layer. Apply with any granular applicator that will apply uniformly.

Applicati	on Rate
Amount of	Trifluralin 5G
Per Acre	Per 1000 sq ft
240 - 320 lb	5.5 - 7.3 lb

Optional marketing statement in brackets []

[Contains 1 pound (1 lb.) active ingredient per 20 pound (20 lb.) bag]

## **Warranty Statement**

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY NOTICE**: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this point should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unamended consequences may result because of such factors in the use of this product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

200f70

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ISP, and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the fullest extent permitted by law Control Solutions, Inc. or Seller shall in no event be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ISP OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitations of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

Manufactured By: Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507

EPA Reg. No. 53883-240 EPA Est. No. XXXXX-XX-XXX

Net Weight:

Optional Mark Lang 01/23/12