


53883-273

4/12/2010

10f9

	<p align="center"><b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b>  Office of Pesticide Programs  Registration Division (7505P)  1200 Pennsylvania Ave., N.W.  Washington, D.C. 20460</p>	EPA Registration No.  53883-273	Date of Issuance:  APR 12 2010
<p align="center"><b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> Registration  <input type="checkbox"/> Reregistration  (under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p>		Term of Issuance: <p align="center"><b>Conditional</b></p> Name of Pesticide Product: <p align="center"><b>CSI FIP PRO PLUS Insecticide</b></p>	
Name and Address of Registrant (include ZIP Code): <b>Jane M. Miller, Agent</b> <b>Control Solutions, Inc.</b> <b>c/o Biologic, Inc.</b> <b>115 Obtuse Hill</b> <b>Brookfield, CT 06804</b>			
<p><small>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</small></p>			
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(a) provided that you:</p> <p align="center">(See comments on pages 2-3)</p> <p>A copy of your label stamped "Accepted with Comments" is enclosed for your records.</p>			
Signature of Approving Official:  <b>Refer to Page 3</b>  Richard J. Gebken, Product Manager Registration Division, Insecticide Branch		Date:  APR 12 2010	

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below.

1. Make the following label changes:
  - a. Revise the EPA Registration Number to read, "EPA Reg. No. 53883-273"
  - b. In the "Restricted Use Pesticide" box, revise to read as follows: "For retail sale to and use only by Certified . . . ."
  - c. In any marketing statements or use directions throughout the label, any claim or direction against imported fire ants must be followed by the species designation, "*Solenopsis* spp."
  - d. In the DIRECTIONS FOR USE statement, add the following text after the first sentence of the statement: "**RESTRICTED USE PESTICIDE**".
  - e. Add the following statement to the beginning of the "PESTICIDE STORAGE" statement within the "STORAGE AND DISPOSAL" statement: "Do not store in or around the home."
  - f. Revise the "RESTRICTIONS" statement to read as follows:

"GENERAL PRECAUTIONS AND INSTRUCTIONS  
Always wear protective clothing and use appropriate equipment during application and handling. Avoid contact with granules. Avoid breathing dust. Apply this pesticide when the potential for drift to nearby bodies of water is minimal (wind speed is 10 mph or less and the wind is blowing away from the body of water). Do not apply to pastures or grazing lands." The statement instructing against application in combination with other products may be retained.
  - g. Insert the following statement within the "Restrictions:" statement within the "APPLICATION INSTRUCTIONS" statement: "Calibrate and adjust equipment prior to application to ensure that the proper rate of product will be applied."
  - h. Delete the statement "for up to 1 year before the onset of infestation or" from the broadcast application directions.
  - i. Delete any and all claims against pests other than Imported fire ants, *Solenopsis* spp. (and mole crickets in the slitting application directions only) throughout the label. Only one table and/or statement is allowed at the end of the label and it must read as follows:

"The primary purpose of this product is for Imported Fire Ants, *Solenopsis* spp. control. When treating for Imported Fire Ants, *Solenopsis* spp. the following pests will be controlled for a limited time: Fleas [*Ctenacephalides* spp.] and Ticks [*Dermacentor* spp., *Rhipicephalus* spp., *Ixodes* spp.], 1 month; Nuisance ants [*Lasius neoniger*], 3 months; Mole Crickets, *Scapteriscus* spp., 4 months.
2. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
3. Within one year of the date on this Notice of Registration (NOR), and prior to formulating this product, you must provide the Agency the following:

3099

- a. The registration number and establishment number of the manufacturing or technical product from which the active ingredient is derived.
- b. The name and address of the entity from which the manufacturing product was obtained; and
- c. A copy of the bill of sale.

If the above information and materials are not submitted within one year of this NOR, this registration will expire on April 11, 2011.

- 4. Within sixteen (16) months of the date on this NOR, provide to the Agency acceptable data packages for Guideline Studies as follows:
  - a. OPPTS 830.6317, (Storage Stability) and OPPTS 830.6320 (Corrosion Characteristics). If acceptable data is not submitted within 16 months of this NOR, this registration will expire on August 11, 2011.

Two copies of the finished labeling must be submitted prior to releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions, you may contact Clayton Myers, at (703) 347-8874, or via email at [myers.clayton@epa.gov](mailto:myers.clayton@epa.gov).

Sincerely,



Richard Gebken  
Product Manager  
Insecticide Branch  
Registration Division (7505P)

Enclosures  
Stamped Label  
Agency Acute Toxicity Review  
Agency Product Chemistry Review

4099

**RESTRICTED USE PESTICIDE**  
**DUE TO TOXICITY TO AQUATIC INVERTEBRATES**  
For retail sale to and use by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

# CSI FIP PRO PLUS

## Insecticide

### For Turfgrass and Landscape Beds

Commercial Use Only

For Application by Pest Control Operators

**ACCEPTED**  
**With COMMENTS**  
**In EPA Letter Dated:**  
**APR 12 2010**  
**Under the Federal Insecticide, Fungicide**  
**and Rodenticide Act, As amended, for the**  
**pesticide Registered under EPA Reg. No:**  
**53883-273**

- Contains the active ingredient Fipronil
- One application controls Mole Crickets and Imported Fire Ants [All Season Long] [Up to 1 Year]
- Application is Quick and Easy

**ACTIVE INGREDIENT:**

Fipronil:5-amino-1-(2,6-dictiloro-4-(trifluoromethyl)phenyl)-4-((1,R,S)-(trifluoromethyl)sulfinyl)-1-H-pyrazole-3-carbonitril.....	0.1%
OTHER INGREDIENTS:.....	99.9%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN  
**CAUTION PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien pare que se la explique a usted en detalle. (If you do understand this label, find someone to explain it to you).

See side panel for additional precautionary statements.

<b>FIRST AID</b>	
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses of present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.	
<b>NOTE TO PHYSICIAN:</b> There is no specific antidote. All treatment should be based on observed signs and sympto distress in the patient. <b>Symptoms of Poisoning:</b> In severe cases of overexposure by oral ingestion, lethargy, muscle tremors, and in extreme cases, possible convulsions may occur.	

5099

**PRECAUTIONARY STATEMENTS  
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**Caution.** Harmful if absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators, mixers, loaders, and persons cleaning application equipment must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS STATEMENT**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) or agricultural practices (40 CFR 170.240 (d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS. Important: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for applicators and other handlers, and have such PPE available for use in an emergency, such as a spill or equipment breakdown.

**User Safety Recommendations**

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to birds, fish, aquatic and estuarine (tidewater dwelling) invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate or clean up granules that are spilled. Do not contaminate water when disposing of equipment washwater or rinsate.

**For Broadcast Applications:**

Do not apply within 15 feet of bodies of fresh water, lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, and commercial fish ponds. A 15 foot buffer of uniform groundcover must exist between application zone and bodies of freshwater (uniform ground cover is defined as land which supports vegetation of greater than 2 inches throughout).

Do not apply within 60 feet of estuarine bodies of water. Estuarine water bodies are brackish, tidal water such as bays, mouths of rivers, salt marshes, and lagoons.

In order to reduce risk to birds, ensure that the application is spread evenly over the treatment area

**In Florida:** Do not use this product within 500 feet of areas occupied by the threatened Florida scrub jay,

6009

bluetail mole skink, or sand skink. In addition, for the protection of the threatened bluetail mole skink and sand skink, apply only to turfgrass and allow at least a 30-foot untreated buffer of turfgrass when adjacent to scrub habitat (i.e., xeric upland) in the following counties: Highlands, Lake, Marion, Orange, Osceola, Polk, and Putnam. For guidance consult the Florida Department of Agriculture and Consumer Services.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notifications to workers and restricted-entry intervals. The requirements in this box only apply to sodfarm uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- coveralls
- waterproof gloves
- shoes plus socks

**NON AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Always wear protective clothing and use appropriate equipment during application and handling. Avoid breathing dust.

**TURFGRASS AND LANDSCAPE BEDS**

CSI FIP PRO PLUS may be applied as a slit application for the control of mole crickets and as a broadcast application for the control of imported fire ants (*Solenopsis* spp.) on turfgrass and landscape beds. Additional insects such as fleas, ticks, mole crickets and nuisance ants may be controlled for a limited time after broadcast application.

**RESTRICTIONS:**

- Follow the PPE requirements and use appropriate equipment for application and handling. Avoid contact with the granules and breathing dust.
- Do not apply this product when wind speed is greater than 10 mph and wind is blowing toward bodies of water.
- Do not apply to pastures or grazing lands.

- Do not apply in a combination with other products (pesticides, fertilizers, etc.) since comprehensive compatibility studies have not been performed on all products.

**APPLICATION INSTRUCTIONS**

**SLIT-PLACEMENT APPLICATION**

Apply to control overwintering adult mole crickets, newly hatched nymphs, or when damage to turfgrass indicates a severe infestation exists.

**NOTE:** In California, application may only be made in the Coachella Valley during the months of April through September.

**WHERE TO APPLY:** Turfgrass areas including golf courses, lawns in commercial and residential areas; cemeteries; recreational areas including parks, campsites; around schools and sports fields; and on sodfarms; and **Landscape beds.**

**HOW TO USE:** Apply CSI FIP PRO PLUS with slit-placement equipment. The slit depth should be set to the area where the thatch and soil meet. Before each use, calibrate and adjust the equipment to ensure accurate application rates.

**HOW MUCH TO APPLY:** Apply 12.5 to 25.0 lbs. of CSI FIP PRO PLUS per acre (4.6 to 9.4 ounces of CSI FIP PRO PLUS per 1,000 sq. ft.). For heavy insect infestations or adult insect life stages, use higher rates. Repeat applications may be necessary when there is severe mole cricket infestations and undesirable turfgrass damage.

**Restrictions:**

- Do not apply more than 25 lbs. of CSI FIP PRO PLUS per acre (0.025 lb. ai/A) per application.
- Do not apply more than 50 lbs. of CSI FIP PRO PLUS per acre (0.05 ai/A) per year.

**BROADCAST APPLICATION**

To control Imported Fire Ants for up to 1 year before the onset of infestation or to control established colonies, CSI FIP PRO PLUS should be applied evenly to the entire area to be treated with broadcast equipment.

This product can be used only in the USDA APHIS Fire Ant Quarantine area in the following states including Puerto Rico:

Alabama	Louisiana	South Carolina
Arkansas	Mississippi	Tennessee
California (Coachella Valley Only) *	New Mexico	Texas
Florida	North Carolina	Virginia
Georgia	Oklahoma	

\* Applications can only be made from April through September.

**Restrictions:**

- Before using this product refer to the USDA APHIS Imported Fire Ant Quarantine web site: [http://www.aphis.usda.gov/plant\\_health/plant\\_pest\\_info/fireants/downloads/fireant.pdf](http://www.aphis.usda.gov/plant_health/plant_pest_info/fireants/downloads/fireant.pdf) or search the APHIS web site by zip code to determine if the area to be treated is located within the APHIS Imported Fire Ant Quarantine area: [http://www.aphis.usda.gov/plant\\_health/plant\\_pest\\_info/fireants?fireantquery.php](http://www.aphis.usda.gov/plant_health/plant_pest_info/fireants?fireantquery.php). If the zip code for the area to be treated does not appear in the APHIS Imported Fire Ant Quarantine zone, you must notify and consult with the county's extension agent prior to treating.
- Consult your State or Federal plant protection inspector or your county agent for assistance regarding exact areas under regulation and requirements for moving regulated articles.
- For all areas except sodfarms within the USDA APHIS Quarantine area, do not apply more than 1 application per year of 12.5 lbs. per acre.
- For sodfarms within the USDA APHIS Quarantine area, 2 applications of 12.5 lbs. per acre per application may be made.
- Do not broadcast over impervious surfaces such as paved or concrete roads, sidewalks, driveways, and walkways.
- Do not broadcast near any storm drains.

**WHERE TO APPLY:** Turfgrass areas including golf courses, lawns in commercial and residential areas; cemeteries; recreational areas including parks, campsites; around schools and sports fields; and on sodfarms; and **Landscape beds.**

**HOW TO USE:** Apply CSI FIP PRO PLUS with broadcast equipment. Before each use, calibrate and adjust the equipment to ensure accurate application rates. Ensure thorough and even coverage of the granules. Water in immediately after application.

**HOW MUCH TO APPLY:** Apply 12.5 lbs. of CSI FIP PRO PLUS per acre (4.6 ounces of CSI FIP PRO PLUS per 1,000 sq. ft.).

**LIMITED TIME OF CONTROL FOR ADDITIONAL PESTS WITH BROADCAST TREATMENT OF IMPORTED FIRE ANTS:**

- **One Month:** Fleas [*Ctenacephalides spp.*] and Ticks [*Dermacentor spp.*, *Rhipicephalus spp.*, *Ixodes spp.*]
- **Three Months:** Nuisance ants [*Lasius neoniger*]
- **Four Months:** Mole crickets [*Scapteriscus spp.*]

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store unused product in original container only, out of the reach of children and animals. NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal law.

Contamination with this product will render water, food or feed unfit for human consumption. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**IN CASE OF SPILL:** Sweep up spilled granules, transfer to a marked container, and dispose of



wastes on site or at a waste disposal facility.  
**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed by State and local authorities, by open burning. If burned, stay out of smoke.

**WARRANTY STATEMENT**

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent consistent with applicable law, Control Solutions, Inc. shall in no event be liable for consequential, special, or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. Except, as expressly provided herein, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either expressed or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. To the extent consistent with applicable law, the exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

EPA Reg. No. 53883-XXX

EPA Est. No. XXXXX-XXX-XXX

**NET CONTENTS:** \_\_\_\_\_

**Manufactured By:**  
Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507