



53883 307

8/16/2012

1/8

 <p align="center">U S ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave NW Washington D C 20460</p> <p align="center">NOTICE OF PESTICIDE <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p align="center">(under FIFRA as amended)</p>	EPA Registration Number <p align="center">53883 307</p>	Date of Issuance <p align="center">AUG 16 2012</p>
	Term of Issuance Unconditional	
	Name of Pesticide Product <p align="center">Quali Pro NEGATE 37WG</p>	
Name and Address of Registrant (include ZIP Code) Control Solutions Inc 5903 Genoa Red Bluff Pasadena TX 77507		
<p>Note Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant the above named pesticide is hereby registered/reregistered under the Federal Insecticide Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is registered in accordance with FIFRA provided that you</p> <ol style="list-style-type: none"> 1 Submit and/or cite all data required for registration review/reregistration of your product when the Agency requires all registrants of similar products to submit data 2 Submit one-year Storage Stability (Guideline 830.6317) study within eighteen (18) months from the date of this notice <p>The Basic Confidential Statement of Formula (CSF) dated March 2 2012 is acceptable</p> <p>A stamped copy of the label is enclosed for your records. Submit one (1) copy of the revised final printed label before you release the product for shipment. If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p> <p>If you have any questions regarding this Notice please contact Mindy Ondish at (703)605 0723 or at ondish.mindy@epa.gov</p>		
Signature of Approving Official Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P) 	Date <p align="center">AUG 16 2012</p>	

GROUP 2 HERBICIDE

Quali-Pro[®] NEGATE 37WG

Postemergence Herbicide for Weed Control in Bermudagrass and Zoysiagrass
on Golf Courses Sod Farms Professionally Managed College and Professional Sports Fields
Industrial and Commercial Lawns and Other Similar NON residential Areas

ACTIVE INGREDIENTS	% BY WT
Metsulfuron Methyl	
Methyl 2 [[[(4 methoxy 6 methyl 1 3 5 triazin 2 yl) amino]carbonyl]amino]sulfonyl]benzoate	20 00%
Rimsulfuron N ((4 6 dimethoxypyrimidin 2 yl)aminocarbonyl) 3 (ethylsulfonyl) 2 pyridinesulfonamide	16 67%
OTHER INGREDIENTS	63 33%
TOTAL	100 00%

ACCEPTED
AUG 16 2012

Under the Federal Insecticide Fungicide and Rodenticide Act as amended for the pesticide registered under
EPA Reg No ~~53883-307~~
EPA Reg No 53883 307

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Manufactured for
Control Solutions Inc
5903 Genoa Red Bluff
Pasadena TX 77507

EPA Est No [REDACTED]

NET CONTENTS

FIRST AID	
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 20 minutes • Call a poison control center or doctor for treatment advice
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eye • Call a poison control center or doctor for treatment advice
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact SafetyCall® International for emergency medical treatment at (866) 897 8050	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin Avoid contact with skin eyes and clothing

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical resistant to this product are listed below If you want more options follow the instructions for category A on an EPA chemical resistance category selection chart

Applicators and other handlers must wear

- Long sleeved shirt and long pants
- Shoes and socks
- Chemical resistant gloves category A such as butyl rubber natural rubber neoprene rubber or nitrile rubber

Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables use detergent and hot water Keep and wash PPE separately from other laundry

3/8

ENGINEERING CONTROL STATEMENTS

When handlers use closed systems enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)] the handler PPE requirements may be reduced or modified as specified in the WPS

IMPORTANT When reduced PPE is worn because a closed system is being used handlers must be provided all PPE specified above for Applicators and other handlers and have such PPE immediately available for use in an emergency such as a spill or equipment breakdown

USER SAFETY RECOMMENDATIONS

Users should

- Wash thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco or using the toilet
- Remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing

ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark Do not apply where runoff water may flow during periods of intense rainfall or to water saturated soils as off target movement and injury may occur Do not contaminate water when cleaning equipment or disposing of equipment washwaters

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling **READ ENTIRE LABEL BEFORE USING THIS PRODUCT USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS**

Do not apply this product in a way that will contact workers or other persons either directly or through drift Only protected handlers may be in the area during application

For any requirements specific to your State or Tribe consult the Agency responsible for pesticide regulation

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170 This standard contains requirements for the protection of agricultural workers on farms forests nurseries and greenhouses and handlers of agricultural pesticides It contains requirements for training decontamination notification and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants soil or water is coveralls shoes socks and chemical resistant gloves category A such as butyl rubber natural rubber neoprene rubber or nitrile rubber

NON AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170) The WPS applies when this product is used to produce agricultural plants on farms forests nurseries or greenhouses Do not enter or allow others to enter treated areas until sprays have dried

Mode of Action Quali Pro® NEGATE 37WG contains Rimsulfuron and Metsulfuron Methyl herbicides which belong to the sulfonylurea chemical family of herbicides Herbicides in this family inhibit branched chain amino acid synthesis in plants Quali Pro® NEGATE 37WG is absorbed through foliage of plants rapidly inhibiting the growth of susceptible weeds One to three weeks after post emergence application to weeds leaves of susceptible plants appear chlorotic and the growing point subsequently dies In warm moist conditions the expression of herbicide symptoms is accelerated in cold dry conditions expression of herbicide symptoms is delayed Death of leaf tissue and growing point will follow in some species while others will remain green but stunted and noncompetitive Best weed control is attained when Quali Pro® NEGATE 37WG is applied in vigorously growing weeds or desired plants The herbicidal action of Quali Pro® NEGATE 37WG may be less effective on weeds stressed from adverse environmental conditions (such as extreme temperatures or moisture)

abnormal soil conditions or cultural practices In addition weeds hardened off by drought stress are less susceptible to Quali Pro® NEGATE 37WG Postemergence weed control may be reduced if rainfall occurs soon after application It is necessary for the spray material to dry on the foliage to be sufficiently absorbed (generally Quali Pro® NEGATE 37WG is rainfast in 4 hours)

Application Timing The best weed control is obtained when Quali Pro® NEGATE 37WG is applied to young actively growing weeds The degree and duration of control may depend on (a) weed spectrum and infestation intensity (b) weed size at application and (c) environmental conditions at and following treatment

Adequate Buffers around BENTGRASS GREENS Extreme caution should be used when applying this product around or near slopes that drain onto bentgrass greens overseeded greens fairways or tees Do not apply to slopes that drain directly onto bentgrass greens Tracking and lateral movement onto bentgrass putting greens rarely results in death to bentgrass Some off color and growth regulator effects have been observed for approximately 14 days This effect may last longer on non USGA (sand greens) or during periods of cool weather or on greens maintained at low nitrogen levels Fertilization with liquid fertilizer can help speed bentgrass recovery The addition of a product containing gibberellic acid may also be beneficial Application of activated charcoal around and/or on the perimeter of bentgrass putting greens has also been effective in reducing injury potential Additionally light irrigation of outer greens surrounds or perimeters has shown to reduce tracking or movement onto greens and are recommended for 1 2 days following applications Always allow the surround or sprayed areas to dry adequately prior to permitting golfers or mowing equipment to cross

Weed Control in Bermudagrass and Zoysiagrass on Golf Courses Sod Farms Professionally Managed College and Professional Sports Fields Industrial and Commercial Lawns and Other Similar NON residential Areas

Precaution Tolerance of the majority of cultivars of Zoysiagrass to Quali Pro® NEGATE 37WG has not been fully investigated It is known that Emerald Zenith and Meyer cultivars of Zoysiagrass have shown tolerance to similar to that of bermudagrass The effects of Quali Pro® NEGATE 37WG on these turfgrasses during transition have not been fully evaluated

Dormant and non dormant turf Apply 1 5 ounces of Quali Pro® NEGATE 37WG per acre for weed control Some chlorosis of the turf may occur following application

Bermudagrass and Zoysiagrass Apply 1 5 ounces of Quali Pro® NEGATE 37WG per acre for weed control Some chlorosis or stunting of the turfgrass may occur following application

Bahiagrass Control For the selective control of Bahiagrass in Bermudagrass turf use 1 5 oz of Quali Pro® NEGATE 37WG per acre Apply a repeat treatment in 4 to 6 weeks if necessary Some chlorosis or stunting of the Bermudagrass may occur following the application

IMPORTANT Addition of a nonionic surfactant of at least 80% active ingredient at 0 25 percent by volume (1 qt /100 gal) provides maximum performance but may temporarily increase chlorosis of the turf

When an adjuvant is to be used with this product Control Solutions Inc suggests the use of a Chemical Producers and Distributors Association certified adjuvant Products must contain only EPA exempt ingredients

HOW TO USE

Use spray volumes of 20 to 80 gal/acre and pressures of 25 to 35 psi at the following rates of Quali Pro® NEGATE 37WG for the weeds listed below

Controls the following perennial and annual grassy weeds Use rate of 1 5 oz Product/Acre

- Bahiagrass
 - Annual Bluegrass (*Poa annua*)
 - Perennial ryegrass
 - Annual ryegrass
 - Foxtail
 - Poa trivialis* (Roughstalk Bluegrass)
 - Little Barley
- A repeat application may be required in 4 to 6 weeks

Controls the following broadleaf (dicot) weeds Use rate of 1.5 oz Product/Acre

Annual sowthistle	Goldenrod
Aster	Henbit
Bittercress	Hoary cress (whitetop)
Blue mustard	Kochia
Buckhorn	Lambsquarters
Bur buttercup	Miners lettuce
Canada thistle	Pennsylvania smartweed
Chicory	Plantain
Clover (white)	Prickly lettuce
Common chickweed	Prostrate knotweed
Common groundsel	Redroot pigweed
Common mullein	Redstem filaree
Common purslane	Shepherdspurse
Common sunflower	Smallseed flaxweed
Common yarrow	Smooth pigweed
Conical catchfly	Spurge (prostrate)
Cow cockle	Sweet clover
Crown vetch	Tansy mustard
Curly dock	Treacle mustard
Cutleaf evening primrose	Tumble mustard
Dandelion	Virginia buttonweed
Dogfennel	Wild carrot
Dollarweed	Wild celery
False chamomile	Wild lettuce
Fiddleneck tarweed	Wild mustard
Field pansy	Wild onion
Field pennycress	Woodsorrel (oxalis)
Flixweed	

A repeat application may be required in 4 to 6 weeks

Suppression only involving a visual reduction in competition compared to an untreated area

Controls seedling Virginia buttonweed Suppression only of more mature plants Repeat application may be required in 4 to 6 weeks

USE RESTRICTIONS

Do not apply Quali Pro® NEGATE 37WG to turf under stress from drought insects disease cold temperatures high temperatures of above 85 F on cool season grasses or poor fertility as injury may result

Do not apply to residential lawns

Do not apply to areas where children can contact treated turf

Do not apply this product through any type of irrigation system

Do not apply an organophosphate insecticide or nematicide within 7 days of a Quali Pro® NEGATE 37WG application as injury potential to the desired grass may increase

Do not apply to turf less than 1 year old

Do not use on Bahiagrass where it is the desired turf as severe injury may result

Do not plant ornamentals such as shrubs and trees in treated areas for at least 1 year after the last application or bedding plants for at least 2 years

Do not apply this product by air

Do not use more than 4 applications of Quali Pro® NEGATE 37WG per acre per year or a maximum of 6 ounces product per acre per year Please note the restrictions for the control of Bahiagrass

DO NOT USE ON FOOD OR FEED CROPS

Injury to trees or other desirable plants may result from failure to observe the following Do not apply Quali Pro® NEGATE 37WG (except as directed) or drain or flush equipment on or near trees or other desirable plants or on areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots

When overseeding wait 2 months (8 weeks) after application Do not apply to any body of water including streams irrigation water or wells Do not apply where runoff water may flow onto agricultural land as injury to crops may result Do not allow spray drift onto adjacent crops or other desirable plants or trees as injury may occur

Follow these practices to minimize drift

- Stop spraying if wind speed becomes excessive Spray drift can occur at wind speeds less than 10 mph If sensitive plants are downwind extreme caution must be used Do not spray if winds are gusty
- High temperatures drought and low relative humidity increase the possibility of harmful spray drift Caution must be used when these conditions are present and sensitive plants are nearby
- Use large droplet size sprays to minimize drift
- Use spray pressures of 35 psi or less when applying this product

SPRAY EQUIPMENT

Following a Quali Pro® NEGATE 37WG application do not use the sprayer or mixing equipment for application to agricultural crops except those that may be treated with both metsulfuron methyl and rimsulfuron This is extremely important as low rates of Quali Pro® NEGATE 37WG can kill or severely injure most agricultural crops The selected sprayer should be equipped with an agitation system to keep Quali Pro® NEGATE 37WG suspended in the spray tank Use a sufficient volume of water to thoroughly cover the foliage of undesirable weeds generally 20 to 80 gallons per acre Select a spray volume and delivery system that will deliver a uniform spray pattern Be sure the sprayer is calibrated before use Avoid overlapping and shut off spray booms while starting turning slowing or stopping to avoid injury to desired plants

MIXING INSTRUCTIONS

- 1 Fill the tank 1/4 to 1/3 full of water
- 2 While agitating add the required amount of Quali Pro® NEGATE 37WG
- 3 Continue agitation until the Quali Pro® NEGATE 37WG is fully dispersed at least 5 minutes
- 4 Once the Quali Pro® NEGATE 37WG is fully dispersed maintain agitation and continue filling tank with water Quali Pro® NEGATE 37WG should be thoroughly mixed with water before adding any other material
- 5 As the tank is filling add tank mix partners (if desired) then add the necessary volume of nonionic surfactant Always add surfactant last
- 6 If the mixture is not continuously agitated settling will occur If settling occurs thoroughly re agitate before using
- 7 Quali Pro® NEGATE 37WG spray preparations are stable if they are pH neutral or alkaline and stored at or below 100°F
- 8 If Quali Pro® NEGATE 37WG and a tank mix partner are to be applied in multiple loads pre slurry the Quali Pro® NEGATE 37WG in clean water prior to adding to the tank This will prevent the tank mix partner from interfering with the dissolution of the Quali Pro® NEGATE

SPRAYER CLEANUP

Spray equipment must be cleaned before Quali Pro® NEGATE 37WG is sprayed Follow the cleanup procedures specified on the labels of previously applied products If no directions are provided follow the six steps outlined below

At the End of the Day

When multiple loads of Quali Pro® NEGATE 37WG are applied at the end of each day of spraying the interior of the tank be rinsed with fresh water and then partially filled and the boom and hoses flushed. This will prevent the buildup of dried pesticide deposits that can accumulate in the application equipment.

- 1 Drain tank thoroughly rinse spray tanks boom and hoses with clean water. Loosen and physically remove any visible deposits.
- 2 Fill the tank with clean water and 1 gal of household ammonia (contains 3% active) for every 100 gal of water. Flush the hoses boom and nozzles with the cleaning solution. Then add more water to completely fill the tank. Circulate the cleaning solution through the tank and hoses for at least 15 min. Flush the hoses boom and nozzles again with the cleaning solution and then drain the tank.
- 3 Remove the nozzles and screens and clean separately in a bucket containing cleaning agent and water.
- 4 Repeat step 2.
- 5 Rinse the tank boom and hoses with clean water.
- 6 If only Ammonia is used as a cleaner the rinsate solution may be applied back to the crop(s) specified on this label. Do not exceed the maximum labeled use rate. If other cleaners are used consult the cleaner label for rinsate disposal instructions. If no instructions are given dispose of the rinsate on site or at an approved waste disposal facility.

Equivalent amounts of an alternate strength ammonia solution or other specified cleaners can be used in the cleanout procedure. Carefully read and follow the individual cleaner instructions. Consult your agricultural dealer applicator or extension agent for a listing of approved cleaners.

Notes

- **Attention** Do not use chlorine bleach with ammonia as dangerous gases will form. Do not clean equipment in an enclosed area.
- Steam clean aerial spray tanks prior to performing the above cleanout procedure to facilitate the removal of any caked deposits.
- When Quali Pro® NEGATE 37WG is tank mixed with other pesticides all required cleanout procedures should be examined and the most rigorous procedure should be followed.
- In addition to this cleanout procedure all pre cleanout guidelines on subsequently applied products should be followed as per the individual labels.

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Always use original container to store pesticides in a secured warehouse or storage building. Do not store near open containers of fertilizers seeds or other pesticides.

PESTICIDE DISPOSAL Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING

Nonrefillable Container (flexible bag all weights) Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or reconditioning or puncture and dispose of in a sanitary landfill by incineration or by burning if allowed by State and local authorities. If burned stay out of smoke.

Nonrefillable Container (rigid fifty lbs or less) Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill by incineration or by burning if allowed by State and local authorities. If burned stay out of smoke.

Nonrefillable Container (rigid greater than fifty lbs) Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill by incineration or by burning if allowed by State and local authorities. If burned stay out of smoke.

Refillable Container Refillable container Refill this container with metsulfuron methyl and rimsulfuron only Do not reuse this container for any other purpose Cleaning the container before final disposal is the responsibility of the person disposing of the container Cleaning before refilling is the responsibility of the refiller To clean the container before final disposal empty the remaining contents from this container into application equipment or mix tank Fill the container about 10 percent full with water Agitate vigorously or recirculate water with the pump for 2 minutes Pour or pump rinsate into application equipment or rinsate collection system Repeat this rinsing procedure two more times

FOR 24 HOUR EMERGENCY ASSISTANCE (SPILL LEAK OR FIRE) CALL INFOTRAC AT 1 800 535 5053

LIMITATION OF WARRANTY AND LIABILITY

NOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product If the terms are not acceptable return the product at once unopened and the purchase price will be refunded

The Directions for Use of this product must be followed carefully It is impossible to eliminate all risks inherently associated with the use of this product Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application weather presence of other materials or other influencing factors in the use of the product which are beyond the control of Control Solutions Inc or Seller All such risks shall be assumed by Buyer and User and Buyer and User agree to hold Control Solutions Inc and Seller harmless for any claims relating to such factors

Control Solutions Inc warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use subject to the inherent risks referred to above when used in accordance with directions under normal use conditions This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions Inc and Buyer and User assume the risk of any such use **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW CONTROL SOLUTIONS INC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE**

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW IT IS CONTROL SOLUTIONS INC AND SELLER S INTENTION THAT in no event shall Control Solutions or Seller be liable for any incidental consequential or special damages resulting from the use or handling of this product **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS INC AND SELLER FOR ANY AND ALL CLAIMS LOSSES INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY CONTRACT NEGLIGENCE TORT STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF CONTROL SOLUTIONS INC OR SELLER THE REPLACEMENT OF THE PRODUCT**

Control Solutions Inc and Seller offer this product and Buyer and User accept it subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions Inc

Quali Pro® NEGATE 37WG (53883 307)
3 2 2012 proposed 8 16 2012 EPA comments incorporated