



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 3, 2015

Shannon Cooley
Regulatory Specialist
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

Subject: Label Amendment – Request to add the following claims: “ants”, “flies”, and “ticks – including those that may carry and transmit Lyme disease”.
Product Name: CSI 3-6-10 ULV Fogging Concentrate
EPA Registration Number: 53883-324
Application Date: March 2, 2015
Decision Number: 502171

Dear Ms. Cooley:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.


Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 53883-324
Decision No. 502171

with FIFRA section 6. If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Enclosure

Sincerely,

A handwritten signature in black ink, appearing to read 'J. Urbanski', with a stylized, cursive script.


Jennifer Urbanski, PhD, Product Manager 4
Invertebrate and Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

CSI 3-6-10 ULV Fogging Concentrate

{Select marketing claims from "Marketing Claims" section below}

Active Ingredients:	
Pyrethrins	3%
Piperonyl butoxide*	6%
N-Octyl bicycloheptene dicarboximide**	10%
Other Ingredients***	81%
Total	100%

*(butyl carbityl) (6-propylpiperonyl) ether and related compounds
 **MGK® 264, Insecticide Synergist
 ***Contains petroleum distillates
 MGK® - Registered trademark of McLaughlin Gormley King Company



**Keep Out of Reach of Children
 CAUTION**

See back [side] panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 53883-324 EPA Est. _____

Net Contents: 1 Gallon

First Aid	
If on Skin or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person
Note to Physician: Contains petroleum distillate; vomiting may cause aspiration pneumonia.	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call the National Pesticide Information Center at 1-800-858-7378. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information	

{The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

**PRECAUTIONARY STATEMENTS
 Hazards to Humans & Domestic Animals**

CAUTION: Contains petroleum distillates. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators and other handlers must wear: Long-sleeved shirt, long pants, chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton, shoes and socks.

In addition to the above PPE, applicators using a high-pressure handwand in an enclosed area must wear at least a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P or HE filter.

In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear a half-face, full-face or hood-style NIOSH-approved respirator with:

- a dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C) or
- a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or
- a cartridge or canister with any N, R, P or HE filter.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations

- Users should wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product.
- Wash the outside of gloves before removing.
- As soon as possible, wash thoroughly and change into clean clothing.

{Products labeled exclusively for indoor use may omit the following Environmental Hazards statement.}

Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

{Products labeled exclusively for indoor use and packaged in containers equal to or greater than 5 gallons must add the following to the Environmental Hazards statement.}

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or Regional Office of the EPA.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Completely read all directions before use.

Use Restrictions

- For indoor use only.
- This product is not for direct application to companion animals (dogs, cats, puppies, or kittens).
- Do not apply more than 1 time per day.
- Do not contaminate food or feedstuffs.
- Do not use in aircraft cabins.
- This product is not for use in outdoor residential misting systems (indoor or outdoor).
- Remove pets, birds and cover fish aquariums before use.
- Do not enter or allow others to enter treated areas until sprays have dried.
- Do not allow adults, children or pets to enter the treated area for at least 15 minutes until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.
- Do not remain in the treated area; immediately exit area and remain outside the treated area until aerosols, vapors and mists have dispersed.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift; only protected handlers may be in the area during application.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- Direct application to food contact surfaces is prohibited.
- When used in dairy barns or facilities: Close bulk milk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash animals' teats before milking. Do not make space spray applications when facility is in operation.
- Prior to space spray applications: Cover or remove food; and cover food processing surfaces or clean surfaces after treatment and before use.
- Do not make space spray applications when facility is in operation.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- **In Hospitals:** Remove patients from room prior to treatment. Ventilate room for 2 hours after spraying. Do not return patients to room until after the ventilation.

Product Information

This concentrate is designed for use undiluted in mechanical sprayers that give particles of aerosol size. It can be diluted with refined kerosenes that meet Food Additive Regulations as defined by 21 CFR § 172.884 and applied in fogging equipment that give larger than aerosol particle size. It can also be diluted with the oil specified above and applied as a contact spray to kill crawling insects claimed on this label.

Indoor Areas: For Use In

Animal areas and quarters	Buses	Crematoriums
Animal shelters	Cabins	Day care centers
Animal control centers	Cabinets	Delicatessens
Apartments	Cafeterias	Department stores
Arcades	Campers	Diners
Attics	Canneries	Dog houses
Auditoriums	Churches	Drug stores
Bakeries	Circus tents	Dumpsters
Beverage plants	City missions	Dwellings
Bars	Closets	Egg processing plants
Basements	Clubhouses	Factories
Bathrooms	Commercial buildings	False ceilings
Boats	Communication centers	Freight containers
Bottling plants	Condominiums	Fruit packing sheds
Breweries	Concession stands	Funeral parlors
Brewery warehouses	Court houses	Garbage bins
Buildings	Crawl spaces	Garbage cans

Garbage compactors
Garbage trucks
Gas stations
Grain elevators
Grain harvesting/handling equipment
Garages
Grain mills
Granaries
Grocery stores
Homes
Horse stables/barns
Horse trailers
Hospices
Hospitals
Hotels
Indoor eating establishments
Industrial installations
Institutional dining areas
Institutions
Jails
Kennels
Laboratories
Laundromats
Lavatories
Libraries
Liquor stores
Locker rooms
Marinas

Mausoleums
Meat packing plants
Mess halls
Mini-storages
Mobile canteens
Mobile homes
Morgues
Mortuaries
Motels
Movie theaters
Museums
Nursing homes
Office buildings
Other public buildings
Parking garages
Pool halls
Prisons
Public storages
Railroad cars
Recreational vehicles [RVs]
Research animal quarters
Restaurants
Retail stores
Rice mills
Schools
Ships
Ships holds
Smoke shops
Sports stadiums

Stables
Storage bins [areas]
Stored food in multi-walled, paper or cloth bags
Stores
Supermarkets
Taverns
Textile mills/warehouses
Theaters
Tobacco factories
Tobacco warehouses
Tool sheds
Trains
Transportation equipment
Trucks
Truck trailers
Tunnels
Utilities
Utility rooms
Vending machines
Veterinary hospitals
Wall/equipment voids
Warehouses
Washrooms
Wholesale stores
Wine cellars
Wineries
Zoos

{The above may be listed in paragraph format}

To Kill the Following Listed Insects:

Aedes Mosquitoes
Almond moths
American cockroaches
Angoumois grain moths
Black widow spiders
Boxelder bugs
Brown dog ticks
Cadelles
Carpenter ants
Carpet beetles
Centipedes
Cereal beetles
Cheese mites
Cheese skippers
Chocolate moths
Cigarette beetles
Clothes moths
Clover mites
Coffee bean weevils
Confused flour beetles
Crickets
Dark mealworms
Darkling beetles
Dear flies

Dermestid beetles
Dried fruit beetles
Drugstore beetles
Earwigs
Face flies
Firebrats
Flat grain beetles
Fleas
Flies
Flying moths
Fruit flies
German cockroaches
Gnats
Grain mites
Granary weevils
Horn flies
Hornets
Houseflies
Indian meal moths
Khapra beetles
Lesser grain borers
Lesser house flies
Mediterranean flour moths
Merchant grain beetles

Midges
Miller moths
Millipedes
Mosquitoes
Oriental cockroach
Palmetto bugs
Pillbugs
Red flour beetles
Rice flour beetles
Rusty grain beetles
Saw-toothed grain beetles
Silverfish
Skipper flies
Spiders
Spider beetles
Stable flies
Sowbugs
Tobacco moths
Warehouse beetles
Wasps
Waterbugs
Yellow jackets
Yellow mealworms

{The above may be listed in paragraph format}

Indoor Use – Undiluted
For use in Homes, Restaurants, Food Processing and Other Listed Industrial Areas

ULV and Space Spray: Use in aerosol generators to kill exposed accessible stages of Aedes mosquitoes, Boxelder bugs, Carpenter ants, Centipedes, Cheese mites, Cheese skippers, Clover mites, Earwigs, Fleas, Gnats, Hornets, Small flying moths, Wasps, Yellow jackets and the following common Stored product pests: Angoumois grain moths, Cadelles, Cigarette beetles, Confused flour beetles, Dark meal worms, Drugstore beetles, Grain mites, Granary weevils, Indian meal moths, Mediterranean flour moths, Red flour beetles, Rice weevils, Saw-toothed grain beetles, Spider beetles, Tobacco moths and Yellow meal worms. Remove or cover exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 0.5 fluid ounce undiluted concentrate per 1000 cubic feet (1.04 ml/m³) of space. Direct spray toward ceiling and upper corners of the room. Vacate treated area and thoroughly ventilate before re-occupying.

Contact and Space Spray: To kill Carpenter Ants, American cockroaches, Black widow spiders, Centipedes, Earwigs, German cockroaches, Oriental cockroaches, Silverfish, and Yellow jackets, use a mechanical aerosol generator or a fogger. For maximum effectiveness, using no more than 0.5 fluid ounce diluted spray per 1000 square feet, first direct the spray into all cracks and crevices; behind all equipment, pipes, cupboards, obstructions or dark harborage areas; on walls, floors and underneath sinks; and in all places that harbor insects contacting as many insects as possible; then treat as a space spray applying at the rate of 0.5 fluid ounce of diluted spray per 1000 cubic feet (1.04 ml/m³) of space. Vacate treated area and thoroughly ventilate before re-occupying. **Note:** If there is a need to treat areas such as conduits, motor housings, junction and switch boxes or other electrical equipment, turn off electrical equipment prior to application. After application, allow time for the oil to dissipate before starting motors or placing switches in the "ON" position.

Contact and Space Spray – Undiluted Spot Spray – To Kill Cockroaches: Using an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices to completely fill wall, equipment and other small structural void areas. Apply a maximum of 1.3 fluid ounces per 1000 cubic feet. Leave room ventilation or air conditioning equipment on during application.

Indoor Use – Diluted

Space Spray: For use in mechanical fogging, thermal fogging or spraying equipment to kill accessible stages of Aedes mosquitoes, Almond moths, American cockroaches, Angoumois grain moths, Black widow spiders, Cadelles, Carpenter ants, Centipedes, Cereal beetles, Cheese mites, Cheese skippers, Chocolate moths, Cigarette beetles, Coffee bean weevils, Confused flour beetles, Crickets, Dark mealworms, Dried fruit beetles, Drugstore beetles, Earwigs, Firebrats, Fruit flies, Fungus gnats, German cockroaches, Grain mites, Granary weevils, Hide beetles, Indian meal moths, Khapra beetles, Lesser grain beetles, Mediterranean flour moths, Oriental cockroaches, Red flour beetles, Rice weevils, Rusty grain beetles, Saw-toothed grain beetles, Silverfish, Small flying moths, Spider beetles, Warehouse beetles, Yellow jackets and Yellow mealworms. Remove or cover exposed food and cover food-handling surfaces in edible product areas of food handling establishments. Close room and shut off all air conditioning or ventilating equipment. Dilute 1 part concentrate with 3 parts of a white mineral oil conforming to 21 CFR § 121.2589(b) or an odorless light petroleum hydrocarbon conforming to 21 CFR § 121.1182 and mix well. Apply at the rate of 5 fluid ounces per 1000 cubic feet (5.21 ml/m³) of space, filling the room with mist.

Surface Spray: To kill accessible stages of American cockroaches, Black widow spiders, Beetles, Boxelder bugs, Carpenter ants, Centipedes, Clover mites, Crickets, Drugstore beetles, Earwigs, German cockroaches, Oriental cockroaches, Silverfish, Yellow jackets, and other listed insects, dilute 1 part concentrate with 3 parts suitable diluent, mix well and apply as a coarse wetting spray using 1 gallon of dilution per 1000 square feet (40 ml/m²) of surface. To ensure maximum control of listed crawling insects, thoroughly spray into all cracks, moldings, crevices, walls, floors, storage/handling areas and other surfaces. Pay particular attention to areas where moisture collects such as drains, sinks, water pipes and around the base of heavy machinery/equipment contacting as many insects as possible.

Carpenter Ants: Spray directly into nests, along trails and directly on all visible ants.

For Use as Transit Protection: To kill accessible stages of listed insects, clean and spray truck beds, boxcars, ships holds and other listed transit equipment before loading. Dilute 1 part concentrate with 3 parts suitable diluent, mix well and apply as a coarse wetting spray using 1 gallon of dilution per 1000 square feet (40 ml/m²) of surface area. Thoroughly treat walls and floors. Lightly spray each layer of cartons or containers as stacked. To kill **Angoumois grain moths** and **Indian meal worms** in stored grain, apply dilution to the surface of binned grain at a rate of 1 gallon per 1000 square feet (40 ml/m²). Apply at monthly intervals

with the first appearance of moths and continuing until early fall. In case of severe infestation, break up webbing before spraying and make a second application in 2 weeks.

Contact Spray: Dilute this concentrate for use with sprayers that give large, wetting spray particles to kill American cockroaches, German cockroaches, and Oriental cockroaches and accessible stages of Granary insects including Cadelles, Confused flour beetles, Grain mites, Granary weevils, Meal moths larvae/adults, Red flour beetles, Rice weevils and Saw-toothed grain beetles. Cover or remove exposed food and close room as described above. Dilute 1 part concentrate with 3 parts of oil or 5 fluid ounces per gallon (112.5 g/L) and mix well. Spray outside walls of grain bins and flooring; around bases of milling machinery, pipes and other harborages; on walls, baseboards and areas behind cabinets using 1 gallon spray per 1000 square feet (40 ml/m²) of space. Force spray into all cracks and crevices.

Zoos: Use this product as a space spray diluted for use in conventional mechanical fogging equipment to kill Flies, Gnats, Mosquitoes and Small flying moths. Dilute 1 part concentrate with 3 parts oil (refined kerosene) and mix well. Apply dilution above the animals at a rate of 2 fluid ounces per 1000 cubic feet (2.08 ml/m³) of space. Direct spray toward upper portions of the enclosure, filling the room with mist.

For Use in Meat and Poultry Processing Facilities: Dilute 1 part concentrate with 3 parts base oil (refined kerosene) and apply with a ULV spraying device at the application rate of 3 fluid ounces of dilution per 1000 cubic feet (3.12 ml/m³) of space. Apply no more than 6 fluid ounces of dilution into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter using up to, but no more than, 34 fluid ounces per 1000 square feet. Contact as many insects as possible. Repeat as necessary, but not more than once per day, to kill exposed or accessible stages of Aedes mosquitoes, Black widow spiders, Carpenter ants, Centipedes, Earwigs, Fruit flies, Gnats, Silverfish, Small flying moths, Yellow jackets and Waterbugs. Before spraying, cover or remove exposed food products and packaging materials. After spraying, equipment and utensils must be washed with an effective cleaning compound and rinsed with potable water prior to use. Use as a space spray only when plant is not in operation.

Note: When using oil as the diluent, use an odorless light petroleum hydrocarbon as defined by 21 CFR § 172.884 for all food areas and food related applications. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under the USDA meat, poultry, and shell egg grading and egg products inspection programs.

{For product in rigid, non-refillable containers less than or equal to 5 gallons:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. Store away from food and pet food. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available, or dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

{For product in rigid, non-refillable containers greater than 5 gallons:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. Store away from food and pet food. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling if available, or dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

{For product in rigid, refillable containers:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. Store away from food and pet food. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed on site or at an approved waste disposal facility. **Container Handling:** Refillable container; refill this container only with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before refilling is the responsibility of the refiller; cleaning before final disposal is the responsibility of the person disposing of the container. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water, then vigorously agitate or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure 2 more times. Offer for recycling if available, or dispose of in a sanitary landfill or by other procedures allowed by state and local authorities.

{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}

WARRANTY STATEMENT

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label when used only in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. To the extent consistent with applicable law, Control Solutions, Inc. shall in no event be liable for consequential, special, or indirect damages resulting from the use or handling of this product; all such risks shall be assumed by the Buyer. In addition to the foregoing, no purchaser of this product (other than an end user) shall be entitled to any reimbursement for any loss suffered as a result of any suspension or cancellation of the registration for this product by the U.S. Environmental Protection Agency. Except as expressly provided herein and to the extent consistent with applicable law, Control Solutions, Inc. makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to merchantability, fitness for a particular purpose and/or use or eligibility of the product for any particular trade usage. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damage resulting from or in any way arising from the use, handling, or application of this product, whether in contract, warranty, tort, negligence, strict liability, or otherwise, shall be damages not exceeding the purchase price paid for this product or, at Control Solutions, Inc. election, the replacement of this product.

[Manufactured for:] [Distributed by:]

Control Solutions, Inc.

5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

{Marketing Claims}

Effective and fast-acting

For use indoors as a ULV, space, area, contact spray or thermal fog for listed insects in areas specified on the label.

For use on {select from sites listed in Directions for Use}

Kills {select from insects listed on label}

Provides flushing action and quick knockdown for indoor use as a ULV, space, area, or contact spray.

{End of Marketing Claims}

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling