



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 2, 2015

Shannon Cooley
Regulatory Specialist
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507

Subject: Label Amendment – Adding public health pests to the label.
Product Name: CSI 1-2-3 ULV Fogging Concentrate
EPA Registration Number: 53883-326
Application Date: June 5, 2015
Decision Number: 505732

Dear Ms. Cooley:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.


Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 53883-326
Decision No. 505732

with FIFRA section 6. If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'J. Urbanski', with a stylized, cursive script.

Jennifer Urbanski, PhD, Product Manager 4
Invertebrate and Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

CSI 1-2-3 ULV Fogging Concentrate

{Select marketing claims from "Marketing Claims" section below}

Active Ingredients:

Pyrethrins	1%
Piperonyl butoxide*	2%
N-Octyl bicycloheptene dicarboximide**	3%

Other Ingredients***	<u>94%</u>
Total	100%

*(butyl carbityl) (6-propylpiperonyl) ether and related compounds
 **MGK® 264, Insecticide Synergist
 ***Contains petroleum distillates
 MGK® - Registered trademark of McLaughlin Gormley King Company

**Keep Out of Reach of Children
 CAUTION**


See back [side] panel for First Aid and additional Precautionary Statements

EPA Reg. No. 53883-326 EPA Est. _____

Net Contents: 1 gallon

{Back Panel}

First Aid	
If Swallowed:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Note to Physician: Contains petroleum distillates; vomiting may cause aspiration pneumonia.	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call SafetyCall® International (866) 897-8050, twenty-four (24) hours per day, or seven (7) days per week.	



PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Contains petroleum distillates. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators and other handlers must wear: Long-sleeved shirt, long pants, chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton, shoes and socks.

In addition to the above PPE, applicators using a high pressure handwand in an enclosed area must wear at least a NIOSH-approved respirator with a dust/mist filter with a MSHA/NIOSH-approval number prefix TC-21C or any N, R, P or HE filter.

In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear a half-face, full-face or hood-style NIOSH-approved respirator with:

- a dust/mist filtering cartridge (MSHA/NIOSH-approval number prefix TC-21C) or
- a canister approved for pesticides (MSHA/NIOSH-approval number prefix TC-14G) or
- a cartridge or canister with any N, R, P or HE filter.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

User Safety Recommendations

Users should:

- Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing.
- As soon as possible, wash thoroughly and change into clean clothing.

{Products labeled exclusively for indoor use may omit the following Environmental Hazards statements:}

Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

{Products labeled exclusively for indoor use and packaged in containers equal to or greater than 5 gallons add the following to the Environmental Hazards statements:}

Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a Nation Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state water board or Regional Office of the EPA.

Physical or Chemical Hazards

Combustible. Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

Completely read all directions before use.

Use Restrictions

- FOR INDOOR USE ONLY.
- Do not enter or allow others to enter until sprays have dried.
- Do not allow adults, children or pets to enter the treated area for at least 15 minutes until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Do not use in aircraft cabins.
- Do not remain in treated area; immediately exit area and remain outside the treated area until aerosols, vapors and/or mists have dispersed.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- Do not make space spray applications when facility is in operation.
- Prior to space spray applications, cover or remove food.
- Prior to space spray applications, cover food processing surfaces or clean after treatment and before use.
- Do not apply more than 1 time per day.
- Not for use in outdoor residential misting systems.
- Remove pets/birds and cover fish aquariums before use.
- Application is prohibited directly into sewers, drains or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: Close bulk milk tank lids to prevent contamination from spray and from dead or falling insects; remove or cover milking utensils before application. Wash teats of animals before milking.

Product Information

This concentrate is designed for use undiluted in mechanical sprayers that give particles of aerosol size. It can be diluted with refined kerosenes that meet the Food Additive Regulations as defined by 21 CFR § 172.884 and applied in fogging equipment that give larger than aerosol particle size. It can also be diluted with the oil specified above and applied as a contact spray to kill crawling insects claimed on this label.

Indoor Areas: For Use In and Around:

Animal areas and quarters
Animal shelters
Animal control centers
Apartments
Arcades
Attics
Auditoriums
Bakeries
Beverage plants
Bars
Basements
Bathrooms
Boats
Bottling plants
Breweries
Brewery warehouses
Buildings
Buses
Cabins
Cabinets
Cafeterias
Campers
Canneries
Churches
City missions
Circus tents
Closets
Clubhouses
Commercial buildings
Communication centers
Condominiums
Concession stands
Court houses
Crawl spaces
Crematoriums
Day care centers
Delicatessens
Department stores
Diners
Dog houses
Drug stores
Dumpsters
Dwellings
Egg processing plants
Factories
False ceilings

Freight containers
Fruit packing sheds
Funeral parlors
Garbage bins
Garbage cans
Garbage compactors
Garbage trucks
Gas stations
Grain elevators
Grain harvesting
and handling equipment
Garages
Grain Mills
Granaries
Grocery stores
Homes
Horse stables and barns
Horse trailers
Hospices
Hospitals
Hotels
Indoor eating establishments
Industrial installations
Institutional dining areas
Institutions
Jails
Kennels
Laboratories
Laundromats
Lavatories
Libraries
Liquor stores
Locker rooms
Marinas
Mausoleums
Meat packing plants
Mess halls
Mini-Storages
Mobile canteens
Mobile homes
Morgues
Mortuaries
Motels
Movie theaters
Museums
Nursing homes

Office buildings
Other public buildings
Parking garages
Pool halls
Prisons
Public storages
Railroad cars
Recreational vehicles
Research animal quarters
Restaurants
Retail stores
Rice mills
Schools
Ships
Ships holds
Smoke shops
Sports stadiums
Stables
Storage bins [areas]
Stored food in multi-walled,
paper or cloth bags
Stores
Supermarkets
Taverns
Textile mills and warehouses
Theaters
Tobacco factories
Tobacco warehouses
Tool sheds
Trains
Transportation equipment
Trucks
Truck trailers
Tunnels
Utilities
Utility rooms
Vending machines
Veterinary hospitals
Walls and equipment voids
Warehouses
Washrooms
Wholesale stores
Wine cellars
Wineries
Zoos

{The above may be listed in paragraph format.}

To Kill the Following Listed Insects:

Almond moths	Dried fruit beetles	Millipedes
Angoumois grain moths	Drugstore beetles	Mosquitoes
Ants	Earwigs	Palmetto bugs
Black Flies	Face flies	Pillbugs
Boxelder bugs	Firebrats	Red flour beetles
Brown dog ticks	Flat grain beetles	Rice flour beetles
Cadelles	Fleas	Rusty grain beetles
Carpet beetles	Flies	Saw-toothed grain beetles
Carpenter Ants	Flying moths	Silverfish
Cereal beetles	Fruit flies	Skipper fly
Cheese mites	Gnats	Spiders
Cheese skippers	Grain mites	Spider beetles
Chocolate moths	Granary weevils	Stable flies
Cigarette beetles	Horn flies	Sowbugs
Clothes moths	Hornets	Ticks – including those that may carry and transmit Lyme disease
Clover mites	Horse flies	Tobacco moths
Cockroaches	Indian meal moths	Warehouse beetles
Coffee bean weevils	Khapra beetles	Wasps
Confused flour beetles	Lesser grain borers	Waterbugs
Crickets	Lesser house flies	Yellow jackets
Dark mealworms	Mediterranean flour moths	Yellow mealworms
Darkling beetles	Merchant grain beetles	
Deer flies	Midges	
Dermestid beetles	Miller moths	

{The above may be listed in paragraph format.}

Indoor Use – Undiluted

For Use in Homes, Restaurants, Food Processing Plants and Other Industrial Areas:

ULV and Space Spray: Use in aerosol generators to kill exposed accessible stages of Boxelder bugs, Carpenter Ants, Cheese mites, Cheese skippers, Clover Mites, Earwigs, Fleas, Gnats, Hornets, Small flying moths, Wasps, and the following common Stored Product Pests: Angoumois grain moths, Cadelles, Cigarette beetles, Confused flour beetles, Dark meal worms, Drugstore beetles, Grain mites, Granary weevils, Indian meal moths, Mediterranean flour moths, Red flour beetles, Rice weevils, Saw-toothed grain beetles, Spider beetles, Tobacco moths and Yellow meal worms. Remove or cover exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1.5 fluid ounces undiluted concentrate per 1,000 cubic feet (1.56 cc/m³) of space. Direct spray toward upper corners of room and ceiling.

Contact and Space Spray: To kill Carpenter Ants, Cockroaches, Earwigs, Silverfish, and Spiders, use a mechanical aerosol generator or a fogger. Prior to spray application, remove or cover dishes, utensils, food processing equipment and food preparation surfaces; or wash them post application before use. For maximum effectiveness, using no more than 34 fluid ounces diluted spray per 1,000 square feet, first direct the spray into all cracks and crevices; behind all equipment, pipes, cupboards, obstructions or dark harborage areas; on walls, floors and underneath sinks; and in all places that harbor insects contacting as many insects as possible; then treat as a space spray applying at a rate of up to 3 fluid ounces of diluted spray per 1,000 cubic feet (3.13 cc/m³) of space.

Note: If there is a need to treat areas such as conduits, motor housings, junction and switch boxes or other electrical equipment, turn off electrical equipment prior to application. After application, allow time for oil to dissipate before starting motors or placing switches in the “ON” position.

Treatment of Stored Food Areas: Use this product where foods in cloth and multi-walled bags or other packaging are stored in listed areas to kill accessible adult stages of Almond moths, Angoumois grain moths, Cadelles, Carpenter Ants, Cereal beetles, Cheese mites, Cheese skippers, Chocolate moths, Cigarette beetles, Cockroaches, Coffee bean weevils, Confused flour beetles, Crickets, Dark mealworms, Dried fruit beetles, Drugstore beetles, Earwigs, Firebrats, Fungus gnats, Grain mites, Granary weevils, Hide beetles, Indian meal moths, Khapra beetles, Lesser grain beetles, Mediterranean flour moths, Red flour beetles, Rice weevils, Rusty grain beetles, Saw-toothed grain beetles, Silverfish, Small flying moths, Spiders, Spider beetles, Yellow mealworms, Warehouse beetles and other listed pests. Destroy, fumigate or treat by other effective methods infested stored products using an approved product labeled for this purpose. As noted above, using no more than 34 fluid ounces diluted spray per 1,000 square feet, disperse first by directing spray into cracks and crevices, corners, pallets and around stacks of packaged goods hitting as many insects as possible and then apply as a space spray at a dosage of 1.5 ounces per 1,000 cubic feet (1.56 cc/m³) of space.

On Peanuts, Nuts, Beans, (Including Cocoa), Seeds and Copra in Bags or Other Packaging: To kill accessible stages of Almond moths, Angoumois grain moths, Cadelles, Carpenter Ants, Cereal beetles, Cheese mites, Cheese skippers, Chocolate moths, Cigarette beetles, Cockroaches, Confused flour beetles, Crickets, Dark mealworms, Drugstore beetles, Earwigs, Firebrats, Fungus gnats, Grain mites, Granary weevils, Hide beetles, Indian meal moths, Khapra beetles, Mediterranean flour moths, Red flour beetles, Rice weevils, Saw-toothed grain beetles, Silverfish, Small flying moths, Spiders, Spider weevils and other listed insects, apply at the maximum rate of 34 fluid ounces per 1,000 square feet to the surface of stored or bagged products. Also thoroughly spray floors, walls, other surfaces and storage/handling areas, being especially careful to treat cracks, crevices and similar hiding places. Then apply as a space spray at the rate of 1.5 ounce per 1,000 cubic feet (1.56 ml/m³) of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions.

Contact and Space Spray – Undiluted – To Kill Cockroaches: Using an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices to completely fill wall, equipment, and other small structural void areas. Apply a maximum of 4 fluid ounces per 1,000 cubic feet. Leave room ventilation or air conditioning equipment on during application.

Indoor Use – Diluted

Space Spray: For use in mechanical fogging, thermal fogging or spraying equipment to kill accessible stages of Almond moths, Angoumois grain moths, Cadelles, Cereal beetles, Carpenter Ants, Cheese mites, Cheese skippers, Chocolate moths, Cigarette beetles, Cockroaches, Coffee bean Weevils, Confused flour beetles, Crickets, Dark Mealworms, Dried fruit beetles, Drugstore beetles, Earwigs, Firebrats, Fungus gnats, Grain mites, Granary weevils, Hide beetles, Indian meal moths, Lesser grain beetles, Khapra beetles, Mediterranean flour moths, Red flour beetles, Rice weevils, Rusty grain beetles, Saw-toothed grain beetles, Silverfish, Small flying moths, Spiders, Spider beetles, Yellow mealworms and Warehouse beetles. Remove or cover exposed food and cover food-handling surfaces in edible product areas of food handling establishments. Close room and shut off all air conditioning or ventilating equipment. Dilute 1 part concentrate with 9 parts of a white mineral oil conforming to 21 CFR § 121.2589(b) or an odorless light petroleum hydrocarbon conforming to 21 CFR § 121.1182 and mix well. Apply at the rate of 5 fluid ounces per 1,000 cubic feet (5.21 ml/m³) of space, filling the room with mist. Vacate treated area and ventilate before reentry.

Surface Spray: To kill accessible stages of Beetles, Boxelder bugs, Carpenter Ants, Clover mites, Cockroaches, Crickets, Drugstore beetles, Earwigs, Silverfish and other listed insects, dilute 1 part concentrate with 9 parts suitable diluent, mix well and apply as a coarse wetting spray using 1 gallon of diluted spray per 1,000 square feet (40 ml/m²) of surface. To ensure maximum control of listed crawling insects, thoroughly spray into all cracks, molding, crevices, walls, floors, other surfaces and storage/handling areas. Pay particular attention to areas where moisture collects such as drains, sinks, water pipes and around the base of heavy machinery and equipment contacting as many insects as possible.

For Use as Transit Protection: To kill accessible stages of listed insects, clean and spray truck beds, boxcars, ships holds and other listed transit equipment before loading. Dilute 1 part concentrate with 9 parts suitable diluent, mix well and apply as a coarse wetting spray using 1 gallon of diluted spray per 1,000 square feet (40 ml/m²) of surface. Thoroughly treat walls and floors. Lightly spray each layer of cartons or containers as stacked. To kill **Angoumois grain moths** and **Indian meal worms** in stored grain, apply to the surface of binned grain at a rate of 1 gallon dilution per 1,000 square feet (40 ml/m²). Apply at monthly intervals with the first appearance of moths and continuing until early fall. In case of severe infestation, break up webbing before spraying and make a second application in 2 weeks.

Contact Spray: Dilute this concentrate for use with sprayers that give large, wetting spray particles to kill Cockroaches and accessible stages of Granary Insects including Cadelles, Confused flour beetles, Grain mites, Granary weevils, Meal moths larvae/adults, Red flour beetles, Rice weevils and Saw-toothed grain beetles. Cover or remove exposed food and close room as described above. Dilute 1 part concentrate with 9 parts of oil or 15 ounces per gallon (112.5 g/L) and mix well. Spray outside walls of grain bins and flooring; around base of milling machinery, pipes and other harborages; and on walls, baseboards and areas behind cabinets using 1 gallon spray per 1,000 square feet (40 ml/m²) of space. Force spray into all cracks and crevices.

Dried Fruit products in storage or being processed, for kill of Confused flour beetles, Dried fruit beetles, Indian meal moths and Saw-toothed grain beetles: Remove and destroy infested products. Dilute 1 part concentrate with 9 parts of oil or 15 ounces per gallon (112.5 g/L) and mix well. Disperse this product in the air as a fine mist above the trays and shelves. Do not apply directly to fruit. Use 1 ounce per 1000 cubic feet (1.04 ml/m³) of space. Repeat application at this dosage in any given month. Sweep up and destroy fallen insects.

Stored Food (in multi-walled or cloth bags) in flour mills, grain elevators, granaries, storage rooms and warehouses to kill accessible, exposed stages of Angoumois grain moths, Cadelles, Cheese mites, Cheese skippers, Cigarette beetles, Confused flour beetles, Dark meal worms, Grain mites, Granary weevils, Indian meal moths, Mediterranean flour moths, Red flour beetles, Rice weevils, Saw-toothed grain beetles and Yellow meal worms. Remove and destroy infested products. Dilute 1 part concentrate with 9 parts of oil or 15 ounces per gallon (112.5 g/L) and mix well. Disperse this product first by directing spray into corners, under pallets and around stacks of packaged foods hitting as many insects as possible; then treat as a space spray. Fumigate or treat by other effective methods infested stored products using an approved product labeled for this purpose. Use a dosage rate of 1 fluid ounce per 1,000 cubic feet (1.04 ml/m³) of space. Sweep up and destroy fallen insects.

Zoos: As a space spray diluted for use in conventional mechanical fogging equipment to kill Gnats, and Small flying moths: Dilute 1 part concentrate with 9 parts oil (refined kerosene) and mix well. Apply above the animals at a rate of 2 fluid ounces per 1000 cubic feet (2.08 ml/m³) of space. Direct spray toward upper portions of the enclosure, filling the room with mist.

For Use in Meat and Poultry Processing Facilities: Apply undiluted with a ULV spraying device using a rate of up to 3 fluid ounces per 1,000 cubic feet (3.12 ml/m³) of space. Apply this spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter using up to, but no more than, 34 fluid ounces per 1,000 square feet. Contact as many insects as possible. Repeat as necessary, but not more than once a day, to kill exposed or accessible stages of Carpetner Ants Earwigs, Gnats, Silverfish, Small flying moths, Spiders, and Waterbugs. Before spraying, cover or remove exposed food products and packaging materials. After spraying, equipment and utensils must be washed with an effective cleaning compound and rinsed with potable water prior to use. Use as a space spray only when plant is not in operation. Do not make space spray applications when facility is in operation.

Note: When using oil as the diluent, use an odorless light petroleum hydrocarbon as defined by 21 CFR § 172.884 for all food area and food related applications. Additionally, when diluted and used according to label directions, this

spray will meet specifications for use under the USDA meat, poultry, shell egg grading and egg products inspection programs.

{For product in rigid, non-refillable containers less than or equal to 5 gallons:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry (preferably locked) area that is away from heat and open flame, and in a place that is inaccessible to children and animals. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available. If recycling is not available dispose of container in a sanitary landfill.

{For product in rigid, non-refillable containers greater than 5 gallons:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry (preferably locked) area that is away from heat and open flame, and in a place that is inaccessible to children and animals. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed on site or at an approved waste disposal facility. **Container Handling:** Non-refillable container; do not reuse or refill this container. Triple rinse (or equivalent) container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available; or reconditioning, if appropriate; or puncture and dispose of in a sanitary landfill.

{For product in rigid, refillable containers:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry (preferably locked) area that is away from heat and open flame, and in a place that is inaccessible to children and animals. Store away from food and pet food. **Pesticide Disposal:** Wastes resulting from the use of this product must be disposed on site or at an approved waste disposal facility. **Container Handling:** Refillable container; refill this container only with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before refilling is the responsibility of the refiller; cleaning before final disposal is the responsibility of the person disposing of the container. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water, then vigorously agitate or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure 2 more times, then offer for recycling, if available, or reconditioning, if appropriate; or puncture and dispose of in a sanitary landfill.

{Per PR Notice 2007-4 the batch code/lot number will appear on the label or container.}

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc election, the replacement of product.

[Manufactured for:] [Distributed by:]

Control Solutions, Inc.

5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

{Marketing Claims}

Effective and fast acting

For Use in Households and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels [industrial] [institutional]

For use indoors as a ULV, space, area, contact spray or thermal fog for listed insects in areas specified on the label

For use on {select from sites listed in Directions for Use}

Kills {select from insects listed on label}

Provides flushing action and quick knockdown for indoor use as a ULV, space, area or contact spray

{End of Marketing Claims}

[] Denotes alternate/optional language

{ } Denotes language that does not appear on the market labeling