



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

**EPA Reg. Number:**

53883-351

**Date of Issuance:**

6/15/23

**NOTICE OF PESTICIDE:**

Registration  
 Reregistration

(under FIFRA, as amended)

**Term of Issuance:**

Conditional, Time-Limited  
 Expires: 06/15/2025

**Name of Pesticide Product:**

Prefurred Plus IGR For Dogs

**Name and Address of Registrant (include ZIP Code):**

Lisa Adamson  
 Control Solutions Inc.  
 5903 Genoa Red Bluff  
 Pasadena, TX 77507

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

**Signature of Approving Official:**

Jacquelyn Herrick, Product Manager 3  
 IVB1, Registration Division (7505P)

**Date:**

6/15/23

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 06/15/2025.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 09/09/2014.
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/12/2023
- Alternate CSF 1 dated 06/12/2023
- Alternate CSF 2 dated 06/12/2023
- Alternate CSF 3 dated 06/12/2023

If you have any questions, you may contact Hester Dingle at 202-566-2596 or via email at [dingle.hester@epa.gov](mailto:dingle.hester@epa.gov).

Enclosure


## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 1 of 19

### Prefurred Plus IGR for Dogs

{Prefurred Plus IGR for Dogs: The CRP packaging to be used for this product is described as a CRP blister applicator and is supplied as a 3-count in strips, 3 x 0.023 fl. oz. package, 3 x 0.045 fl. oz. package, 3 x 0.091 fl. oz. package, 3 x 0.136 fl. oz. package}



# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 2 of 19

## {CARTON/POUCH LABEL - DRAFT MASTER LABEL COPY}

{Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, back booklet, side, or on insert. The CRP required text will not change.}

### {start of front panel} Prefurred Plus IGR for Dogs

{The word Dog to be a minimum of 75% the height of the largest letter in the primary brand name}

{ABNs:}

[Martin's FLEE™ Plus IGR for Dogs]

{There will be a 1.5 cm x 1.5 cm cat prohibition icon in a box located in the lower right hand corner of the front panel in red with black images.}



{Large, clear picture of a dog in the weight range for the product as packaged to be placed on the front panel of the label.}

{One of the below options will be present on the box **on the front panel** – in a text box.}

For use ONLY on dogs [&]and puppies [23[-] [to] 44 lbs] [45][-] [to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age {OR}

For use ONLY on dogs [[&]and] puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}

ONLY For Dogs [&]and puppies [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age {OR}

ONLY For Dogs & Puppies 8 weeks or older [&]and] 5[-][to] 22 lbs

[[3] Applications]

[[3] Month Supply]

[ Prevents infestation of listed pests for [4 weeks][1 month] [30 days]]

[ Prevents establishment of additional infestation of listed pests] [Lift [here] for more information]

#### ACTIVE INGREDIENTS:

Fipronil..... 9.80%

(S)-methoprene..... 8.80%

**OTHER INGREDIENT:** ..... 81.40%

TOTAL ..... 100.00%

#### KEEP OUT OF REACH OF CHILDREN CAUTION

See [Back][or][Side] [or] [Label[s]] [Panel[s]] [Insert] for First Aid and Additional Precautionary Statements  
See [back booklet] [or] [insert] and back panel for complete Directions for Use

#### Net Contents:

[[3] [ Three] 0.023 fl oz (0.67 mL) applicators] [[3] [Three] 0.045 fl oz (1.34 mL) applicators]

[[3] [Three] 0.091 fl oz (2.68 mL) applicators] [[3] [Three] 0.136 fl oz (4.02 mL) applicators]

{END - FRONT PANEL}

{START – {BACK PANEL OR BACK BOOKLET}

[[Brand Name] [This product] contains Fipronil and S-Methoprene [insect growth regulator] [IGR] to kill fleas and ticks [(including those that may transmit Lyme disease).] [The active ingredients in [Brand Name][This product] feature a sustained

# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 3 of 19

release formula developed for control of fleas, ticks, [mosquitoes] and chewing lice for [1 month] [[4][four] weeks] [30 days] {only one of these will be used consistently throughout the label} on dogs.]

**READ ENTIRE LABEL BEFORE EACH USE.**  
**USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE and [5-22][23-44][45-88]  
[89-132] lbs.**

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS. CAUTION.** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**HAZARDS TO DOMESTIC ANIMALS.** For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat your dog with more than one pesticide product at a time. Over dosing your dog can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, aged, pregnant or nursing dogs. Consult a veterinarian before using on dogs with known organ dysfunction. If your dog is exhibiting signs of and/or is being treated for skin dermatitis, talk to your veterinarian before applying any topical flea and tick control product. This product is not a substitute for prescribed Heartworm preventative.

<b>FIRST AID {will be located on back panel or 1<sup>st</sup> page of back booklet}</b>	
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.	

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

### Restrictions

Do not use on cats, rabbits or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on dogs or puppies under 8 weeks of age or less than [5][23][45][89] lbs.

Use entire contents of applicator on each dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Do not apply more than one applicator per treatment for one dog regardless of the dog's weight.

Do not bathe or allow water immersion (swimming) for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

Do not apply more often than once every [4 weeks] [1 month] [30 days]. {only one of these will be used consistently throughout the label}

## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 4 of 19

{A box labeled "Side Effects" will be located on the back panel or back booklet immediately above the cat warning box.}

Side Effects: Monitor your dog after application. [Some dogs may experience temporary startle effects when any product is applied.] Dogs may experience [some] temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your dog with a mild soap and rinse with large amounts of water. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call 1-800-781-4738. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating application.

{There will be a 1.5cm x 1.5cm cat prohibition icon and warning text in lower right hand corner of the back panel or back booklet in red with black images.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

**{BELOW LANGUAGE WILL BE ON BACK PANEL OR BACK BOOKLET}**

**{For cartons containing 0.67 mL (0.023 fl oz) applicator}**

**Only For Dogs Weighing 5 [-] [to] 22 lbs. and over 8 weeks of age. Do not apply to dogs weighing less than 5 lbs. :**

Apply one applicator (0.67 mL)(0.023 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

**{For cartons containing 1.34 mL (0.045 fl oz) applicator} Only For Dogs Weighing 23 [-] [to] 44 lbs. and over 8 weeks of age.**

Apply one applicator (1.34 mL)(0.045 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

**{For cartons containing 2.68 mL (0.091 fl oz) applicator} Only For Dogs Weighing 45 [-] [to] 88 lbs. and over 8 weeks of age.**

Apply one applicator (2.68 mL)(0.091 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

**{For cartons containing 4.02 mL (0.136 fl oz) applicator}**

**Only For Dogs Weighing 89 [-] [to] 132 lbs. and over 8 weeks of age. Do not use more than one applicator for one dog regardless of the dog's weight.**

Apply one applicator (4.02 mL)(0.136 fl oz) [from the back of the neck to a point midway between the neck and tail.] [as a spot [on] [to] the dog's back between the shoulder blades.]

### **FREQUENCY OF APPLICATION {ON BACK PANEL OR BACK BOOKLET}**

Use [Brand Name] [this product] [monthly] [every 4 weeks] [every 30 days] for control of flea, tick, [and] chewing lice, [and] mosquito infestations. Apply [monthly] [every 4 weeks][every 30 days] to prevent flea reinfestation on your dog. Apply [monthly] [every 4 weeks][every 30 days] to control ticks[,] [mosquitoes] and chewing lice. [Brand Name] [This product] remains effective even after bathing, water immersion, or exposure to sunlight 24 hours after application. Allow treated area to dry thoroughly before touching. Dog should be dry at time of application and for 24 hours post application. Do not reapply for [one month] [4 weeks][30days]. {only one of these options will be used consistently throughout the label}

# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 5 of 19

{STORAGE AND DISPOSAL WILL BE ON BACK BOOKLET OR SIDE PANEL}

## STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Do not remove applicator from the pack until ready to use. Store in a cool (below 77°F [25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[[WARRANTY] {Will appear on back or side panel or back booklet IF insert is not used; otherwise it will be on insert only}**

## LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

**CONDITIONS:** The directions for use of this product must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]

[For more information]

[Non-Emergency, call XXX-XXX-XXXX]

{batch code will be printed somewhere on box}

Distributed by:  
Control Solutions, Inc.  
5903 Genoa-Red Bluff Road  
Pasadena, TX 77507



# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 6 of 19

EPA Reg. No. 53883-351  
EPA Est. No. XXXXX-XX-XXX

{The CRP blister applicator 3- Count SAUE opening instructions will be used and the term “applicator” will be used consistently throughout the label.}

{CRP blister applicator 3-count package}

How to open:

**1** Tear through perforation



**2** Fold back the safety tab



**3** Cut with scissors to open applicator





## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 7 of 19

**{How to Apply - May contain graphics illustrating product use, e.g., dog with a drop falling onto its neck from an applicator on front, side, or back carton label and/or applicator labeling.}**

**How to Apply {will appear for 3 applicator packages and will appear on back panel or back booklet}**

1. Invert applicator over dog and use open end to part dog's hair.
2. Squeeze applicator firmly to apply all of the solution to the dog's skin [as a spot [on] [to] the dog's back between the shoulder blades.] {or} [from the back of the neck to a point midway between the neck and tail.]

**{END – BACK PANEL OR BACK BOOKLET}**

## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 8 of 19

{START OF INSERT - INSERT WILL ONLY BE USED ON CARTON CONFIGURATION. IF BACK BOOKLET IS USED, THE INSERT WILL NOT BE USED}

# MARTIN'S FLEE™ Plus IGR for Dogs

{One of the below options will be present on the insert.}

For use ONLY on dogs [&]and puppies [23[-] [to] 44 lbs] [45[-] [to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age

{OR} For use ONLY on dogs [[&]and] puppies 5[-] [to] 22 lbs and over 8 weeks of age {OR}  
ONLY For Dogs [&]and] puppies [23[-][to] 44 lbs] [45[-][to] 88 lbs] [89[-] [to] 132 lbs] and over 8 weeks of age {OR}

ONLY For Dogs & Puppies 8 weeks or older [&]and] 5[-][to] 22 lbs

[[Brand Name] [This product] contains Fipronil and S-Methoprene [insect growth regulator] [IGR] to kill fleas and ticks [(including those that may transmit Lyme disease).] [The active ingredients in [Brand Name][This product] feature a sustained release formula developed for control of fleas, ticks, [mosquitoes] and chewing lice for [1 month] [[4][four] weeks][30 days] on dogs.] {only one of these options will be used throughout the label.}

## WARRANTY

### LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

**CONDITIONS:** The directions for use of this product must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.

## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 9 of 19



### DIRECTIONS FOR USE

#### **Restrictions**

Do not use on cats, rabbits or animals other than dogs.

Do not allow your dog to ingest this product.

Do not use on dogs or puppies under 8 weeks of age or less than [5][23][45][89] lbs.

Use entire contents of applicator on each dog.

Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog.

Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied.

Do not apply more than one applicator per treatment for one dog regardless of the dog's weight.

Do not bathe or allow water immersion (swimming) for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

Do not apply more often than once every [4 weeks] [month][30 days].

# CSI Master Label


Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 10 of 19


{ The CRP blister applicator 3-Count SAUE opening instructions will be used and the term “applicator” will be used consistently throughout the label.}  
{CRP blister applicator 3-count package}

## How to Open:


**1** Tear through perforation



**2** Fold back the safety tab



**3** Cut with scissors to open applicator




## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 11 of 19

### How to Open

1. Remove product tubes from the package
2. Separate one tube from the others. Hold the tube with notched end pointing up and away from the face and body.
3. Use scissors to cut off the narrow end at the notches along the line.



### How to Apply

1. Invert tube over dog and use open end to part dog's hair.
2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot on the dog's skin as a spot on the dog's back between the shoulder blades.



Distributed by: Control Solutions, Inc.  
5903 Genoa Red Bluff, Pasadena, TX 77507-1041  
EPA Reg. No. 53883-351 EPA Est. No. 0000000000

{END OF INSERT}

# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 12 of 19

## {Optional Claims}

{The claims will be located on the /front of box ,back booklet, back of box or on insert}

[Look at the Label (Look at the Label icon) [Easy]

6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow all directions for use.
- [2] Weigh your dog
- [3] Do NOT use dog products on cats
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate treated dogs from each other and other pets until product has dried to avoid chance of ingestion
- [6] Do NOT split applicators between dogs [and use the ENTIRE applicator contents]and do not use more than one applicator [a month] [every 4 weeks] [every 30 days]

## [Brand Name]

[[3][Month [Application] Tracker]

[For year-round protection, apply [Brand Name] [This Product] every [monthl.] [4 weeks.] [30 days]. [Dog's Name {Empty blank for owner to fill in name}]

[First][1st][Second][2nd][Third][3rd]

[Application]{Empty blank for owner to fill in date}{Date: MM/DD/YY}

[calendar stickers with [Brand Name] [This Product] [Place stickers on your calendar as a reminder to reapply [Brand Name] [This Product] in [30 days.] [a month] [4 weeks]

[Monthly Application Reminder Magnet {image of reminder magnet}]

[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for [30 days][a month][4 weeks]. At the end of [30 days][a month][4 weeks] the reminder light will blink, reminding you to reapply [Brand Name] [This Product]. Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another [30 days.] [month.][4 weeks.]

## {Mosquitoes}

[Kills mosquitoes]

## {Chewing Lice}

[Kills chewing lice]

[[A once [monthly][4 week][30 day] application ][Apply [ monthly] [every 4 weeks][every 30 days] to control] [for] chewing lice]

## {Adult Fleas}

[[Kills [adult] Fleas]

[Kills newly emerged adult Fleas before they lay eggs]

[Kills Adult Fleas, which may be a source of [flea allergy dermatitis] [, flea bite anemia]] [Kills Fleas For [4 weeks] [1 month] [30 days]!]

[If dog is a high risk for flea reinfestation a once [monthly] [every 4 weeks] [every 30 days] application may be needed]

## {Multiple Infestations}

[Kills chewing lice [and controls mites that may cause sarcoptic mange]]

[Flea [&] [and] Tick Control for Dogs [&] [and] Puppies 8 weeks old [&] [and] older [5-22] [23-44] [45-88] [89-132] lbs.

[Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]]

[Kills fleas, ticks, [mosquitoes], chewing lice, flea eggs, flea larvae [&] [and] [prevents the development of flea pupae]]

[Kills Fleas, Ticks [&] [and] [Mosquitoes]]

[Breaks the Flea Life Cycle ]

[Monthly protection from flea, tick, [mosquito], chewing lice and flea eggs for dogs]

[Monthly protection from flea, tick, [mosquito] and chewing lice for dogs]

[Kills fleas, ticks, [mosquitoes], flea eggs, and chewing lice]

[[Seven] [7] [Six] [6][Five][5] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [&][and]flea larvae [&] [and] prevent the development of flea pupae]

# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 13 of 19

[[Six] [6] [Five] [5][Four][4] Way [Action] [Effectiveness] [Control] to kill fleas, ticks, [mosquitoes,] chewing lice, [and] flea eggs [and] flea larvae]

[[4 week] [1 month] [30 day] Flea [and] [and] Tick [Application] [Treatment]!  
[[Four (4) Week] [1 month] [30 day] [Flea, Tick, and Chewing Lice Control]  
[[Four [4] Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]  
[Use [Brand Name][This product] monthly to break the flea life cycle.]  
[Use [Brand Name][This product] monthly to control ticks and chewing lice]  
[Monthly protection from flea, tick, [mosquito,] flea egg, flea larvae and chewing lice for dogs.]  
[Once A Month [4 week] [ 30 day] Flea, Tick, [Mosquitoes] [and] [Chewing Lice][Application] [Treatment]]  
[Kills Fleas, [and] [and] Ticks for [4 weeks] [1 month] [30 days]!]  
[Kills Fleas, [and] [and] Ticks [and Mosquitoes] for [4 weeks] [1 month] [30 days]!]  
[Kills Fleas, Ticks, Flea Eggs [and] [and] Flea Larvae for [4 Weeks] [1 month] [30 days]]

## {Ticks}

[Kills Ticks including those that may transmit Lyme disease]  
[Kills Ticks for [4 weeks] [1 month] [30 days]!]  
[Kills [all stages of] deer ticks [including those that may transmit Lyme disease,] [for [4 weeks] [1 month] [30 days] [per application]]  
[Kills Ticks (Including Deer Ticks) for [4 weeks] [1 month] [30 days]]  
[Kills [brown dog ticks], [(*Rhipicephalus sanguineus*) [American dog ticks,] [and] [lone star ticks],[and deer ticks] [for [4 weeks] [1 month] [30 days]]  
[Kills American Dog Ticks [(*Dermacentor variabilis*) for [4 weeks] [1 month] [30 days]!]

## {Flea Eggs and Larvae}

[Prevents flea reinfestation on your dog]  
[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae.]  
[ Controls all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]  
[Effective against all stages of the flea (including adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]  
[A dog at a high risk for flea reinfestation may need a monthly application]

[With (S)-methoprene Insect Growth Regulator [IGR] which Breaks the Flea Life Cycle] [With (S)-methoprene to Break Flea Life Cycle]

[With Insect Growth Regulator [IGR] to Break Flea Life Cycle]  
[Dual Action [!]: Fipronil with (S)-methoprene IGR [insect growth regulator] Breaks the Flea Life Cycle]

[Prevents Flea Eggs From Developing Into Biting Adults]  
[Prevents all stages of the flea life cycle from developing]

[Effective against all stages of the flea life cycle]  
[ Controls all stages of the flea life cycle]

## {All Others}

[For Dogs and Puppies 8 weeks of age or older and [5-22][23-44][45-88][89-132] lbs.]  
[Can be used on puppies 8 weeks of age and older and [5-22][23-44][45-88][89-132] lbs.]  
[Formulated for Dogs and Puppies 8 weeks of age or older and [5-22][23-44][45-88][89-132] lbs.]  
[For Dogs and Puppies 8 weeks of age or older and [5-22 lbs.], [23-44 lbs.], [45-88 lbs.], [89-132 lbs.]

[Convenient spot treatment] [Easy to Use [Application]] [Best if used year round!]  
[For year-round protection, apply [Brand Name] monthly]  
[(ICON Showing [30 day] Protection)] [Apply monthly] [once every 4 weeks] {note to reviewer: see below for 30 day icon}  
[Prevents reinfestation of listed pests on your dog for [4 weeks] [1 month]] [Apply once every [4 weeks] [month] [30 days]!] [4 Week Dose!] [1 Month Dose!] [30 Day Dose!]  
[Three Applications] and/or [3 Month Supply]  
[Controls mites that may cause sarcoptic mange]  
[Waterproof 24 hours after application]  
[Effective after bathing and exposure to water and sunlight 24 hours after application]

# CSI Master Label

Information in [ ] is optional  
 Text in ( ) is meant to be included on the label  
 Information in { } is a note to the reviewer

November 22, 2021  
 53883-351  
 Page 14 of 19

[Fipronil (9.8%) + (S)-methoprene (8.8%)]



























{three statements below will accompany one another on label}


Contains fipronil and (S)-methoprene, the active ingredients used in FRONTLINE®

Plus for Dogs. FRONTLINE® is a registered trademark of Merial.

Prefurred Plus IGR for Dogs is not manufactured or distributed by Merial, seller of FRONTLINE® Plus for Dogs.

**{Optional graphics below may or may not appear anywhere on finished label}**

	Adult Flea	
	Fleas	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	






# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 15 of 19



END - PACKAGE COPY}



Image for 5-22 lb Dog

## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 16 of 19



Image for 23-44 lb dog

## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 17 of 19



Image for 45-88 lb. dog

## CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 18 of 19



Image for 89-132 lbs Dog


# CSI Master Label

Information in [ ] is optional  
Text in ( ) is meant to be included on the label  
Information in { } is a note to the reviewer

November 22, 2021  
53883-351  
Page 19 of 19

**{START – BLISTER APPLICATOR LABEL}**  
**{the below text will be included on each separate blister applicator}**  
**{lot number will be embossed on each blister applicator}**  
**{each blister applicator has a clear plastic front and white foil backing with black printing}**

**{printed on back of blister applicator}**

<p><b>{Brand Name}</b> <b>For Dogs</b> [&amp;][and] puppies [5[-] [to] 22 lbs] [23[-] [to] 44 lbs] [45][-] [to] 88 lbs] [89[-] [to] 132 lbs] and <math>\geq</math>8 wks fipronil 9.8%, s-methoprene 8.8% 0.023 fl oz {or} 0.045 fl oz {or} 0.091 fl oz {or} 0.136 fl oz {label code}</p>	 <p>KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before use. Use scissors to open. EPA REG. No. 53883-351 {label code} Lot No.</p>
--	---

**{END – APPLICATOR LABEL}**