



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 19, 2019

Lisa Adamson
Regulatory Manager
Control Solutions, Inc.
5903 Genoa Red Bluff Rd.
Pasadena, TX 77507

Subject: Label Amendment – Adding product label insert
Product Name: PREFURRED PLUS IGR FOR CATS
EPA Registration Number: 53883-352
Application Date: 16 October 2018
Decision Number: 545539

Dear Ms. Adamson:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.


Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 53883-352
Decision No. 545539

with FIFRA section 6. If you have any questions, please contact Dr. Helen Hull-Sanders by phone at 703-347-0243, or via email at hull-sanders.helen@epa.gov.

Enclosure

Sincerely,

A handwritten signature in cursive script that reads "J. Herrick".

Jacquelyn Herrick, Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

CSI Master Label

Information in [] is optional

Text in () is meant to be included on the label


Information in { } is a note to the reviewer

October 15, 2018
53883-352

Page 1 of 16

Prefurred Plus IGR for Cats

Prefurred Plus IGR for Cats {The CRP packaging to be used for this product is described as a CRP blister applicator and is supplied as a 3 count and a 4 count in strips or as multiples of 3- and 4- counts.



CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 2 of 16

{CARTON LABEL - DRAFT MASTER LABEL COPY}

{Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side, folded label panels or on insert. The CRP required text will not change.}

{start of front panel}

Prefurred Plus IGR for Cats

{The word Cat is to be at least 75% the height of the largest letter in the primary brand name.}

{ABNs:}

[Martin's FLEE™ Plus IGR for Cats]

{A large, clear picture of a cat in the weight range for the product as packaged will appear on the front panel of the label.}

For use ONLY on cats [&] [and] kittens over 1.5 lbs and over 8 weeks of age {OR}
Only for cats [&] [and] kittens over 8 weeks of age and over 1.5 lbs
{One of the above statements will appear on front panel in a text box}

[Prevents

infestation of listed pests for [4 weeks][1 month] [30 days]] {only one of these will be used consistently throughout the label}

[Lift [here] for more information]

ACTIVE INGREDIENTS:

| | |
|--------------------------------|----------------|
| Fipronil | 9.80% |
| (S)-methoprene | 11.80% |
| OTHER INGREDIENT: | 78.40% |
| TOTAL | 100.00% |

KEEP OUT OF REACH OF CHILDREN CAUTION

See[Back][or][Side][Label[s]][Panel[s]] [Insert] for First Aid and Additional Precautionary Statements

See [inside flap] [or] [insert] and back panel for complete Directions for Use.

Net Contents: X fl oz [Y – 0.017 fl oz (0.503 mL) applicator(s)]

{X is the total fl oz, Y is the number of applicators, xx is the fl oz of each applicator with x being the corresponding amount in mL}

[[3][Three][4][Four][6][Six][8][Eight][12][Twelve][24][Twenty-Four] Applications]

[[3][Three] [6][Six] [12] [Twelve]Month Supply]

[[4][Four] [8][Eight] [12][Twelve] [24][Twenty-four] Month Supply]

{END - FRONT PANEL}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 3 of 16

{START – INSIDE PANEL/FLAP ON FRONT PACKAGE OR SIDE PANEL} {IF FLAP IS NOT USED, THE BELOW WILL BE ON INSERT}

[[Brand name]][This product] contains Fipronil and S-Methoprene [insect growth regulator] [IGR] to kill fleas (all stages) and ticks [(including those that may transmit Lyme disease)]. [The active ingredients in [Brand name][this product] feature a sustained release formula developed for control of fleas, ticks, [mosquitoes] and chewing lice for [1 month][4 weeks] [30 days] on cats only.]
{END – INSIDE PANEL/FLAP ON FRONT PACKAGE OR SIDE PANEL}

{Start – BACK PANEL}

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON CATS AND KITTENS OVER 8 WEEKS OF AGE AND OVER 1.5 LBS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Over dosing your cat can result in serious illness and even death. Consult a veterinarian before using on medicated, debilitated, or aged cats. Can be used on breeding, pregnant, or lactating [cats] [female cats] [queens]. Consult a veterinarian before using on cats with known organ dysfunction. This product is not a substitute for prescribed Heartworm preventative.

| FIRST AID {will be located on back panel} | |
|---|---|
| If swallowed: | Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| If in eyes: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. |
| If on skin: | Wash with plenty of soap and water. Get medical attention if irritation persists. |
| HOT LINE NUMBER | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-866-897-8050 for emergency medical treatment information. | |

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 4 of 16

DIRECTIONS FOR USE

{On both the flap configuration and insert configuration the below statement will be placed on the back panel}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND YOUR CAT, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

Restrictions {Will appear on inside front flap IF insert is not used; otherwise it will be on insert only}

- Do not use on rabbits or animals other than cats.
- Do not allow your cat to ingest this product.
- Do not use on cats or kittens under 8 weeks of age.
- Do not apply to cats weighing less than 1.5 lbs.

Use entire contents of applicator on each cat.

Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

Do not apply more than one applicator per treatment for one cat regardless of cat's weight.

Do not bathe or allow water immersion (swimming) for 24 hours after application. The cat needs to be dry at the time application and remain dry for 24 hours after application.

Do not apply more often than once every [4 weeks] [month] [30 days].

Side Effects: Monitor your cat after application. [Some cats may experience temporary startle effects when any product is applied.] Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with a mild soap and rinse with large amounts of water. If these or other side effects occur consult your veterinarian or call 1-800-781-4738. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application.

Note to reviewer: {A box labeled "Side Effects" will be located in the lower right hand corner of the back panel.}

FREQUENCY OF APPLICATION

Use [Brand name][this product] monthly for control of flea, tick [and] chewing lice [and mosquito] infestations. Apply monthly [every 4 weeks] [every 30 days] to prevent flea reinfestation on your cat. Apply [monthly] [every 4 weeks] [every 30 days] to control ticks[,] [mosquitoes] and chewing lice. [Brand name][This product] remains effective, even after bathing, water immersion, or exposure to sunlight 24 hours after application. Allow treated area to dry thoroughly before touching. Do not reapply for [1 month] [4 weeks] [every 30 days]. [[Brand name][This product] can be used on breeding, pregnant and lactating (queens) (female cats).]

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 5 of 16

{located on side panel}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove applicator from the pack until ready to use. Store in a cool (below 77°F/[25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[[WARRANTY] {Will appear on back or side panel IF insert is not used; otherwise it will be on insert only}

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]
[For more information]

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 6 of 16

[Non-Emergency, call XXX-XXX-XXXX]

{batch code will be printed somewhere on box}

Distributed by:
Control Solutions, Inc.
5903 Genoa-Red Bluff Road
Pasadena, TX 77507



EPA Reg. No. 53883-352
EPA Est. No. XXXXX-XX-XXX

{END - BACK PANEL}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 7 of 16

{START - FOLDED PANEL/FLAP OF FRONT OF PACKAGE } {IF FLAP IS NOT USED, THE BELOW WILL BE ON INSERT}

{Either the CRP blister applicator 3-Count or 4-Count SAUE opening instructions will be used and the term “applicator” will be used consistently throughout the label.}

{CRP blister applicator 3-count package}

How to Open:

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 8 of 16

{CRP blister applicator 4-count package}

How to Open:

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{Begin “How to Apply” for applicator (3-Count and 4-count) The term “applicator” will be use with this CRP package and will be used consistently throughout the label.}

How to Apply: {will appear for both 3 and 4 applicator packages and will appear on back panel if front flap is not used}

1. Invert applicator over cat and use open end to part cat’s hair.
2. Apply contents of one applicator of {Brand Name} [as a stripe, starting high [on] [to] the back of the cat’s neck to in front of the shoulder blades] [as a spot between the shoulder blades]. Squeeze applicator firmly to apply all of the solution to the cat’s skin.]

{END – FOLDED PANEL/FLAP OF FRONT OF PACKAGE}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 9 of 16

{START OF INSERT}

MARTIN'S
FREETM Plus IGR
for Cats
ONLY For Cats & Kittens Older Than 8 Weeks
& Weighing Over 1.5 lbs.

[[Brand name]][This product] contains Fipronil and S-Methoprene [insect growth regulator] [IGR] to kill fleas (all stages) and ticks [(including those that may transmit Lyme disease)]. [The active ingredients in [Brand name]][this product] feature a sustained release formula developed for control of fleas, ticks, [mosquitoes] and chewing lice for [1 month][4 weeks] [30 days] on cats only. {only one of these options will be used throughout the label.}

WARRANTY

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.

Restrictions

- Do not use on rabbits or animals other than cats.
- Do not allow your cat to ingest this product.
- Do not use on cats or kittens under 8 weeks of age.
- Do not apply to cats weighing less than 1.5 lbs.

Use entire contents of applicator on each cat.

Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied.

Do not apply more than one applicator per treatment for one cat regardless of cat's weight.

Do not bathe or allow water immersion (swimming) for 24 hours after application. The cat needs to be dry at the time application and remain dry for 24 hours after application.

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer


October 15, 2018
53883-352
Page 10 of 16

Do not apply more often than once every 4 weeks.

{Either the CRP blister applicator 3-Count or 4-Count SAUE opening instructions will be used and the term “applicator” will be used consistently throughout the label.}

{CRP blister applicator 3-count package}

How to Open:



{How to apply information will be found on back panel}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 11 of 16

{CRP blister applicator 4-count package}

How to Open:

1 Tear through perforation



2 Fold back the safety tab



3 Cut with scissors to open applicator



{How to apply information will be found on back panel}



Distributed by: Control Solutions, Inc.
5903 Genoa Red Bluff, Pasadena, TX 77507-1041
EPA Reg. No. 53883-352 EPA Est. No. 0000000000

{END OF INSERT}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 12 of 16

{Optional Claims}

{The claims will be located on the front panel/inside front panel/front of box, back of box or on insert}

[Look at the Label (Look at the Label icon) [Easy] 6 Step [Easy] [Spot On] [Squeeze-On] [Topical] Checklist]

- [1] Read the label completely and follow all directions for use.
- [2] Weigh your cat
- [3] Do NOT use this product on dogs
- [4] Do NOT treat with more than one pesticide product at a time
- [5] Separate treated cats from each other and other pets until product has dried to avoid chance of ingestion
- [6] Do NOT split applicators between cats[and use the ENTIRE applicator contents]and do not use more than one applicator [a month] [every 4 weeks] [every 30 days]

[Brand Name]

[Monthly reminder card]

[3][4][6][8][12][24] Month [Treatment] [Application] Tracker]

[For year round protection apply [Brand name][This product] monthly.]

[Cat's Name {Empty blank for owner to fill in name}]

[First][1st][Second][2nd][Third][3rd][Fourth][4th][Fifth][5th][Sixth][6th][Seventh][7th][Eighth][8th][Ninth][9th][Tenth][10th][Eleventh][11th][Twelfth][12th]

[Dose] [Treatment] [Application]{Empty blank for owner to fill in date}(Date: MM/DD/YY)

[calendar stickers with [Brand name][This product] [Place stickers on your calendar as a reminder to reapply [Brand name][This product] in [30 days][4 weeks][a month].]

[[Monthly][30 day][4 week] Application Reminder Magnet {image of reminder magnet}]

























[Enclosed for your convenience is an application reminder magnet. Push the (reset) button, and the reminder light will blink twice. The reminder tag is now set for [30 days][a month][4 weeks]. At the end of [30 days][4 weeks][a month] the reminder light will blink, reminding you to reapply [Brand name][This product] . Press the button once and the blinking light will stop. Press the button again and this will reset the timer for another [30 days][month][4 weeks].]

CSI Master Label

Information in [] is optional
 Text in () is meant to be included on the label
 Information in { } is a note to the reviewer

October 15, 2018
 53883-352
 Page 13 of 16

{Optional graphics below may or may not appear anywhere on finished label}

| | | |
|---|-------------------|---|
|  | Adult Flea |  |
|  | Fleas |  |
|  | Flea eggs |  |
|  | Flea Larvae |  |
|  | Flea Pupae |  |
|  | Ticks |  |
|  | Brown Dog Tick |  |
|  | Deer Tick |  |
|  | American Dog Tick |  |
|  | Chewing Lice |  |
|  | Lone Star Tick |  |
|  | Mosquitoes |  |



CSI Master Label

Information in [] is optional
 Text in () is meant to be included on the label
 Information in { } is a note to the reviewer

October 15, 2018
 53883-352
 Page 14 of 16



[Flea life cycle diagram] [Flea Life Cycle]

{START – BLISTER APPLICATOR LABEL} {the below text will be on each separate blister applicator along with the embossed lot number}
 {each blister applicator has a clear plastic front and white foil backing with black printing}

{Printed on back of blister applicator}

| | |
|---|---|
| <p>{Brand Name} For Cats over 1.5 lbs ≥ [and over] 8wks [of age] Fipronil 9.8%, (S)-methoprene 11.8% 0.017 fl oz (0.503 mL) {label code}</p> | <p>KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before use. Use scissors to open. EPA REG. No. 53883-352 {label code}</p> |
|---|---|

{END – APPLICATOR LABEL}

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 15 of 16

{Mosquitoes}

[Kills mosquitoes]

{Chewing Lice}

[Kills chewing lice]

{Adult Fleas}

[Kills adult fleas]

[Kills Fleas [Up to [4] weeks on cats]!]

[Kills fleas which may be a source of flea allergy dermatitis] [or flea bite anemia]

{Ticks}

[Kills ticks including those that may transmit Lyme disease]

[Kills Ticks for Up to [4 weeks] [1 month] [30 days]!]

[Kills Deer Ticks (that may carry Lyme disease) for up to [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks], [(*Rhipicephalus sanguineus*)] [American dog ticks,] [and] [lone star ticks][,][and deer ticks] [for up to [4 weeks] [1 month] [30 days]]]

[Kills American Dog Ticks [(*Dermacentor variabilis*)] for up to [4 weeks] [1 month] [30 days]!]

{Multiple Infestations}

[Flea [&] [and] Tick Control for Cats [&] [and] Kittens 8 weeks old and older and over 1.5 lbs.]

[Kills fleas, flea eggs, ticks, chewing lice [&] [and] [mosquitoes]

[Kills fleas, ticks, [mosquitoes,] chewing lice, flea eggs, [and] flea larvae [and prevents the development of flea pupae]]

[Breaks the Flea Life Cycle]

[Monthly protection from flea, tick, [mosquito,] chewing lice, and flea eggs for cats]

[Monthly protection from flea, tick, [mosquito] and chewing lice for cats]

[Kills fleas, ticks, [mosquitoes,] flea eggs, and chewing lice]

[[Seven] [7] [Six] [6] Way [Action] [Effectiveness] [Control] kills fleas, ticks, [mosquitoes,] chewing lice, flea eggs, flea larvae and prevents the development of flea pupae]

[[Six] [6] [Five] [5] Way [Action] [Effectiveness] [Control] kills fleas, ticks, [mosquitoes,] chewing lice, flea eggs & flea larvae]

[[4 week] [1 month] [30 day] Flea [and] [&] Tick [Application] [Treatment]!]

[[Four (4) Week] [1 month] [Flea, Tick, [Mosquito] and Chewing Lice Control]

[Use [Brand name][this product] monthly to break the flea life cycle.]

[[Four (4) Week] [1 month] [30 day] [Flea, Tick and Chewing Lice Control]

[Use [Brand name][This product] monthly to control ticks and chewing lice]

[Monthly protection from flea, tick, [mosquito,] flea egg, flea larvae and chewing lice protection.]

[[4 week] [1 month] [30 day] Flea and Tick Treatment!]

[Once A Month Flea, Tick, [Mosquitoes] [and] [Chewing Lice][Application] [Treatment]]

[Kills Fleas and Ticks for up to [4 weeks] [1 month] [30 days]!]

[Kills Fleas, Ticks, Flea Eggs & Flea Larvae for up to [4 Weeks] [1 month] [30 days]]

[Brand name][This product provides convenient and effective flea, tick, [and] chewing lice [and] [mosquito] control for cats and kittens 8 weeks of age and older and over 1.5 lbs.]

CSI Master Label

Information in [] is optional
Text in () is meant to be included on the
label
Information in { } is a note to the reviewer

October 15, 2018
53883-352
Page 16 of 16

{Flea Eggs and Larvae}

[Prevents reinfestation on your cat]
[Kills adult fleas, flea eggs, flea larvae, and prevents the development of pupae]
[Kills all stages of the flea (adult fleas, flea eggs, flea larvae and prevents the development of flea pupae)]
[For cats at high risk for flea reinfestation, apply once a month]
[Kills flea eggs [larvae] [and prevents the development of pupae] for up to six weeks]
[With (S)-methoprene [Insect Growth Regulator] [IGR] which Breaks the Flea Life Cycle]
[With (S)-methoprene to Break Flea Life Cycle]
[With [Insect Growth Regulator] [IGR] to Break Flea Life Cycle]
[Dual Action !]: Fipronil with (S)-methoprene [insect growth regulator] [IGR] Breaks the Flea Life Cycle]

[Kills Flea Eggs & Flea Larvae [for up to six weeks]!]
[Prevents Flea Eggs From Developing Into Biting Adults]

{All Others}

[For Cats and Kittens over 1.5 lbs. and 8 weeks of age or older
[Can be used on kittens over 1.5 lbs. and 8 weeks of age and older
[Formulated for Cats and Kittens over 1.5 lbs. and Over 8 Weeks Old]

[Easy to Use [Application]]
[Best if used year round!]
[Apply [monthly][every 4 weeks][every 30 days]]
[Once [a month][every 4 weeks][every 30 days] treatment]
[Apply once every [4 weeks] [month] [30 days]!]
[4 Week Dose!] [1 Month Dose!] [30 Day Dose!]
[Three Applications][Four Applications][Five Applications][Six Applications][Twelve Applications][24 Applications] and/or [3 Month Supply][4 Month Supply][6 Month Supply][12 Month Supply][24 Month Supply] or [12 Week Supply][16 Week Supply][24 Week Supply][48 Week Supply][52 Week Supply][104 Week Supply]
[Waterproof after 24 hours]
[Effective even after bathing]
[Effective after bathing and exposure to water and sunlight after 24 hours]
[Can be used on breeding, pregnant and lactating [queens], [female] [cats]]
[[Free] Calendar Stickers Inside!]
[Monthly application reminder inside]
[[Free with purchase] [Free inside] Monthly Application Reminder [Magnet] [clip] [inside]] {Neither of the "Free" statements will stand alone. It will be placed with the Monthly application reminder}

{the three below claims will be printed together on packaging}

Contains fipronil and (S) methoprene, the active ingredients used in FRONTLINE® Plus for Cats].

FRONTLINE® is a registered trademark of Merial.

Preferred Plus IGR for Cats is not manufactured, or distributed by Merial, seller of FRONTLINE® Plus for Cats.