

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

<b>50000</b>	200	

**EPA Reg. Number:** 

Date of Issuance:

53883-390

8/19/16

TOV	ICF.	OF	<b>PES</b>	$\Gamma$ I $C$	DE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance:
Conditional

Name of Pesticide Product:

CSI Py+PBO 3-15

Name and Address of Registrant (include ZIP Code):

Lisa Adamson Regulatory Manager Control Solutions, Inc. 5903 Genoa Red Bluff Pasadena, TX 77507

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Laura Bacon, Acting Product Manager 4

Invertebrate & Vertebrate Branch 1, Registration Division

(7505P)

8/19/16

Date:

- 2. You are required to comply with the data requirements described in the DCI identified below:
  - a. Piperonyl Butoxide (PBO) GDCI-067501-1063
  - b. Pyrethrins GDCI-069001-1290
  - c. Pyrethrins GDCI-069001-27992

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <a href="http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1">http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1</a>

- 3. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 53883-390."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

• Basic CSF dated 03/21/2016

If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

Laura N. Bacon, Acting Product Manager 4 Invertebrate & Vertebrate Branch 1 (IVB1) Registration Division (7505P)

Office of Pesticide Programs

# **CSI Py+PBO 3-15**

[ABN: Stryker 3-15, Stryker 300]

For indoor or outdoor application as a direct, space, area or contact spray. Dependent upon the insects and areas to be treated, this product may be applied through mechanical aerosol (non-metered) or ultra-low volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.

For use in Commercial Areas (including Food Handling Establishments, Food Service, Storage, Preparation, and Processing Areas), Institutional Areas and Residential Areas

# **ACTIVE INGREDIENT:**

Pyrethrins, a botanical insecticide	3.0%
Piperonyl butoxide*	
OTHER INGREDIENTS:	
TOTAL:	

\*(butylcarbityl)(6-propylpiperonyl) ether and related compounds Contains Petroleum Distillate Contains 0.211 lb of pyrethrins and 1.053 lb piperonyl butoxide per gallon.

EPA Reg. No. 53883-XXX NET CONTENTS: \_\_\_\_oz. EPA Est. No.



Consumer & rofessional

Pasadena, TX 77507

Manufactured for: Control Solutions, Inc. 5903 Genoa Red Bluff ACCEPTED

08/19/2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-390

# KEEP OUT OF REACH OF CHILDREN CAUTION

See [side] [back] panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

FIRST AID				
IF IN EYES:	Hold eyes open and rinse slowly and gently with water for 15-20 minutes.			
	Remove contact lenses, if present, after the first 5 minutes, then continue			
	rinsing eyes. Call a poison control center or doctor for treatment advice.			
IF ON SKIN OR	Take off contaminated clothing. Rinse skin immediately with plenty of water			
CLOTHING:	for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not incude vomiting			
	unless told to do so by a poison control center or doctor. Do not give <b>any</b> liquid			
	to the person. Do not give anything by mouth to an unconscious person.			
Have the product container or label with you when calling a poison control center or doctor or going for				
treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment				
information.				
NOTE TO PHYSICIAN:	Contains a petroleum distillate – vomiting may cause aspiration pneumonia			

[Note to label editor: Table format will be used if space allows for the first aid section; otherwise, paragraph format will be used.]

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Do not get in eyes, on skin or clothing. Wear protective eyewear\*. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

\*Protective eyewear includes goggles, face shield and/or safety glasses.

**Personal Protective Equipment (PPE):** Mixers, loaders, applicators and other handlers must wear the following: Long-sleeve shirt, long pants, shoes and socks, and chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or Viton.

- In addition to the above PPE, applicators using a high pressure hand wand in an enclosed area must wear at least a NIOSH-approved respirator with: a dust/mist filter with NIOSH approval number prefix TC-21C or Any R, P, or HE filter.
- In addition to the above PPE, applicators fogging this product (applying as a space spray) in an
  enclosed area must wear a half-face, fullface, or hood-style NIOSH-approved respirator with: a
  dust/mist filtering cartridge (NIOSH approval number prefix TC-21C), or a canister approved for
  pesticides (NIOSH approval number prefix TC-14G), or a cartridge or canister with any R, P or HE filter.

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

# **USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

**TERRESTRIAL APPLICATIONS:** This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hr will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run-off to water bodies or drainage systems

[FOR CONTAINERS > 5 GALLONS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems

without previously notifyincg, the local sewage treatment plant authority. For guidance, contact your state water board or regional office of the EPA.]

#### PHYSICAL HAZARDS

Do not use or store near heat or open flame. Do not apply this product around electrical equipment due to the possibility of shock hazard.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

#### **USE RESTRICTIONS**

- Apply this product only as specified on this label.
- Do not apply more than 1 time/day.
- Only protected applicators may be in treatment area during application.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Do not remain in treated area. Exit area immediately and do not enter or allow others to enter treated area until sprays have dried, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Remove pets, birds and cover fish aquariums before spraying.
- Do not make outdoor applications during rain.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways and patios
  except as a spot or crack and crevice treatment. During application, do not allow pesticide to enter or
  run off into storm drains, drainage ditches, gutters or surface waters.
- All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack and crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label:
  - 1. Applications to soil or vegetation, as listed on this label, around structures;
  - 2. Applications to lawns, turf and other vegetation, as listed on this label;
  - 3. Applications to the side of a building, up to a maximum height of 3 ft above grade;
  - 4. Applications to underside of eaves, soffits, doors or windows permanently protected from rainfall by a covering, overhang, awning or other structure;
  - 5. Applications around potential pest entry points into buildings, when limited to a surface band not to exceed 1" in width:
  - 6. Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutter or surface waters, in order to control occasional invaders or aggregating pests.
- Not for use in outdoor residential misting systems.
- Except when applying to sewers or drains as instructed on this label, do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not use in aircraft cabins.
- Remove or cover exposed food and drinking water, in the treatment area, before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, in the treatment area, or wash them before use.
- Do not apply as a space spray in residences.
- For space spray applications in food handling and processing facilities:
  - Do not make space spray applications when facility is in operation.
  - o Cover or remove food, in the treatment area, prior to space spray applications.
  - Cover food processing surfaces, in the treatment area, or clean after treatment and before use.

- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Do not apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from room prior to treatment and thoroughly ventilate (2 hr) after application. Do not return patients to room until after ventilation.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- Do not apply to classrooms when in use.

#### PRODUCT INFORMATION

Some furniture finishes, particularly plastics, can be damaged by petroleum based insecticides. To
avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material
to an inconspicuous area before spraying.

# **USE IN FOOD HANDLING ESTABLISHMENTS**

Applications are permitted in food/feed areas of food/feed handling establishments as a contact spray, space spray or crack and crevice® treatment, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS:** Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

**NON-FOOD AREAS:** Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply according to specific directions for pest(s) to be treated under the Indoor Use section below. Do not make space sgray applications to food areas when the facility is in operation. Prior to space spray applications, remove or cover exposed food and drinking water in the treatment area. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, in the treatment area, or wash them before use.

#### **INDOOR USE**

**SPACE SPRAY - FLYING INSECTS (Flies, Gnats):** Use full strength or dilute as desired using the dilution chart below. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area fo be treated. Apply using a mechanical aerosol generator (no droplets > 50 microns in diameter and 80% < 30 microns). Apply undiluted at a rate of approx. 1 fl oz/1,000 ft³ of room space, or apply diluted at the rate of 1 - 2 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestations of listed pests. Disperse in all locations (including around equipment, appliances and pallets, if desired) contacting as many insects as possible. Do not remain in treated areas after application. Keep area closed for at least 1 hour. Open and thoroughly ventilate treated areas before reoccupying. Do not apply as a space spray in residences.

**DILUTION:** Use a white mineral oil conforming to regulation 21 CFR 178.3620(b) or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.910 (Inert ingredients used pre and post-harvest; exemptions from the requirement of a tolerance) and 180.930 (Inert ingredients applied to animals; exemptions from the requirement of a tolerance.) Combine oil and concentrate as directed below and mix well just prior to application.

Pyrethrin % Desired	Mixture Rate	Application Rate per 1,000 ft <sup>3</sup>
1.0	1 Part Conc. to 2 Parts Oil	1 – 2 fl.oz.
0.50	1 Part Conc. to 5 Parts Oil	1 – 2 fl.oz.
0.30	1 Part Conc. to 9 Parts Oil	1 – 2 fl.oz.
0.15	1 Part Conc. to 19 Parts Oil	1 – 2 fl.oz.

**SPACE SPRAY -CRAWLING INSECTS (Ants (excluding Harvester & Pharaoh), Bed Bugs, Beetles, Earwigs, Cockroaches, Silverfish, Spiders):** Use full strength. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area to be treated. Apply as a space spray using a mechanical aerosol generator (no droplets >50 microns in diameter and 80% <30 microns) at a rate of approx. 1 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestations of listed pests. Disperse in all locations (including around equipment, appliances and pallets, if desired) contacting as many insects as possible. Do not remain in treated area after application and leave area closed for 1 hour. Ventilate thoroughly before occupants are allowed to reenter. Do not apply as a space spray in residences.

**DIRECT SPRAY OR VOID TREATMENTS:** Use equipment designed space or mist treatments. Follow the manufacturer's recommendations for proper equipment set up and operation. Place the tip of the applicator at or into the crack or crevice or opening to the void. Apply in short bursts into area being treated. Apply 1 second of product for every 3 ft<sup>3</sup> of void area. **For Direct Spray**, apply the product in short bursts into the area where insects are to be contacted, such as corners of the room, behind and under furniture or other equipment. Apply from a distance of 18 - 24" away from the surface and allow the material to drift to area to be treated. The amount of product applied is not to exceed 0.125 fl oz/ 2 ft<sup>2</sup>.

For Bed Bugs: Direct application into areas where bed bugs harbor. Do not direct this product at mattresses.

**HANDTANK OR PINSTREAM APPLICATION:** Direct application into cracks and crevices in elements of construction, walls, floors, underneath sinks, behind pipes and other places where insects harbor. For spot treatments, use a coarse, low-pressure spray. Limit individual spot treatments to an area no larger than 20% of the surface area. Any individual spot treatment shall not exceed 2 ft². Contact as many insects as possible. Before making any application, ensure product will not stain surface or leave an unacceptable residue. The amount of product applied is not to exceed 0.125 fl oz/2 ft².

# **OUTDOOR USE**

**OUTDOOR GROUND FOGGING APPLICATION USING HAND HELD EQUIPMENT (Flies, Gnats):** Use in open areas near buildings and in campgrounds. Use preferably at a time when temperature is cool (≤ 75°F) and the wind velocity is approx. ≤5 mph. When using ULV equipment, apply at the rate of 4 fl oz/acre. Allow spray drift to penetrate dense foliage.

# FOR USE ON DOMESTIC ANIMALS/LIVESTOCK

Use to protect beef cattle, dairy cattle and horses from horn flies, house flies and gnats, apply a light mist sufficient to wet the tips of the hair. To kill stable flies on beef cattle, dairy cattle and horses, apply 2 fl oz/adult animal, sufficient to wet the hair but not to soak the hide. To kill the motile stages of blood sucking lice on beef and dairy cattle, apply the spray to thoroughly wet the hair. Use 2 fl oz or less/animal and repeat every 2-3 weeks as required, but do not apply more than 1 time/day. **Do not use on dogs and cats.** 

Space Treatment Over Animals in Barns and Corrals or in Indoor Misting Systems Used in Commercial Barns, Stables and Animal Quarters: Select proper dilution and treat with ULD equipment over animals, or apply through Indoor Misting Systems.

# **USE RESTRICTIONS FOR INDOOR MISTING SYSTEMS**

- Not for use in outdoor residential misting systems (indoor or outdoor).
- Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.
- Do not apply when food, feed and/or water is present.
- When using this product, installers and service technicians must comply with the license, certification or registration requirements of the state(s), tribe(s) or local authority(ies) where they are installed.
- When applying via a remote activation device, do not apply when people and pets are present. If
  possible, when applying via automatic timer, set the timing for application when people and pets are
  unlikely to be present.
- Direct nozzles to spray towards the target area and away from areas where people are typically present.
- Do not use in evaporative cooling system.
- Do not use in misters located within 3 ft of air vents, air conditioner units or windows.
- If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: this container holds \_\_\_\_\_ parts [product name] to \_\_\_\_\_ parts water.
- If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.
- This product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 0.0033 lbs/1,000ft<sup>3</sup> (no animals present) [diluted to 1% = 6.5 fl oz/1,000 ft3 = 0.0703 lbs/gal] or 0.0008 lbs/1,000 ft3 (animals present) [diluted to 1% = 0.0005 lbs/fl oz = 0.0703 lbs/gal].

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in secured, dry storage area. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container! Empty container by using the product according to the label directions. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

[(<5 gal) Empty the remaining contents into application equipment or a mix tank and drain for 10 sec after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 sec. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure 2 more times.]

[(>5 gal) Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 sec. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure 2 more times.]

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

In addition to sites listed previously, this product is acceptable for use in the following sites:

INDOOR:AuditoriumsBeverage PlantsAnimal Areas & QuartersBakeriesBoats

**Bottling Plants** Libraries Textile Mills & Warehouses

Brandy Storage Warehouses Livestock Barns **Theaters** Buildings Loafing Sheds **Tobacco Plants Buses** Locker Rooms **Tobacco Warehouses** 

Cabins Mills Townhouses Mausoleums Canneries Trains

Cattle Barns Meat Packing Plants **Transportation Equipment** 

Churches Milk Rooms Trucks Closets Missions **Truck Trailers** 

**USDA** Inspected Facilities Condominiums Mobile Homes

**Communication Centers** Museums Utilities Mushroom Processing Plants **Correctional Facilities Utility Rooms** 

**Nursing Homes** Voids (Attics, Walls, Ceilings) Dairy & Livestock Barns

**Dried Fruit Processing Plants** Offices Warehouses **Drains & Sewers** Office Buildings Wineries

Wine Storage Warehouses **Dried Fruit Warehouses** Passenger Rail Cars

**Drugstores** Peanut Processing Plant

Peanut Storage Warehouses **OUTDOOR: Dumpsters Dwellings** Poultry Houses Campgrounds

**Egg Processing Plants** Poultry Processing Plants Corrals

Factories Prisons **Drive-in Restaurants Public Buildings** Flour Mills **Drive-in Theaters** 

Food Handling Establishments Rabbit Processing Plants **Dumpsters** Food Processing Plants Rabbit Houses Feedlots

Freight Containers Railroad Cars Garbage Dumps Fruit Packing Sheds **Golf Courses** Recreational Vehicles Garbage Cans **Junkyards** Research Animal Areas **Garbage Compactors** Kennels Restaurants **Grain Elevators** Restrooms Landscapes Grain Mills Rice Mills Lath Houses **Grain Handling Equipment Shade Houses** Manure Piles

**Parks** Granaries Ships Homes Shipholds **Plantscapes** Horse Stables/Barns Stables Playgrounds Hospices Stable Bins Recreational Areas

Industrial Installations Stored Seed Warehouses Sewers Institutions Stores Swineyards

**USDA** Inspected Facilities **Jails** Supermarkets

Laboratories Swine Houses

This product is also effective against the following insects when used according to label directions:

**FLYING INSECTS: CRAWLING INSECTS:** Larger Grain Borers Bed Bugs Bees Lesser Grain Borers **Book Lice FLEAS & TICKS:** 

Blow Flies **Bottle Flies** Cabbage Loopers **Brown Dog Ticks** Cheese Skippers Cabbage Worms Fleas Cockroaches **Ticks** 

Deer Flies Flies Crickets LICE: **Fungus Gnats** Fire Ant Workers Cattle Lice

House Flies Firebrats **SPIDERS & MITES:** Hornets Millipedes Cheese Mites Mushroom Flies Pillbugs **Clover Mites** Stable Flies Sowbugs **Grain Mites** Scorpions Vinegar Flies Mites

**GRAIN BORERS:** Yellowjackets **Spiders**  WEEVILS:
Bean Weevils
Granary Weevils

Granary Weevils
Maize Weevils
Rice Weevils
MOTHS:

Almond Moths Chocolate Moths Clothes Moths Cocoa Bean Moths

Mediterranean Flour Moths

WORMS:
Dark Mealworms

Lesser Mealworms Yellow Mealworms

BEETLES:
Black Carpet Beetles
Carpet Beetles

Darkling Beetles Dermestid Beetles Dried Fruit Beetles

Drugstore Beetles Flat Grain Beetles Foreign Grain Beetles

Fungus Beetles Ground Beetles Hide Beetles

Merchants Grain Beetles Mexican Grain Beetles Red Flour Beetles

Red Horned Grain Beetles Rusty Grain Beetles

Sawtoothed Grain Beetles

Spider Beetles Trogoderma Beetles

White Marked Spider Beetles

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

# **WARRANTY STATEMENT**

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions. Inc.

# [OPTIONAL MARKETING STATEMENTS:]

[KILLS: Ants (excluding Harvester & Pharaoh), Bed Bugs, Cockroaches, Fleas, Flies, Scorpions, Spiders, Stored Product Pests (Beetles, Mites, Moths) and Ticks]