

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

53883-415

6/7/18

Term of Issuance:

Conditional

Name of Pesticide Product:

CSI 16-105 Delta + Tekko Pro Aerosol

Name and Address of Registrant (include ZIP Code):

Lisa Adamson, Regulatory Manager Control Solutions Inc. A member of the ADAMA Group 5903 Genoa Red Bluff, Pasadena, Texas, 77507, USA

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Color of Approving Official:

Co

EPA Form 8570-6

Page 2 of 3 EPA Reg. No. 53883-415 Decision No. 529840

- 2. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
 - a. Novaluron GDCI-124002-1545
 - b. Deltamethrin GDCI-097805-1210
 - c. Pyriproxyfen GDCI-129032-1299

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 53883-415."
- 4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 3 of 3 EPA Reg. No. 53883-415 Decision No. 529840

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 5/12/2017
- Alternate CSF 1 dated 5/12/2017

If you have any questions, please contact Richard Gebken via email at gebken.richard@epa.gov.

Sincerely,

Richard Gebken

Product Manager 10

Invertebrate & Vertebrate Branch 2

Registration Division (7505P)

Office of Pesticide Programs

Enclosure

CSI 16-105 Delta + Tekko Pro Aerosol

[ABN: D-Fense, D-Fense Plus, D-Fense +, D-Fense NXT]

[Aerosol] [Insecticide] [For Indoor/Outdoor Use] [Contains Tekko Technology] [Pressurized Solutions]

[KILLS: Ants, Bees, Bed Bugs, Carpenter Ants, Carpenter Bees, Carpet Beetles (Black and Varied), Centipedes, Chocolate Moths, Cigarette Beetles, , Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drugstore Beetles, Earwigs, Elmleaf Beetles, Firebrats, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Ground Beetles, Hornets, House Flies, Indian Meal Moths, Lesser Grain Borers, Mediterranean Flour Moths, Midges, Millipedes, Mole Crickets, Mosquitoes, Mud Daubers, Pillbugs, Red Flour Beetles, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Spider Beetles, Termites† (Subterranean, Formosan & Drywood), Ticks, Tobacco Moths, Wasps, and Webbing Clothes Moths.]

FOR USE IN AND AROUND: Apartments, Campgrounds, Non-Food Storage Areas, Homes, Hospitals†, Hotels, Motels, Nursing Homes[†], Resorts, Restaurants and other Food Handling Establishments[†], Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes+), Utilities, Warehouses, and other Commercial and Industrial Buildings.

† See special instructions for these sites under Directions for Use.

ACTIVE INGREDIENTS:

| Novaluron | 0.20% |
|---------------------|---------|
| Deltamethrin | 0.06% |
| Pyriproxyfen | 0.02% |
| OTHER INGREDIENTS*: | 99.72% |
| TOTAL: | 100.00% |

^{*}Contains petroleum distillates

[FOR INTERNAL PURPOSES ONLY - NOT TO BE INCLUDED ON THE LABEL: 1 second of spray contains approximately 0.001 grams deltamethrin, 0.003 grams of Novaluron, and 0.0003 grams of Pyriproxyfen.]



ADAMA

Manufactured for: Control Solutions, Inc. 5903 Genoa Red Bluff Pasadena, TX 77507

ACCEPTED

06/07/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

53883-415

EPA Reg. No: 53883-XXX EPA Est. No:

Net Contents:

CAUTION

[Alternate text – all or in part: See [side] [back] panel(s) for First Aid, Precautionary Statements,
Directions for Use and Storage and Disposal.]

| | FIRST AID |
|-------------|--|
| IF ON SKIN: | Take off contaminated clothing. |
| | Rinse skin immediately with plenty of water for 15-20 minutes. |
| 100 | Call a poison control center or doctor for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® International for emergency medical treatment at (866) 897-8050.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

[Note to label editor: Table format will be used if space allows for the first aid section; otherwise, paragraph format will be used.]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not apply directly to any body of water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Do not use in the vicinity of open flame or pilot lights. Do not apply to plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc. Do not apply where electrical shock hazards exist.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- Remove pets, birds, and cover fish aquariums before spraying.
- Test first for staining on an inconspicuous area prior to use.
- Hold container upright and DO NOT spray up into air.
- Remove protective cap and direct spray away from face.
- Hold can 12-15 inches from surface being sprayed.
- Press button down and spray as directed.

† IN HOSPITALS AND NURSING HOMES: Do not apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Apply according to specific directions for pest(s) to be treated. Patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

† FOOD/FEED HANDLING ESTABLISHMENTS (Places other than private residences in which food is held, processed, prepared or served. Including areas for receiving, storing, packing (canning bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation.): Cover or remove exposed food/feed from the treatment area prior to application. All food processing surfaces should be covered during treatment or thoroughly washed before use. Do not apply directly to food or food handling surfaces. This product is for use in Federally Inspected Meat and Poultry Plants as a crack and crevice treatment. Except in federally inspected meat and poultry plants, spot or crack and crevice applications may be made while the facility is in operation. 1 second spray per spot. General surface applications must be used only when the facility is not in operation provided exposed food/feed and all food/feed processing and/or handling equipment has been covered or removed prior to application. After application in food/feed processing plants, cafeterias and similar facilities, wash all equipment, benches, shelving and other surfaces which food/feed will contact.

Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

† PLANES: Do not apply in aircraft cabins. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. Product should only be used when can temperature is above 60°F. If can temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

CRACK AND CREVICE APPLICATION: Use CSI 16-105 Delta + Tekko Pro Aerosol with the supplied actuator and injection tubes. Inject CSI 16-105 Delta + Tekko Pro Aerosol into cracks and crevices or void spaces where insects may be harboring, living or breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For light infestations move injector tip along cracks while treating at the rate of three linear feet per second. For heavy infestations move injector tip along at one linear foot per second. For wall and equipment voids calculate the void's cubic area and treat at the rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Reapply once every 6 months if necessary.

SPOT TREATMENT: Apply to storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, shelves, drawers and similar areas. Contact as many insects as possible. Hold can at arm's length and apply at the rate of 1 second per 2 sq. ft. Reapply once every 6 months if necessary.

GENERAL SURFACE APPLICATION: Hold can at arm's length and apply a light spray at the rate of 10 seconds per 100 sq. ft. Reapply once every 6 months if necessary.

INDOOR TREATMENTS

CSI 16-105 Delta + Tekko Pro Aerosol is acceptable as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs.

CRAWLING INSECTS (SUCH AS: ANTS, BOOKLICE, CARPET BEETLES, CENTIPEDES, CLOVERMITES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SOWBUGS, AND SPIDERS): Apply as a crack and crevice treatment into cracks and crevices in all hiding places behind baseboards, sinks, cabinets, meter boxes, door frames, windows and closets. Apply as a spot treatment or general surface application to breeding areas, nesting sites, hiding places and other places where crawling insects may be found.

BED BUGS: Remove linens and wash before reuse. Take bed apart and treat cracks, joints and interior of framework. Treat mattresses and box springs; especially tufts, folds, and edges. Also treat picture frames, baseboards, moldings and all cracks and crevices in the room. Allow to dry before remaking bed. Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs. May be used in conjunction with a bed bug proof mattress encasement. To treat furniture, such as couches and upholstered chairs, turn the piece upside down, lift the dust cover from the bottom and spray the interior frame. Replace the dust cover after frame treatment and turn piece right side up.

FOR EXPOSED ADULT AND LARVAL STAGES OF CARPET BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUGSTORE BEETLES, GRAIN MITES, GRANARY WEEVILS, RED FLOUR BEETLES, RICE WEEVILS, AND SAWTOOTHED GRAIN BEETLES: Apply as a Crack and Crevice treatment into cracks and crevices of pantries, cabinets, food processing and handling equipment and other places where insects harbor. Apply around cartons, and containers, and other areas as where these insects tend to congregate. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS AND TICKS ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. DO NOT spray animals directly. Hold product 36" above floor and direct toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor (rugs and carpets), sofa and chair surfaces are contacted. Treat adjacent cracks and crevices such as behind baseboards and edges of carpet and floor covers. Treat higher cracks such as upper door jams and window framing, behind pictures and other areas where females may crawl to lay eggs. Treatment may be repeated daily if necessary. Keep area closed for 15 minutes. Open and ventilate before reoccupying. The insect growth regulators in CSI 16-105 Delta + Tekko Pro work for up to 7 months by inhibiting the development of the immature stages of the flea and preventing them from reaching the biting adult stage. For best results, pets should be treated with an appropriate product before allowing them to return to the treated area.

OUTDOOR TREATMENTS

CRAWLING INSECTS ON OUTSIDE SURFACES OF BUILDINGS: Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include areas such as screens, window frames, eaves, porches, patios, garages and refuse dumps. Spray infested surfaces of patio or picnic areas, hitting as many insects as possible. Also, spray legs of tables and chairs to repel ants.

ANTS: Apply to ant trails, around doors and windows and other places where ants may be found.

FLYING AND STINGING INSECTS: Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

WOOD INFESTING INSECTS

CARPENTER ANTS, CARPENTERS BEES, AND TERMITES† (SUBTERRANEAN, FORMOSAN AND DRYWOOD): The following applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement for controlling active infestations of wood destroying insects including Subterranean, Formosan, and Drywood termites. This product is not recommended as sole protection against termites. For active indoor termite infestations, get a professional inspection. For control inside and outside of structures, apply as general surface, spot, crack and crevice or wall void application. To kill wood destroying insect infestations in localized above-ground areas of the structure, inject into galleries or voids in damaged wood, or into spaces between damaged wooden structural members. Locate galleries by visual signs of wood destroying insect infestation through the use of mechanical sounding techniques. Where necessary, penetrate the galleries or voids by drilling holes to receive the injector tip. Distribute drill holes to adequately treat the infestation. Applications must be made to inaccessible structure voids by drilling and then injecting into the infested void.

For termites: The purposes of such applications is to kill workers or winged forms which may be present in the treatment areas at the time of application.

For carpenter bees: Following treatment, the entrance holes must be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant.

Wood Destroying Insects Living Inside Trees, Utility Poles and Fences: CSI 16-105 Delta + Tekko Pro Insecticide must be used as a spot treatment for control of above-ground termites inside trees, utility poles, fencing and decking materials and similar structural members. Wherever possible, locate an inferior infested cavity and inject in the appropriate quantities. Repeat applications as needed to maintain control of re-infestations.

Aerial Termite Carton Nests in Trees: Termite carton nests in trees must be injected with CSI 16-105 Delta + Tekko Pro Insecticide using an injection applicator. Multiple injection points to varying depths may be necessary.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store upright at room temperature. Do not store near heat or open flame. Store in an area away from children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate! Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

[Optional Warranty Statement 1]

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

LIMITATION OF WARRANTY AND LIABILITY

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

[Optional Warranty Statement 2]

WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer. The seller is committed to providing high quality products. To the extent consistent with applicable law, the seller makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, the manufacturer or the seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with

applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

[OPTIONAL MARKETING STATEMENTS]

General Statements

- CSI Pressurized Solutions
- [With] Tekko Inside
- [With] Tekko Technology
- For use on mattresses, furniture and carpets
- Safe for use on fabric, plastic [and][&] wood surfaces
- Dual mode of action
- Broad spectrum insecticide with 2 IGRs
- Contact kill [and][&] residual control
- For indoor/outdoor use
- Combination Chemistry™ [from Control Solutions][, Inc.]]
- Residual insecticide
- Pressurized Combination Chemistry™ [from Control Solutions][, Inc.]]
- Labeled for use in food areas of food handling establishments.
- Labeled for Spot and Crack and Crevice use in food-handling establishments.
- Contains adulticide and [two] [2] insect growth regulators [IGRs]
- Effective long-term control

Bed Bug Claims

- Kills Bed Bugs
- Kills Bed Bugs Where They Hide
- Prevents Bed Bug Eggs from Hatching
- Reduces 1st Instar Viability of Bed Bugs

Flea Claims

- Inhibits re-infestation by fleas for up to 7 months.
- Kills pre-adult [larval] fleas, including eggs for up to [210 days) [30 weeks] [7 months]
- Stops [prevents] the flea from developing into egg laying adults.
- Inhibits re-infestation by fleas for up to [210 days) [30 weeks] [7 months]
- If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adult
- Disrupts the life cycle of fleas
- Two [2] applications per year, keep fleas under control
- Prevents larval fleas from developing into the biting adult stage
- Prevents [new] [tomorrow's] fleas from growing up to bite

Roach Claims

- [Product Name] [K][k]eeps working on listed cockroaches for up to [180 days] [26 weeks]
 [6 months]
- Interrupts [break] the life cycle of listed cockroaches
- Inhibits reinfestation by listed cockroaches for [180 days] [26 weeks] [6 months]
- Effectively controls [eliminates] listed cockroach populations by preventing reproduction [thereby eliminating future generations
- Prevents [stops] [inhibits] listed nymphal cockroaches from becoming adults [breeding adults][reproductive adults] [egg laying adults]]

 [One treatment stops listed cockroaches from generating reproductive offspring for up to [180 days] [26 weeks] [6 months]]

Other Insect Claims

- KILLS: [Ants][, Bees][, Bed Bugs][, Carpenter Ants][, Carpenter Bees][, Carpet Beetles (Black and Varied)][, Centipedes][, Chocolate Moths][, Cigarette Beetles][, Clover Mites][, Cluster Flies][, Cockroaches][, Confused Flour Beetles][, Crickets][, Drugstore Beetles][, Earwigs][, Elmleaf Beetles][, Firebrats][, Fleas][, Flies][, Fruit Flies][, Gnats][, Grain Mites][, Granary Weevils][, Ground Beetles][, Hornets][, House Flies][, Indian Meal Moths][, Lesser Grain Borers][, Mediterranean Flour Moths][, Midges][, Millipedes][, Mole Crickets][, Mosquitoes][, Mud Daubers][, Pillbugs][, Red Flour Beetles][, Rice Weevils][, Saw-toothed Grain Beetles][, Silverfish][, Small Flying Moths][, Sowbugs][, Spiders][, Spider Beetles][, Termites (Subterranean, Formosan & Drywood)][, Ticks][, Tobacco Moths][, Wasps][, and Webbing Clothes Moths]
- Effective long-term control of Fleas, Roaches, Flies, Mosquitoes, Gnats, Crickets & Ants
- Reduces egg production in houseflies and prevents development of larvae into adults.
- Continuous protection against stored product pests for 3 months.

Optional Tekko Tech Logo:

