

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

53883-445

EPA Reg. Number:

Date of Issuance:

5/9/18

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance:
Conditional

Name of Pesticide Product:

CSI 18-263 PY+PBO CS AEROSOL

Name and Address of Registrant (include ZIP Code):

Haley Wade Regulatory Assistant Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

5/9/18

Kable Bo Davis, Product Manager 03

Invertebrate & Vertebrate Branch 1, Registration Division (7505P)

- 2. You are required to comply with the data requirements described in the DCI Orders identified below:
 - a. PBO GDCI-067501-26641
 - b. PBO GDCI-067501-1063
 - c. Pyrethrins GDCI-069001-27992
 - d. Pyrethrins GDCI-069001-1290

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 53883-445."
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

Basic CSF dated 12/20/2017

If you have any questions, you may contact Dr. Breeden-Alemi at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Enclosure

CSI 18-263 Py + PBO CS Aerosol

[Pressurized Capsule Suspension] [Pressurized Insecticide]

KILLS ACCESSIBLE STAGES OF: Angoumois Grain Moths, Ants (excluding Carpenter Ants), Beetles, Black Widow Spiders, Cadelles, Centipedes, Cigarette Beetles, Clothes Moths, Cockroaches, Confused Flour Beetles, Crickets, Dermestid Beetles, Dried Fruit Beetles, Drugstore Beetles, Eastern Wood Ticks, Firebrats, Grain Mites, Granary Weevils, Honey Bees, House Flies, House Spiders, Indianmeal Moths, Lice, Mealworms, Mediterranean Flour Moths, Millipedes, Mosquitoes, Moths, Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Sowbugs, Stable Flies, Trogoderma and Weevils

FOR USE IN AND AROUND: Airplanes(cargo areas only)[†], Bakeries, Beverage Plants, Boats, Cabins, Campers, Campgrounds, Canneries, Dairies, Flour Mills, Food Processing Plants, Food Storage Areas, Grain Mills, Homes, Hospitals and Nursing Homes (except in patient rooms while occupied), Hotels, Industrial Installations, Kennels, Meat Packing Plants, Motels, Office Buildings, Patios, Picnic Areas, Railroad Cars, Recreational Vehicles, Residences, Restaurants, Schools, Ships, Supermarkets, Tents, Trailers, Truck Trailers, Warehouses and Zoos

†Do not use in aircraft cabins.

ACTIVE INGREDIENT:

Pyrethrins	0.5%
Piperonyl Butoxide	2.5%
OTHER INGREDIENTS*:	97.0%
TOTAL:	100.0%

Contains Petroleum Distillates



Manufactured for:

Control Solutions, Inc. 5903 Genoa Red Bluff Pasadena, TX 77507

EPA Reg. No: 53883-XXX
EPA Est. No:
Net Contents:

Consumer & Professional Solutions

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See side panel[s] for [First Aid][Precautionary Statements][Directions for Use][and][Storage and Disposal]

ACCEPTED

05/09/2018

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 50000 445

53883-445

FIRST AID		
IF ON SKIN OR	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15	
CLOTHING:	- 20 min. Call a poison control center or doctor for treatment advice.	
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless	
	told to do so by a poison control center or doctor. Do not give any liquid to the	
	person. Do not give anything by mouth to an unconscious person.	
HOT LINE NUMBER		

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

{Note to label editor: Table format will be used if space allows for the first aid section; otherwise, paragraph format will be used.}

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contains Petroleum Distillates. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear the following: long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, and shoes plus socks.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with product. Do not reuse them.

User Safety Recommendations

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE/clothing immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment, wash-water or rinsate. See Directions for Use for additional precautions and requirements.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not use on agricultural crops, nurseries, or in commercial greenhouses.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
- Only protected handlers may be in the area during application.
- When applying as a space or general surface spray: Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed, and the treated area has been thoroughly ventilated. Do not allow adults, children or pets to enter the treated area until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways and patios except as a spot or crack and crevice treatment. During application, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters.
- All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack and crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label:
 - 1. Applications to soil or vegetation, as listed on this label, around structures;
 - 2. Applications to lawns, turf and other vegetation, as listed on this label;
 - 3. Applications to the side of a building, up to a maximum height of 3 ft above grade;
 - 4. Applications to underside of eaves, soffits, doors or windows permanently protected from rainfall by a covering, overhang, awning or other structure;
 - 5. Applications around potential pest entry points into buildings, when limited to a surface band not to exceed 1" in width;
 - 6. Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutter or surface waters, in order to control occasional invaders or aggregating pests.
- Do not treat companion animals, such as dogs, cats, puppies or kittens, with this product.
- Do not make applications during rain.
- Do not apply directly to or near water, storm drains or drainage ditches. Do not apply when windy. To prevent product runoff, do not over-water the treated area(s) or apply when heavy rain is expected.
- When used in restaurants & food handling and processing facilities: Do not make space spray
 applications while facility is in operation. Prior to space spray operations, cover or remove food;
 and cover food processing surfaces and equipment or clean after treatment and before reuse. Do
 not use in serving areas (dining areas where prepared foods are served) while food is exposed.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment and food preparation surfaces or wash them before use.
- When used in schools: Do not apply to classrooms when in use.
- Remove pets and birds, cover fish aquariums before spraying.
- When used in health care facilities, remove patients prior to treatment and thoroughly ventilate treated area for 2 hrs before returning patients.
- Do not use in aircraft cabins.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. Do not apply more than 1 time/day.
- When used for greenhouse grown ornamental and foliage plants: Do not use on Cyclamen and Nasturtium. Do not apply more than 1 time/day.
- Do not wet plants or articles to point of runoff or drip.
- Do not use treated articles until spray has dried.

Except when applying to sewers or drains as instructed on this label, do not apply directly to sewers
or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or
aquatic habitat can occur.

SHAKE WELL BEFORE USING.

Use this product when can temperature is above 60°F. If can temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

APPLICATION INSTRUCTIONS

CRACK AND CREVICE TREATMENT: Use this product with the supplied actuator and injection tubes or other equipment recommended by Control Solutions, Inc. Inject this product into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approx. 1 sec of product. For light infestations, move injector tip along cracks while treating at the rate of 3 ft/sec. For heavy infestations, move injector tip along at 1 ft/sec. For closed voids, calculate the void's cubic area and treat at the rate of 5 - 10 sec/3 ft³. Several holes may be required in long running voids.

SPOT TREATMENTS: Release product onto the surface. Do not exceed 2 ft² for each spot treatment. Repeat as necessary, but not more than 1time/day.

SPACE AND SURFACE TREATMENTS: Space and general surface treatments are permitted for certain applications. See specific, instructions. Repeat as necessary, but not more than 1 time/day.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) is also considered a food area. **Crack and Crevice and Spot Applications:** Apply prescribed amounts of this product directly into cracks and crevices or voids using injection tube or other equipment recommended by Control Solutions Inc. in points between different elements of construction, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Avoid depositing the product onto exposed surfaces or introducing the material into the air. Do not contaminate food, food utensils or food processing surfaces. Remove or cover all food before treatment. For spot treatments, do not exceed 2 ft² for each spot treatment. **Space Treatment:** Close all windows and doors and direct fog upward at a rate of 5 - 8 sec/1,000 ft³. Disperse in all locations. Keep area closed for at least 15 min. Do not make space spray applications in areas of the facility that are in operation. Ensure no one enters the treated area. Prior to space spray applications, cover or remove food; cover food processing surfaces or clean after treatment and before use. Do not apply more than 1 time/day.

NON-FOOD AREAS: Includes areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply as a crack and crevice, spot or space treatment.

INDOOR TREATMENTS

CRAWLING INSECTS (including Booklice, Cockroaches, Crickets, Firebrats, Silverfish, Spiders (excluding Brown Recluse)): Make spot treatment and/or crack and crevice injections into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators and meter boxes. Treat floors, walls, under pallets, behind shelves and drawers. Apply directly on insects in these locations where possible. Space treatment is also permitted. Repeat as necessary, but not more than 1time/day.

FLEAS AND EASTERN WOOD TICKS: Remove and destroy pet's old bedding and replace with clean, fresh bedding after treatment of pet areas. Apply as a surface spray to infested areas such as pet beds and resting quarters, adjacent cracks and crevices, around baseboards, windows and door frames, local areas of floors (under the edges of carpets and floor coverings), and between/under cushions of upholstered furniture. Do not allow pets to reoccupy treated areas until treated surfaces have thoroughly dried. Do not apply more than 1 time/day. DO NOT USE THIS PRODUCT DIRECTLY ON DOMESTIC/COMPANION ANIMALS (DOGS, CATS, PUPPIES OR KITTENS).

Thoroughly vacuum infested area to capture as many adult fleas as possible. Tightly seal vacuum bag and dispose. Make applications to most surfaces as light as possible, approx. one 20 oz can/412 ft². It may be necessary to use a higher volume of spray, approx. one 20 oz can/250 ft², on long, dense shag carpets.

ANTS (excluding Carpenter Ants): Apply as a crack and crevice or spot treatment to trails, nests and points of entry around doors, book cases and storage areas. Apply directly on insects in these locations where possible.

CARPET BEETLES: Make spot or crack and crevice applications on and under edge of floor coverings, under carpets and furniture and in closets or other places where these insects are found. Entire carpets may be treated. When treating entire carpets, see directions under Fleas and Ticks. Repeat application as necessary, but not more than 1time/day.

STORED PRODUCT PESTS: Make spot and/or crack and crevice treatment to localized areas including shelves, cupboards, walls and floors where food products suspected of being infested are stored. Remove or cover food before application. Application is supplemental to good housekeeping, since it will have no effect on insects within packaging. Space treatment is also permitted. Dispose of all infested food packaging. Do not apply more than 1 time/day.

FLYING INSECTS - House Flies, Stable Flies and Mosquitoes: Make spot treatment in insect resting or landing areas. Space treatment is also permitted. Reapply as necessary, but not more than 1time/day. **AIRCRAFT (CARGO AREAS ONLY):** Direct upward at the rate of 2 - 4 sec/1,000 ft³. Dispense in all locations. Keep the treated area closed for at least 15 min. and thoroughly ventilate before re-entry.

INDOOR AND OUTDOOR TREATMENTS

FOR ACTIVE AND HIBERNATING STAGES OF BOXELDER BUGS, ELM LEAF BEETLES AND CLOVER MITES: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices, behind siding, wall voids, around windows and door frames. Make spot applications around insect entry points. Repeat as necessary, but not more than once every 7 days.

OUTDOOR TREATMENTS

FLYING INSECTS (House Flies, Stable Flies, Gnats, Mosquitoes): Treat outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where insects alight or congregate. Repeat as necessary. Treat normal fly resting areas such as ceilings, upper corners of the area, around windows and doors, light fixtures and other surfaces known to attract flies. Hold can 1 - 2 ft from target surface and apply at the rate of one 20 oz can/250 - 375 ft² of surface area. Treat so as to lightly moisten the target surface. Initiate treatment at the beginning of the season and repeat as necessary but not more than 1 time/day.

TO KILL MOSQUITOES OUTDOORS: To kill adult mosquitoes, treat shrubbery, vegetation and other areas where mosquitoes may rest. Direct application of this product to any body of water is prohibited. Apply at the rate of one 20 oz can/250 - 375 ft² of surface area. Reapply as necessary, but not more than 1 time/day.

PERIMETER TREATMENT - for crawling insects, such as Ants (excluding Carpenter Ants), Cockroaches, Crickets, Earwigs, Pillbugs, and Sowbugs: Treat infestations of these insects in outdoor areas which are landscaped, planted, mulched or unmaintained. For ants, treat mounds and runways. Repeat applications as infestation warrants and as reinfestations occur, but not more than 1 time/day. Apply to cracks and crevices where insects may enter premises. Areas to be treated include, weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, and openings around windows, doors and pipes. Treatment of infested fences and tree holes is permitted. To help prevent infestations of buildings, treat a band of soil 6 - 10 ft wide around and adjacent to the building. Also, treat the building foundation up to a maximum height of 2 - 3 ft and where pests are active and may find entrance. Treat at the rate of 14 sec/100 ft²

CAMPGROUNDS, PATIOS AND PICNIC AREAS: Treat in the direction of a slight breeze away from user that allows the product to drift into areas of infestation. Treat while moving away from the treated areas. Allow spray to dissipate before occupying the treated area. Direct treatment from a distance of 4 - 6 ft from flowering plants, shrubbery and grass where the insects may be resting. Treat on and around benches, chairs, garbage cans, patio furniture and tables. Treat in such a manner to avoid human or food contact areas. Do not wet articles to point of runoff or drift. Do not use treated articles until spray has dried.

BOATS, CAMPERS, TENTS, TRAILERS AND RECREATIONAL VEHICLES: Make crack and crevice or spot treatment where insects may be harboring or traveling. For space treatment, apply 1 - 3 sec. Keep the treated area closed for at least 15 min and thoroughly ventilate before re-entry.

CABINS: Make crack and crevice or spot treatment where insects may be harboring or traveling. For space treatment, close all windows and doors and direct fog upward at a rate of 2 - 4 sec/1,000 ft³. Disperse in all locations. Keep the treated area closed for at least 15 min. and thoroughly ventilate before re-entry.

ORNAMENTALS

Not for use in commercial production.

USE PRECAUTIONS: Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

USE INDOORS AND OUTDOORS: at Commercial Structures, Hobby Greenhouses, Homes, Interiorscapes and Landscapes on Potted and Flowering Plants, Foliage, Bedding Plants, Cut Flowers and Ornamentals

KILLS: Ants (excluding Carpenter Ants), Aphids, Beetles (Aster Beetles, Blister Beetles, Cigarette Beetles, Colorado Potato Beetles, Cucumber Beetles, Drugstore Beetles, Flea Beetles, Japanese Beetles, Watermelon Beetles), Black Widow Spiders, Caterpillars (Cabbage Worms, Rose Slugs, Hornworms), Centipedes, Cockroaches, Crickets, Fungus Gnats, House Flies, House Spiders, Leafhoppers, Mealy Bugs, Moths, Rose Aphids, Rose Chafers, Scale, Spider Mites, Stable Flies, Stink Bugs, Tarnished Plant Bugs, Trogoderma, Weevils and Whiteflies

FOR USE ON INDOORS AND OUTDOORS ORNAMENTALS:

Bedding Plants (such as): Alyssum, Aster, Impatiens, Periwinkle, Petunia, Salvia and Snapdragon **Cut Flowers (such as):** Carnation

Foliage (such as): Aluminum Plant, Bird's Nest Fern, Boston Fern, Floss Flower, Friendship Plant, Ivy, Jade Plant (Crassula), Oleander, Orchid, Raphiolepis, Sansevieria, Star Jasmine, Strawflower, Swedish Ivy, Sweet Pea, Velvet Plant (Gynura), Wandering Jew, Wax Plant and Zinnia

Potted Flowering Plants (such as): African Violets, Begonia, Camellia, Chrysanthemum, Cockscomb, Dahlia, Daisy, Dianthus, Flat Topped Sedum, Gardenia, Geranium, Marigold, Tahitian Bridal Veil and Verbena

Ornamentals (such as): Agapanthus, Ageratum, Arrowhead, Azalea, Blue Spruce, Bottlebrush, Cactus, Calendula, Celosia, Coleus, Cotoneaster, Crape Myrtle, Croton, Dogwood, Dusty Miller, Dwarf Lilac, Escallonia, Euonymus, Gazania, Golddust, Honeysuckle, Hydrangea, Ilex, Japanese Aralia, Juniper, Leucothoe, Lilac, Malus, Maranta, Mock Orange, Mugo Pine, Nandina, Ornamental Evergreens, Osmanthus, Pachysandra, Pfitzer Juniper, Photinia, Pineapple Guava, Pittosporum, Podocarpus, Primrose, Privet, Pyracantha, Rhododendron, Rose, Scarlet Sage, Snake Plant, Soft Maple and Spider Plant

PHYTOTOXICITY INFORMATION: This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as plant injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application. Plants in bloom should not be treated since petal damage may occur.

HOBBY GREENHOUSES, HOMES, INTERIORSCAPES: For light infestations, treat at the rate of 5 sec/100 ft². For heavy infestations, treat at the rate of 10 sec/100 ft². Dosage is based on 2 ft high plants. Adjust the dosage as necessary based on the height of the foliage. Move can in a fast sweeping motion to provide maximum coverage, maintaining a distance of 18 - 24" from foliage. Repeat application as necessary, but not more than 1 time/day.

SPOT TREATMENT - FOR INDIVIDUAL PLANTS AND LOCALIZED INFESTATIONS: Spray light mist on upper and lower leaf surfaces at a distance of 18 - 24" from foliage. Do not wet plants to the point of runoff or drip. Repeat application as necessary but not more than 1 time/day.

OUTDOORS (EXCEPT AGRICULTURAL CROPS, NURSERIES OR COMMERCIAL GREENHOUSES) LANDSCAPES, ORNAMENTAL PLANTS, SHRUBS: For best results, spray when air is still. Use slow sweeping motion, holding the can 18 - 24" from plant. Spray rows at the rate of 1 ft/sec. Do not wet plants

to the point of runoff or drip. For heavy growth, spray on both sides. Repeat application as necessary, but not more than 1 time/day.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store away from heat or open flame when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Do not puncture or incinerate! **If empty**: Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.