



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

53883-451

Date of Issuance:

12/20/18

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

CSI 17-103 Azoxy 0.31G

Name and Address of Registrant (include ZIP Code):

Ms. Lisa Adamson
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Shaja B. Joyner, Product Manager 20
Fungicide-Herbicide Branch
Registration Division 7505P

Date:

12/20/18

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 53883-451.”
3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/12/2018

If you have any questions, please contact Eleanor Thornton by phone at 703-305-6799, or via email at Thornton.eleanor@epa.gov.

Enclosure

ACCEPTED
12/20/2018
Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 53883-451

[Text in brackets and italics are notes to the label editor.]
[Text in brackets alone are optional statements or alternative statements.]

CSI 17-103 Azoxy 0.31G

Broad Spectrum Fungicide for Use on Home Lawns

ACTIVE INGREDIENT:

Azoxystrobin..... 0.31%

OTHER INGREDIENTS: 99.69%

TOTAL: 100.00%



ADAMA

Consumer &
Professional
Solutions

Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

EPA Reg. No: 53883-XXX
EPA Est. No: _____
Net Contents: _____

KEEP OUT OF REACH OF CHILDREN CAUTION

[Alternate text – all or in part: See side panel(s) for Precautionary Statements, Directions for Use and Storage and Disposal.]

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS CAUTION

ENVIRONMENTAL HAZARDS

This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Do not apply directly to water. Runoff may harm aquatic organisms. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

People and pets may re-enter the treated area after application.

USE RESTRICTIONS:

- Do not apply more than 37 lbs. of CSI 17-103 Azoxy 0.31G per 1,000 square feet in a single year.
- Do not apply more than 5 applications a year.

USE TIPS:

- Use CSI 17-103 Azoxy 0.31G on home lawns to prevent disease before it appears or to control disease at the first sign of disease.

- For best results, begin applications prior to disease symptoms, when conditions are favorable for disease.
- Consult your local Cooperative Extension Service office or your state's land grant university for assistance with lawn disease identification and specific fungicide timing in your area to control lawn diseases.
- When used as directed, this product is safe to the lawn and controls the diseases listed.

HOW TO APPLY:

- Measure the length and width of the area to be treated before application. Length x width = square feet. For example, an area 20 ft wide and 25 ft long is 500 square feet. [Insert optional graphic]
- Refer to the Directions for Applications for Lawn Diseases table for the rate to apply to control your lawn disease problem. Add the appropriate amount of CSI 17-103 Azoxy 0.31G to granular spreader to cover your square footage of lawn. Refer to Granular Spreader Settings table for spreader settings to deliver the rate required.
- Apply uniformly to provide the most effective level of control.
- Apply CSI 17-103 Azoxy 0.31G after seeding or at seed germination.
- Use the shorter re-treatment intervals and higher application rates when prolonged favorable disease conditions exist.

DIRECTIONS FOR APPLICATIONS FOR LAWN DISEASES

Disease	How Much to Apply (lbs. per 1,000 sq. ft.)	Application Interval (Days)	Application Instructions
Brown Patch	2 – 4	14 – 28	Apply when conditions are favorable for disease.
Anthracnose Fusarium Patch Gray Leafspot Leaf Rust Powdery Mildew Stem Rust Stripe Rust	2 – 4	14 – 28	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Necrotic Ring Spot Pink Patch Red Thread Southern Blight Summer Patch	2 – 4	14 – 28	Apply when conditions are favorable for disease.
Leafspot Melting Out	2 – 4	14 – 21	Apply when conditions are favorable for disease.
Cool Weather Brown Patch Yellow Patch Rhizoctonia Large Patch	2 – 4	14 – 28	Make one or two applications in fall or when conditions are favorable for disease.
Fairy Ring	4	28	Apply as soon as possible after fairy ring symptoms develop. Severely damaged or thin turf may require reseeding. Fairy ring symptoms may take 2 to 3 weeks to disappear following application. Re-application after 28 days may be required in some cases.

Disease	How Much to Apply (lbs. per 1,000 sq. ft.)	Application Interval (Days)	Application Instructions
Gray Snow Mold Pink Snow Mold Typhula Blight	7 4	- 10 – 28	Make a single application in late fall. OR Apply twice in the fall prior to snow cover.
Pythium Blight Pythium Root Rot	2 – 4	10 – 14	Begin applications when conditions are favorable for disease infection, prior to disease symptoms.
Spring Dead Spot	2 – 4	14 – 28	Make 1 or 2 applications, with the last application falling approximately one month prior to bermudagrass dormancy. Irrigate with ¼" to ½" of water after application.
Take-All Patch	2 – 4	28	Apply twice in the fall (typically September and October) and twice in the spring (typically April and May). Treat southern lawns (warm season grasses such as bermudagrass and St. Augustinegrass) twice in the summer (June – August) as well.
Zoysia Patch	2 – 4	14 – 28	Make 1 to 2 applications, with the last application falling approximately one month prior to zoyiagrass dormancy.

[Spreader models and settings will be inserted at the time of final printing.]

Granular Spreader Settings

Make and Models	Setting ^{1,2}			
	2 lbs. per 1,000 sq. ft.	3 lbs. per 1,000 sq. ft.	4 lbs. per 1,000 sq. ft.	7 lbs. per 1,000 sq. ft.
Spreader A	X	X	X	X
Spreader B	X	X	X	X

¹ Assume 3 mph walking speed.

² It is recommended that you calibrate your spreader before application since manufacturer’s settings can vary among the same model of spreader.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.
PESTICIDE DISPOSAL: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or industry).
CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If empty:** Offer for recycling if available or discard in a sanitary landfill. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, **IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

Optional Marketing Statements:

- Begins/Starts working in 24 hours.
- Ready-to-Use Granules
- Ready-to-Spread Granules
- Controls Lawn Diseases
- Easy Pour/Empty Bag
- Controls Diseases in Your Lawn
- Uniform Granules Provide Uniform Spread
- Does Not Stain
- Low Odor
- Resealable Bag
- Broad Spectrum [and Systemic] Disease Control on Home Lawns
- Easy to Spread/Apply Granules
- Granules Dissolve for Quicker Release
- For Use on Home Lawns
- Granule Formulation – Easy to Spread
- Controls Brown Patch, Powdery Mildew, Anthracnose, Rusts, Blights, Leaf Spots, and More, as Listed
- 10 lbs. Will Treat Up to 5,000 Sq. Ft. of Lawn
- 8 lbs. Will Treat Up to 4,000 Sq. Ft. of Lawn
- 6 lbs. Will Treat Up to 3,000 Sq. Ft. of Lawn
- XX lbs. Will Treat Up to X,XXX Sq. Ft. of Lawn

- Absorbed into the Plant
- Systemic Action
- Works Up to 4 Weeks for Certain Diseases
- Control Brown Patch
- Prevents and Stops...
 - Anthracnose
 - Brown Patch
 - Blights
 - Leaf Spot
 - Powdery Mildew
 - Rust
 - and More