

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

53883-465

12/7/20

Term of Issuance:

Unconditional

Name of Pesticide Product:

CSI 17-237 LAMBDA CS AEROSOL

Name and Address of Registrant (include ZIP Code):

Haley Wade Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

- 1. Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
- 2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:	Date:
Jel Herrick	12/7/20
Jacquelyn Herrick, Product Manager 03	
Invertebrate-Vertebrate Branch 1 Registration Division (7505P)	

Page 2 of 2 EPA Reg. No. 53883-465 Decision No. 552104

EPA Form 8570-6

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 53883-465."
- 4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

• Basic CSF dated 07/16/2020

If you have any questions, you may contact Dr. Breeden-Alemi at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Enclosure

SUB-LABEL A - Commercial/Professional Use

CSI 17-237 Lambda CS Aerosol

[Pressurized Insecticide] [Residual Insecticide] [For indoor/outdoor use]

[KILLS: Ants (excluding carpenter ants, harvester ants, and pharaoh ants), Asian Multicolored Lady Beetle, Booklice, Boxelder Bugs, Brown Marmorated Stink Bug, Chocolate Moths, Clover Mites, Cluster Flies, Crickets, Dermestid Beetles, Drug Store Beetles, Earwigs, Elm Leaf Beetles, Fire Ants, Flour Beetles, Fungus Flies, Gnats, Grain Weevils, Indian Meal Moth, Millipedes, Silverfish, Sowbugs, Spiders (excluding black widow and brown recluse), Springtails, Stored Product Pests (Carpet beetle, Cigarette beetle, Confused flour beetle, Lesser grain borer, Red flour beetle, Rice weevil, and Saw-toothed grain beetle), Trogoderma (Cabinet, Khapra, and Warehouse Beetles), and Turkestan Cockroaches] {This section may be removed or reduced on the final printed label.

ACTIVE INGREDIENTS:

Lambda-Cyhalothrin*	0.05%
OTHER INGREDIENTS**:	99.95%
TOTAL:	100.00%

^{*}In capsule suspension

[FOR INTERNAL PURPOSES ONLY - NOT TO BE INCLUDED ON THE LABEL: 1 second of spray contains approximately 0.00075 grams of lambda-cyhalothrin]



Manufactured for: Control Solutions, Inc. 5903 Genoa Red Bluff Pasadena, TX 77507

EPA Reg. No: 53883-UAL EPA Est. No:

Net Contents: 2 lbs.

ACCEPTED

12/7/2020

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-465

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand the label, find someone to explain it to you in detail.)

[Alternate text - all or in part: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.1

FIRST AID		
IF SWALLOWED:	•	Immediately call a poison control center or doctor.
	•	DO NOT induce vomiting unless told to do so by a poison control center or
		doctor.
	•	DO NOT give ANY liquid to the person.
	•	DO NOT give anything by mouth to an unconscious person.
IF ON SKIN OR	•	Take off contaminated clothing.
CLOTHING:	•	Rinse skin immediately with plenty of water for 15-20 minutes.
	•	Call a poison control center or doctor for treatment advice.
IF INHALED:	•	Move person to fresh air
	•	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

^{**}Contains petroleum distillates.

	Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
	Call a poison control center or doctor for treatment advice
	HOT LINE NUMBER
Have the product container or label with you when calling a poison control center or doctor or going for	
treatment. You ma information.	y also contact SafetyCall® (866) 897-8050 for emergency medical treatment

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Wear long-sleeved shirt and long pants, socks, shoes, and chemical resistant gloves. Wear protective eyewear. Acceptable gloves are Barrier Laminate, Butyl Rubber ≥ 14 mils, Nitrile Rubber ≥ 14 mils, and viton ≥ 14 mils

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from fire, sparks, and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL PRIOR TO USE.

SHAKE WELL BEFORE USING

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Offices/Office Buildings, Resorts, Restaurants, and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes*), Utilities, Warehouses, and other Commercial and Industrial Buildings

*Use in cargo areas only.

USE RESTRICTIONS:

- DO NOT apply this product in hospital patient rooms while occupied or in any rooms while occupied by the elderly or infirm.
- DO NOT apply to classrooms when in use.
- **DO NOT** use in aircraft cabins.
- **DO NOT** apply to institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.
- **DO NOT** apply directly to pets or other animals.
- DO NOT apply directly to food.
- DO NOT apply directly to surfaces or utensils that may come into contact with food.
- DO NOT treat surfaces likely to be contacted by food or allow applications to contaminate food.
- DO NOT spray into the air; only spray onto the specific use sites
- **DO NOT** apply this product in any room being used as living, eating, sleeping, or recovery area by patients, the elderly, or infirm when they are in the room.
- **DO NOT** allow applications to contact water inhabited by fish, such as in aquariums and ornamental fishponds that are located in structures being treated.
- DO NOT apply this product to stored raw agricultural commodities used for food or feed.
- **DO NOT** allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- DO NOT contaminate any animal food, feed, or water in and around livestock, poultry, or pet housing when making applications.
- **DO NOT** make interior application of this product in areas where animals are present in the facility. Allow treated surfaces to completely dry before restocking the facility.
- **DO NOT** make applications to any animal feedstuffs, water, or watering equipment.
- DO NOT allow humans or pets to contact treated surfaces until the spray has dried.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage
 to sewers, storm drains, water bodies, or aquatic habitat can occur. DO NOT allow the product to
 enter any drain during or after application.

HOW TO APPLY

CRACK AND CREVICE TREATMENT: Use with the supplied actuator and injection tip. Inject into cracks and crevices or void spaces where insects may be harboring, living and breeding. Release approximately 1 second of product. For light infestations move injector tip along cracks while treating at the rate of 3 linear feet/sec. For heavy infestations move injector tip along at 1 linear foot/sec. For closed voids calculate the void's cubic area and treat at the rate of 1-5 sec/3 ft³. Several holes may be required in long-running voids. **SPOT TREATMENT:** Use with the supplied actuator [in the down position]. Hold container upright while spraying. Direct nozzle approximately 12" from surface to be treated. Apply directly on insects in these locations when possible.

INDOOR TREATMENTS

CRAWLING INSECTS [(Including: Dermestid Beetles, Spiders (excluding black widow and brown recluse), Earwigs, Crickets, Sowbugs, Millipedes)]: Apply as a crack and crevice treatment using the prescribed dosage into cracks and crevices and void spaces where insects may be harboring: openings around pipes and sinks, under refrigerators, dishwashers, in-between appliances and cabinetry, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and meter boxes. Spot treatments may also be made to storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

[BOOKLICE & SILVERFISH: Apply as a crack and crevice treatment into cracks and crevices of baseboards, door frames, bookcases and other harborage sites. Spot treatments may also be made to storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.]

[ANTS (excluding carpenter ants, harvester ants, and pharaoh ants): Apply as a crack and crevice treatment into cracks, crevices and voids where ants (excluding carpenter ants, harvester ants, and

pharaoh ants) may be traveling and/or harboring: around doors, window/frames, wall voids and other structural cracks and crevices. Apply spot treatments at a rate of 5 seconds to: storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, and drawers.]

[LISTED STORED PRODUCT PESTS (in exposed adult and larval stages): Inject cracks and crevices and/or voids where these insects may be harboring or resting: cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Spot treatments may also be made to: storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers.]

INDOOR TREATMENTS APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS Food Handling Establishments are places other than private residences in which food is held, processed, prepared or served.

In Federally inspected meat and poultry plants, the facility must not be in operation when this product is used, regardless of the method of application. In non-Federally inspected facilities, spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application.

Food contact surfaces and equipment must be cleaned with an effective cleaning compound and rinsed with potable water before using. Reapplication may be made at 21-day intervals. **DO NOT** make spot treatments to an area no larger than 20% of the treated surface. **DO NOT** make individual spot treatments exceeding 2ft². Spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application.

FOOD AREAS: Areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) is also considered a food area.

Apply as a crack and crevice treatment or spot treatment directly into cracks, crevices, voids or onto surfaces where insects may rest. Use an injection tube or other equipment capable of delivering a pin stream. Apply to different elements of construction; between equipment and floor; openings leading to hollow spaces in walls, equipment legs and bases; and where insects hide or rest.

FOOD SERVING AREAS (facilities where foods are served, such as dining rooms): Apply as crack and crevice treatment or spot treatment to selective surfaces: baseboards, under elements of construction, and into cracks and crevices.

NON-FOOD AREAS: garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling). Apply as a crack and crevice treatment or spot treatment to selective surfaces: baseboards, under elements of construction, into cracks and crevices.

INDOOR AND OUTDOOR TREATMENTS

FOR ACTIVE AND HIBERNATING STAGES OF ASIAN MULTICOLOR LADY BEETLE, BOXELDER BUGS, BROWN MARMORATED STINK BUGS, ELM LEAF BEETLES, CLUSTER FLIES AND CLOVER

MITES: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating: outdoor cracks and crevices, behind siding, wall voids, around window and door frames and indoor cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Spot treatments may also be made to: storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, and drawers.

OUTDOOR TREATMENTS

PERIMETER TREATMENT: For crawling insects, apply as a crack and crevice treatment, void or spot treatment into areas where insects may enter premises or harbor: weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes and landscape timbers. Treatment of infested fences and tree holes is permitted.

SUBTERRANEAN ANTS SUCH AS ARGENTINE ANTS (excluding carpenter ants, fire ants, harvester ants, and pharaoh ants): To treat pests, inject nests smaller than 12° in diameter at 3-6 sites at a rate of 5-10 sec/site. For large nests (over 12° diameter), treat using 3-6 more injection sites for every

additional 12" in diameter. Space injection sites in a circular pattern on the nest surface with one site in the center. To quiet active ants (excluding carpenter ants, fire ants, harvester ants, and pharaoh ants) on nest surface, sweep surface with spray from a distance of 12". For best results, apply when temperature is 65 – 85°F, or in early morning or late evening hours. Treat new nests as they appear.

TREATMENT FOR IN-GROUND SERVICE BOXES: Ants (excluding carpenter ants, fire ants, harvester ants, and pharaoh ants), Clover Mites, Crickets, Earwigs, Millipedes, Silverfish, Sowbugs, Spiders (excluding Black Widow and Brown Recluse), and Springtails. Use spray actuator to treat open boxes and exposed surfaces. **DO NOT** contact any electrical wiring or mechanical parts of meter.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: DO NOT puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

LIMITATIONS Of LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc.'s election, the replacement of product.

CSI 17-237 Lambda CS Aerosol

[Pressurized Insecticide] [Residual Insecticide] [For indoor/outdoor use]

[KILLS: Ants (excluding carpenter ants, harvester ants, and pharaoh ants), Asian Multicolored Lady Beetle, Booklice, Boxelder Bugs, Brown Marmorated Stink Bug, Chocolate Moths, Clover Mites, Cluster Flies, Crickets, Dermestid Beetles, Drug Store Beetles, Earwigs, Elm Leaf Beetles, Fire Ants, Flour Beetles, Fungus Flies, Gnats, Grain Weevils, Indian Meal Moth, Millipedes, Silverfish, Sowbugs, Spiders (excluding black widow and brown recluse), Springtails, Stored Product Pests (Carpet beetle, Cigarette beetle, Confused flour beetle, Lesser grain borer, Red flour beetle, Rice weevil, and Saw-toothed grain beetle), Trogoderma (Cabinet, Khapra, and Warehouse Beetles), and Turkestan Cockroaches] {This section may be removed or reduced on the final printed label.}

ACTIVE INGREDIENTS:

Lambda-Cyhalothrin*	0.05%
OTHER INGREDIENTS**:	99.95%
TOTAL:	100.00%

^{*}In capsule suspension

[FOR INTERNAL PURPOSES ONLY – NOT TO BE INCLUDED ON THE LABEL: 1 second of spray contains approximately 0.00075 grams of lambda-cyhalothrin]



ADAMA

Consumer & Professional Solutions Manufactured for: Control Solutions, Inc. 5903 Genoa Red Bluff Pasadena, TX 77507 EPA Reg. No: 53883-UAL

EPA Est. No: _

Net Contents: 2 lbs.

ACCEPTED

12/07/2020

53883-465

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID		
IF SWALLOWED:	•	Immediately call a poison control center or doctor.
	•	DO NOT induce vomiting unless told to do so by a poison control center or
		doctor.
	•	DO NOT give ANY liquid to the person.
	•	DO NOT give anything by mouth to an unconscious person.
IF ON SKIN OR	•	Take off contaminated clothing.
CLOTHING:	•	Rinse skin immediately with plenty of water for 15-20 minutes.
	•	Call a poison control center or doctor for treatment advice.
IF INHALED:	•	Move person to fresh air
	•	If person is not breathing, call 911 or an ambulance, then give artificial

^{**}Contains petroleum distillates.

	respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
	Call a poison control center or doctor for treatment advice
HOT LINE NUMBER	

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Wear long-sleeved shirt and long pants, socks, shoes, and chemical resistant gloves. Wear protective eyewear. Acceptable gloves are Barrier Laminate, Butyl Rubber ≥ 14 mils, Nitrile Rubber ≥ 14 mils, and viton ≥ 14 mils

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from fire, sparks, and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL PRIOR TO USE.

SHAKE WELL BEFORE USING

HOW IT WORKS: This product contains a microencapsulated insecticide. Microencapsulated pesticides are products where one or more of the active ingredients are covered (encapsulated) by a protective coating. When applied, the microcapsule breaks and slowly releases the active ingredient over time, providing an extended life of the pesticide.

FOR USE IN, ON, AND AROUND: buildings and structures for the control of listed pests: around residential, institutional, public, commercial, agricultural and industrial buildings; parks, recreational areas and athletic fields.

USE RESTRICTIONS:

- **DO NOT** apply this product to plants.
- **DO NOT** apply this product in hospital patient rooms while occupied or in any rooms while occupied by the elderly or infirm.
- DO NOT apply to classrooms when in use.
- **DO NOT** apply to institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.
- DO NOT apply directly to pets or other animals.
- **DO NOT** apply directly to food.
- **DO NOT** apply directly to surfaces or utensils that may come into contact with food.
- DO NOT treat surfaces likely to be contacted by food or allow applications to contaminate food.
- DO NOT spray into the air; only spray onto the specific use sites.
- **DO NOT** apply this product in any room being used as living, eating, sleeping, or recovery area by patients, the elderly, or infirm when they are in the room.
- **DO NOT** allow applications to contact water inhabited by fish, such as in aquariums and ornamental fishponds that are located in structures being treated.
- DO NOT apply this product to stored raw agricultural commodities used for food or feed.
- **DO NOT** allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- **DO NOT** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- **DO NOT** contaminate any animal food, feed, or water in and around livestock, poultry, or pet housing when making applications.
- **DO NOT** make interior application of this product in areas where animals are present in the facility. Allow treated surfaces to completely dry before restocking the facility.
- **DO NOT** make applications to any animal feedstuffs, water, or watering equipment.
- DO NOT allow humans or pets to contact treated surfaces until the spray has dried.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage
 to sewers, storm drains, water bodies, or aquatic habitat can occur. DO NOT allow the product to
 enter any drain during or after application.

HOW TO APPLY

CRACK AND CREVICE TREATMENT: Use with the supplied actuator and injection tip. Inject into cracks and crevices or void spaces where insects may be harboring, living and breeding. Release approximately 1 second of product. For light infestations move injector tip along cracks while treating at the rate of 3 linear feet/sec. For heavy infestations move injector tip along at 1 linear foot/sec. For closed voids calculate the void's cubic area and treat at the rate of 1-5 sec/3 ft³. Several holes may be required in long-running voids. **SPOT TREATMENT:** Use with the supplied actuator [in the down position]. Hold container upright while spraying. Direct nozzle approximately 12" from surface to be treated. Apply directly on listed insects in these locations when possible. [Foaming action keeps product where you apply it.]

INDOOR TREATMENTS

CRAWLING INSECTS [(Including: Dermestid Beetles, Spiders (excluding black widow and brown recluse), Earwigs, Crickets, Sowbugs, and Millipedes)]: Apply as a crack and crevice treatment using the prescribed dosage into cracks and crevices and void spaces where insects may be harboring. These may include: openings around pipes and sinks, under refrigerators, dishwashers, in-between appliances and cabinetry, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and meter boxes. Spot treatments may also be made to storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, and drawers.

[BOOKLICE & SILVERFISH: Apply as a crack and crevice treatment into cracks and crevices of baseboards, door frames, bookcases and other harborage sites. Spot treatments may also be made to

storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment: shelves, and drawers.]

[ANTS (excluding carpenter ants, harvester ants, and pharaoh ants): Apply as a crack and crevice treatment into cracks, crevices and voids where ants (excluding carpenter ants, harvester ants, and pharaoh ants) may be traveling and/or harboring around doors, window/frames, wall voids and other structural cracks and crevices. Spot treatments may also be made to areas: storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, and drawers.]

[STORED PRODUCT PESTS (in exposed adult and larval stages): Inject cracks and crevices and/or voids where these insects may be harboring or resting. Infested areas may include: cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Spot treatments may also be made to areas: storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, and drawers. Remove food prior to treating and **DO NOT** replace until spray has fully dried.]

INDOOR AND OUTDOOR TREATMENTS

FOR ACTIVE AND HIBERNATING STAGES OF ASIAN MULTICOLOR LADY BEETLE, BOXELDER BUGS, BROWN MARMORATED STINK BUGS, ELM LEAF BEETLES, CLUSTER FLIES AND CLOVER

MITES: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Outdoor cracks and crevices, behind siding, wall voids, around window and door frames and indoor cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Spot treatments may also be made to storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, and drawers.

OUTDOOR TREATMENTS

PERIMETER TREATMENT: For crawling insects, apply as a crack and crevice treatment, void or spot treatment into areas where insects may enter premises or harbor. Weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes and landscape timbers. Treatment of infested fences and tree holes is permitted.

SUBTERRANEAN ANTS SUCH AS ARGENTINE ANTS (excluding carpenter ants, fire ants, harvester ants, and pharaoh ants): To treat pests, inject the nest at 3-6 sites at a rate of 5-10 sec/site. For very large nests (over 12" diameter), increase the number of injection sites. Space injection sites in a circular pattern on the nest surface with one site in the center. To quiet active ants (excluding carpenter ants, fire ants, harvester ants, and pharaoh ants) on nest surface, sweep surface with spray from a distance of 12". For best results, apply when temperature is $65-85^{\circ}$ F, or in early morning or late evening hours. Treat new nests as they appear.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: DO NOT puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.

Federal regulations prohibit CFC propellants in aerosols.

LIMITATIONS Of LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc.'s election, the replacement of product.

[Optional Marketing Claims: All claims are for both sub-labels otherwise noted]

Use/Formulation related claims

- For indoor/outdoor use
- Intended for Pest Control Operators and Commercial Use Only [for sub-label A]
- For use in and around the home
- Labeled for use in food areas of food handling establishments.
- Labeled for [spot] [and/or] [crack and crevice] use in food-handling establishments.
- Can be used in apartments, boats, cabins, campers, condominiums, garages, gazebos, homes, patios, porches, recreational vehicles and many other listed areas.
- Pressurized Solutions
- Non-staining formulation when used as directed
- Non-staining [Does Not Stain Fabrics/Surfaces] when used as directed
- Sprays in any direction [even upside down]
- Low odor
- Microencapsulated [lambda-cyhalothrin] aerosol
- This product contains a microencapsulated insecticide. Microencapsulated pesticides are products
 where one or more of the active ingredients are covered (encapsulated) by a protective coating.
 When applied, the microcapsule breaks and slowly releases the active ingredient over time,
 providing an extended life of the pesticide.
- Controlled Release Insecticide
- Provides Controlled Release
- Microencapsulated for Control Release
- Microencapsulated releases over time
- Easy-to-use
- No oily/greasy residue
- Foaming action so you see where you spray.
- Foaming action/formula keeps product where you spray.
- Ready-to-use



Efficacy related claims

- Kills/Controls Fire Ants for up to 90 days* *when applied indoors on nonporous surfaces
- 90 Day Fire Ant Control* *when applied indoors on nonporous surfaces
- Kills listed pests
- Kills listed pests fast
- Quick knockdown [†]
- Kills on contact [†]
- Long-lasting [†]
- Kills ants [‡], crickets, and other listed insects
- Kills fire ants
- Kills Brown Marmorated Stink Bugs [and Asian Lady Beetles]
- Kills listed home invading pests
- Kills ants[‡] on contact
- Contact Kill Gives You Immediate Results When Spraying Insects Directly, While Residual Activity Kills listed Insects [†] [When They Return to Treated Areas].
- [Also] Kills, [stinkbugs], [Asian lady beetles], [ants[‡] (excluding carpenter ants, harvester ants, and pharaoh ants)], [pantry pests], [and other listed insects]

• Kills: [ants[‡]] [Asian beetles] [spiders[±]] [and other listed insects]

[† excluding Carpenter Ants, Harvester Ants, Pharaoh Ants, Black Widow Spiders and Brown Recluse Spiders]

[‡ excluding Carpenter Ants, Harvester Ants, Pharaoh Ants]

[± excluding black widow and brown recluse spiders]