

#### OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 06, 2024

#### **SENT BY EMAIL**

Lisa Adamson
ladamson@controlsolutionsinc.com
CONTROL SOLUTIONS, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Add optional marketing

claims.

Product Name: CSI 17-232 PPZ 0.72G

Admin Number: 53883-467 EPA Receipt Date: 05/11/2022 Action Case Number: 00473823

#### Dear Lisa Adamson:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Stephanie Suarez via email at suarez.stephanie@epa.gov.

Sincerely,

Stephanie Suarez, Ph.D., Senior Regulatory Specialist FB, RD

<sup>l</sup>ephanie 47. Suarez

Office of Pesticide Programs

#### NOTIFICATION

53883-467

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/06/2024

[Text in brackets and italics are notes to the label editor.]
[Text in brackets alone are optional statements or alternative statements.]

## CSI 17-232 PPZ 0.72G

#### [Granular Turf Fungicide] [Easy to Spread Formula]

ACTIVE INGREDIENT:	
Propiconazole*	0.72%
OTHER INGREDIENTS:	99.28%
TOTAL:	100.00%

\*CAS Number 60207-90-1



Manufactured for: Control Solutions, Inc. 5903 Genoa Red Bluff Pasadena, TX 77507 EPA Reg. No: 53883-467
EPA Est. No: \_\_\_\_\_
Net Contents: \_\_\_\_\_

Consumer & Professional Solutions

information.

# CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side/back panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID					
IF ON SKIN OR	Take off contaminated clothing				
CLOTHING	Rinse skin immediately with plenty of water for 15- 20 minutes				
	Call a poison control center or doctor for treatment advice				
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue				
rinsing eye.					
	Call a poison control center or doctor for treatment advice.				
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.				
Have person sip a glass of water if able to swallow.					
<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>					
Do not give anything by mouth to an unconscious person.					
HOT LINE NUMBER					

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment

**CAUTION:** Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **Personal Protective Equipment (PPE)**

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves made from any waterproof material
- Shoes plus socks
- Goggles or face shield

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **User Safety Recommendations**

#### Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE/clothing immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and shrimp. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment, disposing of equipment wash waters or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### READ ALL DIRECTIONS COMPLETELY BEFORE USE.

Do not apply this product in a way that will contact workers or other persons or pets, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Workers Protection Standard 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter'or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that; involves contact with anything that has been treated, such as plants, soil or water is: coveralls, shoes and socks, and chemical-resistant gloves made from any waterproof material.

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to use of this product that are not within the scope of the Worker Protection! Standard for agricultural pesticides (40 CFR part 170). The Worker Protection Standard applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not allow adults, children, or pets to enter the treated areas until dust has settled.

#### PRODUCT INFORMATION

This product is a systemic fungicide for use on turfgrasses for the control and suppression of:

Dollar spot	Sclerotinia homoeocarpa	Spring dead spot	Leptosphaeria korrae, Leptosphaeria narmari, Ophiosphaerelia herpotricha, Gaeumannomyces graminis
Brown patch	Rhizoctonia solani	Take-all patch	Gaeumannomyces graminis
Anthracnose	Colletotrichum graminicola	Leafspot	Biopolaris spp., Drechslera spp.
Red thread	Laetisaria fuciformis	Gray leafspot	Pyricularia grisea
Pink patch	Limonomyces roseipellis	Pink snow mold	Microdochium nivale
Rust	Puccinia graminis	Fusarium patch	Microdochium nivale
Powdery mildew	Erysiphe graminis	Gray snow mold	Typhula spp.
Stripe smut	Ustilago striiformis and Urocystis agropyri	Yellow patch	Rhizoctonia cerealis
Summer patch	Magnaporthe poae	Zoysia patch	Rhizoctonia solani
Necrotic ring spot	Leptosphaeria korrae		

Use this product in a preventative disease control program. Properly calibrate the spreader to ensure thorough coverage. Apply after mowing. For control of foliar diseases, apply to wet/moist foliage. For control of soil-borne diseases, this product can be watered in after application. Under conditions optimum for high disease pressure, use the higher rate and the shorter interval. For optimum turf quality and disease control, use this product in conjunction with turf management practices that promote good plant health and optimum disease control. Before use of any fungicide, proper diagnosis of the organism causing the disease is important. Use of diagnostic kits or other means of identification of the disease organism is essential to determine the best control measures.

#### **USE RESTRICTIONS:**

- Do not apply this product through any type of irrigation system.
- Do not apply more than 20 lbs. product [0.144 lbs. A.I.]/1,000 sq. ft/calendar year.
- Do not apply more than 5 lbs. product [0.036 lbs.A.I.]/1,000 sq. ft in a single application
- Do not exceed 8 applications per year
- Do not apply more often than every 14 days
- Do not graze animals on treated areas.
- Do not feed clippings from treated areas to livestock or poultry.
- Bermudagrass can be sensitive to this product. Do not exceed 5 lbs./1,000 sq. ft. every 30 days on any variety of bermudagrass. In Florida, do not apply this product to bermudagrass golf greens when temperatures exceed 90°F.

Turf grass - Specific Diseases, Rates, and Application Timing

Disease	Lbs. Product per 1,000 sq. ft.	Lbs. Product per Acre	Application Timing/ Interval	Application Instructions
Dollar spot Sclerotinia homoeocarpa	2.5	109	14-28 days	Make no more than 3 consecutive applications for dollar spot before rotating to an alternative EPA-registered fungicide having a different mode of action.
Anthracnose Coltetotrichum graminicola	2.5	109	14-28 days	Apply when conditions are favorable for disease development. When disease pressure is high, use shorter intervals.
Brown patch Rhizoctonia solani	2.5	109	14-28 days	Begin applications in May or June before disease is present. Under conditions of high temperatures and high humidity, use this product at shorter intervals.
Powdery mildew Erysiphe graminis Rust Puccinia graminis	2.5	109	14-28 days	Apply when conditions are favorable for disease development.
Red thread Laetisaria fuciformis Pink patch Limonomyces roseipellis	2.5	109	14-21 days	Apply when conditions are favorable for disease development.
Stripe smut Ustilago striiformis Urocystis agropyri	2.5	109	Fall or Spring	Apply once in the fall after grass becomes dormant or in the early spring before grass starts to grow.
Gray leafspot  Pyricularia grisea	2.5	109	14 days	Apply when conditions are favorable for disease development.
Melting Out Leafspot Biopolaris spp., Drechslera spp	2.5	109	14 days	Under light to moderate pressure, apply this product to reduce the severity of leaf spot and melting out caused by Helminthosporium-type pathogens.
Summer patch Poa Patch	2.5	109	14 days	Apply this product beginning in April. Use the 5 lb./1,000 sq. ft. rate on a 28
Magnaporthe poae	5.0	218	28 days	day schedule and the 2.5 lb. /1,000 sq. ft. rate on a 14 day schedule.
Take-all patch Gaeumannomyces graminis	2.5 – 5.0	109 – 218	Spring and Fall	Apply this product to reduce the severity of take-all patch. Make 1-2 fall applications in September and October or when night temperatures drop to 55°F and 1-2 spring applications in April and May, depending on local recommendations.

Turf grass - Specific Diseases, Rates, and Application Timing Cont.

Disease	Lbs. Product per 1,000 sq. ft.	Lbs. Product per Acre	Application Timing/ Interval	Application Instructions
Spring dead spot Leptosphaeria korrae, leptosphaeria narmari, Ophiosphaerelia herpotricha, Gaeumannomyces graminis	5.0	218	30 days	Make 1-3 applications. For one application, apply in September or October. For multiple applications, begin applications in August.
Necrotic ring spot Leptosphaeria korrae	5.0	218	Fall or Spring	Apply in the fall and/or the early spring depending on local recommendations.
Gray Typhula spp. Pink Microdochium nivaie	2.5 – 5.0	109-218	Late Fal	Apply one application in the late fall before snow cover. Do not apply on top of snow. For optimum disease control, the 2.5 and 3.75 lb. rates should be used in conjunction with either PCNB or chlorothalonilat label rates.
Fusarium patch Microdochium nivaie	2.5 – 5.0	109-218	Fall-Early Spring	Apply when conditions are favorable for disease development.
Yellow patch Rhizoctonia cerealis	3.75 – 5.0	163-218	Late Fall	Apply one application in the late fall before snow cover. Do not apply on top of snow. If using a 3.75 lb./1,000 sq. ft. rate, use in conjunction a registered contact fungicide at the label rate.
Zoysia patch, Large patch of zoysia Rhizoctonia solani	3.75 – 5.0	163-218	Early Fall	Make one application in the early fall (mid-September to mid-October) prior to development of disease symptoms.  Consult local turfgrass extension experts to determine the optimum application timing in your area.

### Dichondra - Specific Diseases, Rates, and Application Timing

Disease	Lbs. Product per 1,000 sq. ft.	Lbs. Product per Acre	Application Timing/ Interval	Application Instructions
Dichondra Rust	2.5	109	14-21 days	Apply when conditions are favorable for
Puccinia dichondrae			•	disease development.

#### SPREADER SETTINGS

These spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

40 lbs. treats 16,000 sq. ft. at the 109 lbs./acre rate (2.50 lbs./1,000 sq. ft.)

40 lbs. treats 10,600 sq. ft. at the 163 lbs./acre rate (3.75 lbs./1,000 sq. ft.)

40 lbs. treats 8,000 sq. ft. at the 218 lbs./acre rate (5.00 lbs./1,000 sq. ft.)

SPREADER	GROUND WIDTH OF PER			APPLICATION RATE PER 1,000 SQ. FT.	
SPREADER	SPEED	COVERAGE	2.5 LBS (0.78 lbs. ai/acre)	3.75 LBS (1.17 lbs. ai/acre)	5.0 LBS (1.57 lbs. ai/acre)
Andersons XXX	X mph	XX ft	X	Χ	X
Scotts XXX	X mph	XX ft	X	Х	X

[NOTE TO EPA: Actual spreader models may vary depending on market demand and availability.]

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a clean, dry secure place. Reseal opened bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. Contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill.

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

#### **WARRANTY STATEMENT**

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS,

INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions. Inc.

#### {Optional Marketing Claims}

- Three [3]-Way Control: Controls + Stops + Prevents [over XX] Diseases on Lawns
- Three [3]-Way Control: Cures, Stops and Prevents [Common][Listed] [Lawn] Diseases
- Three [3]-Way Control: Controls/Prevents/Stops [Listed] Garden Diseases
- Systemic Action [protects from the inside out]
- Systemic disease control
- Absorbs into the plant
- Can't be washed off by rain or sprinklers [watering]
- Systemic fungicide is absorbed by grass [& plant] and will not wash off
- Rainproof [Protection]
- Systemic fungicide for turf
- Effective on XX listed diseases
- Stops [a large] variety of [common] lawn diseases
- Stops and [&] prevents diseases in your yard
- Stops and [&] prevents diseases on lawns
- Prevents [lawn][& plant] diseases before they happen
- Broad spectrum [and [&] systemic] disease control [on lawns, roses, flowers, trees, and shrubs]
- Promotes beautiful healthy lawns by controlling major diseases
- Easy to use [granules][shaker bag][shaker can]
- Ready to spread granules
- Starts Controlling Disease on Contact
- Protects up to [1 month][30 days][4 weeks]
- Curative and preventative lawn disease control
- Stops and prevents listed diseases
- Controls many common lawn diseases
- Protects up to 1 month
- Systemic fungicide is absorbed by grass and will not wash off (weatherproof protection)
- Cures & prevents common lawn diseases including brown patch, dollar spot, Anthracnose,
   summer patch, red thread, and rusts
- One application protects up to 1 month
- Cures and prevents common lawn diseases
- Use on any lawn anytime
- Treats up to {xxxx} square feet
- Cures, stops and prevents common [listed] [\*] lawn diseases
- Controls all major [listed] [\*] fungal lawn diseases, including brown patch, dollar spot, powdery mildew and rusts
- Systemic fungicide works through the leaves and stems to protect and cure
- Provides up to 30 days systemic protection
- Leaves no white residue
- Can be used on all types of lawns
- Once absorbed, continues to protect without wash off for 30 days
- Starts protecting immediately
- Stops [listed] [\*] Disease(s) in its (their) tracks
- Stops [listed] [\*] Disease Before it Starts Stops [listed] [\*] Disease plus prevents
   reinfection/reoccurrence
- Protects continuously for up to 30 days
- Kills the [listed] [\*] disease, not the lawn

- Controls the [listed] [\*] disease, protects the lawn
- Proven protection for lawns
- Starts working immediately
- The ultimate [listed] [\*] disease protection
- Guaranteed results[\*][\*or your money back]
- Guaranteed to work[\*][\* or your money back

#### **QUICK FACTS**

PRODUCT FACTS	
[Insert claims from Optional Marketing claim list]	
CONTROLS, PREVENTS, & STOPS DISEASES	{Icons may be used for any of the below}
	Anthracnose, Brown Patch, Dollar Spot, Fusarium
	Patch, Powdery Mildew, Red Thread, Rusts,
	Stripe Smut, Summer Patch, and Snow Mold
[WHERE TO USE] [USE ON]	{Icons may be used for any of the below}
	[On lawns [& around ornamentals][around trees,
	shrubs, roses & flowers]]
[WHEN TO USE]	{Icons may be used for any of the below}
	[To treat an existing disease: Apply at first sign of
	disease
	To prevent diseases: Make first application
	before conditions are favorable for disease.]
[HOW THIS PRODUCT WORKS]	{Icons may be used for any of the below}
	[Watering after application moves the fungicide
	into the root zone. The product is absorbed by
	grass [or plant] roots and will not wash off]
[HOW MUCH TO USE]	{Icons may be used to show how much to use}
	[ XX LB per 1,000 sq.ft.]
[COVERAGE]	{Icons may be used to show coverage}
_	Treats up to {xxxx} square feet]