



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

February 13, 2026

Leanna Bosarge
Director, Regulatory Affairs
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

Subject: Label Amendment - Registration Review Mitigation for Lambda-Cyhalothrin
Product Name: CSI 19-332 Lambda + PPZ Granule
EPA Registration Number: 53883-481
Case Number: 474189
Application Dates: 12/14/2021

Dear Leanna Bosarge:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Lambda-Cyhalothrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must submit one copy of the final printed labeling before you release the product for

shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Nicholas Geroux by phone at (202) 564-4093, or via email at geroux.nicholas@epa.gov.

Sincerely,



Dana L. Friedman, Chief
Risk Management and Implementation Branch 1
Pesticide Re-Evaluation Division
Office of Pesticide Programs
U.S. Environmental Protection Agency

ENCLOSURE: Stamped label

Feb 13, 2026

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under
EPA Reg. No. 53883-481

[Text in brackets and *italics* are notes to the label editor.]

[Text in brackets alone are optional statements or alternative statements.]

CSI 19-332 Lambda + PPZ Granule

For outdoor use only.

ACTIVE INGREDIENT:

Propiconazole 0.30%

Lambda-cyhalothrin..... 0.02%

OTHER INGREDIENTS: 99.68%

TOTAL: 100.00%



Consumer &
Professional
Solutions

Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

EPA Reg. No: 53883-481
EPA Est. No: _____
Net Contents: _____
{Lot number will be printed on the container}

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

[Alternate text – *all or in part*: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eye. Call Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER

[Phone numbers and service providers may change on the final printed label.]

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the [National Pesticide Information Center at 1-800-858-7378] [SafetyCall® at (866) 897-8050].

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. **DO NOT** apply directly to water. This pesticide is highly toxic to bees exposed to direct treatment on

blooming crops or weeds. **DO NOT** apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Keep children and pets off treated area until product has been watered in and lawn is dry.

In New York State, this product may not be applied to lawns within 100 ft of a coastal marsh, or a stream that drains directly into a coastal marsh.

For soil or foliar applications, do not apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.

Three Easy Steps to Use this Product

Step #1: Determine size of job, measure the area to be treated

Step #2: Use spreader setting chart to determine the appropriate setting for your spreader.

Step #3: Treat as indicated in the rate chart. Thorough coverage is important. Water in granules immediately after application

USE RESTRICTIONS

- **DO NOT** apply to residential lawns and turf in residential settings (e.g. homes, parks, schools, athletic fields or any other area frequented by the general public.)
- **DO NOT** apply more than 4 pounds/1,000 sq ft in a single application.
- **DO NOT** apply more than 12 pounds/1,000 sq ft per year.
- **DO NOT** apply more than 3 times per year per use site.
- Minimum retreatment interval: 7 days
- **DO NOT** allow product to run off from target site or apply within 24 hours of rain.
- **DO NOT** apply the product into fish pools, ponds, streams, or lakes. Do not directly into sewers or drains, or to an area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur.
- **DO NOT** allow the product to enter any drain during or after application.
- **DO NOT** make applications during rain. Apply this product only to the lawn area. Water after application.
- **DO NOT** apply or irrigate to the point of run-off.
- **DO NOT** apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- **DO NOT** apply when the wind speed is greater than 15 mph.
- Spot treatments must not exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.).

WHERE TO USE

Apply to commercial and/or industrial lawns or turf only. This does not include turf around homes, parks, schools, athletic fields or any other area where the general public may frequent the area.

WHEN TO USE

This product is highly effective when it is used to prevent listed fungi and the lawn diseases they cause. Start treating when grass begins to turn green in the spring or when signs of lawn diseases caused by the listed fungi and insect damage are first noticed. For best control treat every two weeks.

HOW TO APPLY

Apply this product at a rate of 4 pounds/1000 sq ft over the area to be treated using a properly calibrated drop or rotary-type spreader when conditions are favorable for disease development according to the manufacturer's directions. Check frequently to make sure the spreader is operating properly and distributing product evenly. A more uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at a right angle to the first. Avoid skips and excessive overlaps during application. Water lawn after application.

[Note to reviewer: Label may include the optional spreader settings chart below for lawn application with the spreader model and settings information. Spreader models and settings may differ from those below on the final printed label. The setting information will be fill out on the final label.]

Spreader Make and Model	4 lb/1000 sq. ft.
Cyclone	
Rotary	X
K-GRO	
Rotary	X
Drop	X
REPUBLIC	
EZ Drop #530	X
EZ Drop #540	X
SCOTTS	
SpeedyGreen 2000	X
SpeedyGreen 3000	X
AccuGreen 1000	X
AccuGreen 2000	X
AccuGreen 3000	X
Drop	X
SEARS	
Rotary	X
Drop	X
EARTHWAY	
Rotary	X
PRECISION	
Rotary (#S850)	X
RED DEVIL	
Rotary	X
TRUE TEMPER	
Rotary	X
Rotary	X

Note: The spreader settings listed above are approximate. Accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to ensure correct rate of application.

INSECTS CONTROLLED

Ants [Argentine, Southern, Field, Alleghany mound, Honey, Pavement, Nuisance, Crazy], Armyworms, Blacklegged ticks, Crickets, Cutworms, Earwigs, Fleas, Japanese Beetle (adults), Grasshoppers, Billbugs, Hyperodes weevils, Mole Crickets, Chinch bugs, Lawn moths (Sod webworms), Leafhoppers, Millipedes, Palmetto bugs, Sowbugs, Mites, Spittlebugs and Waterbugs.

FUNGI CONTROLLED

Colletotrichum graminicola (Anthracnose), Rhizoctonia solani (Brown patch), Gloeocercospora sorghi (Copper spot), Sclerotinia homoeocarpa (Dollar spot), Fusarium nivale (Fusarium Patch), Laetisaria fuciformis (Red Patch), Bipolaris spp., Drechslera spp. (Leaf spot including septoria, zonate), Bipolaris

spp., Drechslera spp. (Melting out), Sclerotium rolfsii (Crown rot), Urocystis agropyri (flag smut), Erysiphe graminis (Powdery mildew), Puccinia graminis (Rust), Ustilago striiformis, (Stripe smut) F

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

PESTICIDE DISPOSAL: To avoid waste, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or industry).

CONTAINER HANDLING: Non-refillable container. **DO NOT** reuse or refill this container. **If empty:**

Offer for recycling if available or discard in a sanitary landfill. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS **CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

OPTIONAL MARKETING CLAIMS:

[OPTION A]

This product protects lawns from damaging [diseases] [fungus] and insects. Its formula can actually [prevent] [and] [control] [listed fungi and lawn diseases they cause] [fungus] and kill insects at the same time.]

[OPTION B]

This product [prevents] [controls] and stops a wide variety of listed [fungi and lawn diseases they cause] [fungus] and insects on lawns. It works against listed fungi and lawn diseases they cause for up to 2 weeks. [Prevents] [and] [kills][controls] Black Spot, Brown Patch, Dollar Spot, Powdery Mildew, Rust and Leaf Spot

[OPTIONAL PRODUCT FACT BOX]

PRODUCT FACTS

What It Does:

[Prevents] [and] [Kills][Controls] Black Spot, Brown Patch, Rust, Powdery Mildew and Other Listed [Fungi and Lawn Diseases they cause] [Fungus]. Kills Listed Insects on Contact.

Where To Use: (icon outdoors)

Outdoors on Commercial Lawns

Questions & Comments: (icon phone) (icon computer)

Call your local retailer or local extension specialist.

[

- Lawn Fungicide/Insecticide Granules
- [Prevents] [and] [Kills] listed fungi and the lawn diseases they cause and insects on lawns
- [Prevents] [and] [Controls] listed fungi and the lawn diseases they cause and insects on lawns
- Protects lawns
- [Prevents] [and] [Kills] brown patch, powdery mildew, black spot, rust, blights, leaf spot and mold [and other listed lawn fungi]
- [Prevents] [and] [Controls] brown patch, powdery mildew, black spot, rust, blights, leaf spot and mold
- Kills harmful insects by contact
- Kills listed insects [insect pests] by contact
- Protects for up to 2 weeks against listed fungi and the lawn diseases they cause
- *Guaranteed [Results] [to work] or Your Money Back
- Money Back Guarantee*
- Dual Action [Formula]
- Dual insect and lawn fungus control
- Insect killer plus lawn fungus control
- 2 uses [in] [with] 1 [product]
- 2 uses [in] [with] 1 [formula]
- Controls 2 problems [in] [with] 1 [product]
- Controls 2 problems [in] [with] 1 [formula]
- 2 Products in 1
- Kills major listed insects [by contact]
- Kills [20] [27] [25+] [more than 25] listed insects [by contact]
- Controls [major] listed insects [by contact]
- Controls [20] [27] [25+] [more than 25] listed insects [by contact]
- [Controls] [and] [Prevents] [all] [major] listed fungi and the lawn diseases they cause
- [Controls] [and] [Prevents] [all] listed [major] lawn fungus
- [Controls] [and] [Kills] [all] listed [major] lawn fungus
- [Controls] [and] [Kills] [all] [major] listed fungi and the lawn diseases they cause
- [Prevents] [and] [kills] [all] [major] listed fungi and the lawn diseases they cause

- Kills listed insects and lawn fungus
- Controls [lawn damaging] insects and [plus] lawn fungus as listed
- [10lb bag] treats up to 2,500 sq ft
- [20lb bag] treats up to 5,000 sq ft
- Easy to use [granules] [shaker bag] [shaker can]
- Easy to Apply
- Easy-to-use granules
- Ready-to-spread granules
- SATISFACTION GUARANTEED OR YOUR MONEY BACK
- 100% Guarantee
- Trusted Brand since [insert year]
- Established Brand since [insert year]
- Est. [insert year]
- Trusted brand for over XX years
- Bug & Disease Killer
- Insect and Disease Killer
- Got [insert listed pest here]? Get [insert Brand Name here]![!]
- Got [insert listed pest], use [insert Brand Name here]![!]
- Insect and[&] Disease Protection
- Lawn Insect and[&] Disease Protection
- Specially formulated for lawns
- [Very][Low] odor
- Virtually Odorless
- *[DIAGONAL LINE - SCISSORS ART]*
- CUT HERE TO OPEN

SPREADER EQUIPMENT SETTINGS *[Resealable Bag Option]*

Broadcast application must be performed with a calibrated broadcast spreader to evenly distribute the granules. Approximate settings for several models are provided in the table below. Mow lawn first for best results.

SPREADER SETTINGS

Broadcast Spreaders	Rate (lbs/1,000 ft²)	Setting
[Insert Spreader Name Here]	[Insert Rate]	[Insert Rate]
[Drop Spreaders]	[Rate (lbs/1,000 ft²)]	[Setting]
[Insert Spreader Name Here]	[Insert Rate]	[Insert Rate]
[Hand Held Spreaders]	[Rate (lbs/1,000 ft²)]	[Setting]
[Insert Spreader Name Here]	[Insert Rate]	[Insert Rate]