



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

53883-485

Date of Issuance:

9/18/20

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

CSI Delta Dog

Name and Address of Registrant (include ZIP Code):

Haley Wade
Regulatory Specialist
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77505

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jacquelyn Herrick, Product Manager 03
Invertebrate Vertebrate Branch 01
Registration Division (7505P)

Date:

9/18/20

2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Deltamethrin GDCI-097805-1100

You must comply with all the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 53883-485.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 4/22/2020
- Alternate CSF 1 dated 4/22/2020
- Alternate CSF 2 dated 4/22/2020
- Alternate CSF 3 dated 4/22/2020
- Alternate CSF 4 dated 4/22/2020
- Alternate CSF 5 dated 4/22/2020

If you have any questions, please contact Jasmin Jackson by phone at 703-347-0732, or via email at jackson.jasmin@epa.gov.

Enclosure

[text in [] denotes optional language or notes to reviewer]
{text in {} denotes location of text on packaging, notes to reviewer, text that will not be on final label}
(text in () appears on label)
{Front of Tin Container}

{Sublabel 1: CSI DELTA DOG [ABN: Martin's Flea & Tick Collar for Dogs]}

CSI DELTA DOG

[ABN: [Martin's Flea & Tick Collar for Dogs], [Flea & Tick Collar for Dogs], [Martin's Flea & Tick Collar for Dogs], [Flea & Tick Collar for Dogs]]

For use on Dogs 12 weeks of age and older
One collar provides 6-month flea and tick protection
Two collars provide up to a total of 12-month flea and tick protection

ACTIVE INGREDIENT:

Deltamethrin4.0%

OTHER INGREDIENTS 96.0%

Total.....100.0%

This product contains the toxic inert ingredient Bis(2-ethylhexyl) adipate (DEHA) at 18.0%

**DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR
CAUTION**

[See Label Booklet on back of Tin] [See Label on back of Tin and Label Insert inside of Tin] for
Additional Precautionary Statements, Directions for Use and First Aid


Net Weight:

{Note to reviewer: for Injection molded Collars only;} [[Small/Medium][Two collars] 1.86 oz
(52.6 g)[Two 0.93 oz. (26.3 g) Collars]]

[[Large/Extra Large] 2.31 oz (65.6 g) [Two 1.16 oz (32.8 g) Collars]]

{Note to reviewer: for Extruded Collars only; only one collar per tin}: [One size fits all.][0.97
oz. (27.5 g) One 0.97 oz. (27.5 g) Collar]]

{Note to Reviewer: option for up to two collars per package} [One][Two] Collar[s]][Multi
Packs (4)]



{Booklet Label, Page 1: the part of label that is adhered to the back of the round tin container and is visible before accordion-style label is opened or Insert Label, Page 1: the part of the label that is printed on the back of the round tin container and included on the label insert inside the container}

CSI DELTA DOG

[ABN: Martin's Flea & Tick Collar for Dogs]

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON [DOGS] [MEDIUM DOGS] [SMALL DOGS]
[SMALL BREEDS] [PUPPIES]
DO NOT USE ON CATS

[PRODUCT INFORMATION]

[[**Product Name**] [This collar kills fleas and ticks for [[6][six] months] [180 days].] Collar is a [double layer] sustained-release system [containing deltamethrin] combining the insecticidal actions of vapors and powders. Thus, the collar has the effect of simultaneous usage of a spray and powder [in the control of fleas and ticks, including ticks that may transmit Rocky Mountain spotted fever]. Use [**Product Name**] year-round for control. [Replace every 6 months.]]

Maximum effectiveness may not occur for 2-3 weeks after collar placement. [If your dog is infested, you may consider shampooing your dog with an EPA registered [brand name] [flea and tick shampoo] to provide immediate relief from itching and biting before applying the [collar][product name]. Fleas (*Ctenocephalides sp.*) on the dog will be killed. Collar will also kill ticks for [6 months] [180 days]. Collar will kill ticks including Brown dog tick (*Rhipicephalu sanguineus*), American dog tick (*Dermacentor variabilis*), and deer ticks (*Ixodes scapularis* and *Ixodes pacificus*), which may transmit Lyme disease. This collar should be worn continuously. [Reapply a new collar every [6] months.]

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS AND DOMESTIC ANIMALS** **CAUTION**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Do not open protective [pouch][package] inside of the tin until ready to use. Do not let children play with this collar. Do not use on puppies under 12 weeks. Do not use on cats. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated, or nursing dogs. Sensitivities may occur after using ANY pesticide products for dogs. If signs of sensitivity occur, remove collar and bathe your dog with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

This collar is intended for use only as an insecticide and is not to be taken internally by humans or animals.

Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, Texas 77507
[BAR CODE AREA]
EPA Reg. No. 53883-NEW
[Manufactured in USA]
[Manufactured in France]
DO NOT USE ON CATS

EPA Est. No.



{Booklet label, Page 2: Accordion-style Booklet Label that is attached to the back of the round tin container or Insert Label, Page 2: included on the label insert inside the container}

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment information, you may contact SafetyCall at (866) 897-8050, twenty-four (24) hours a day, seven (7) days a week.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not open until ready to use. Dust [will][may] form on collar during storage. Do not get dust in mouth or eyes.

Only one collar is to be worn by your dog at any one time.

{Booklet Label, Pages 3 and 4 (if 4th page needed): Accordion-style Booklet Label that is attached to the back of the round tin container or Insert Label, Pages 3 and 4 (if 4th page needed): the part of the label included on the label insert inside the container}

[Option #1 for Extruded collars]

Place collar around dog's neck, adjust for fit, and buckle in place. The collar must be worn loosely to allow for growth of the dog and to permit the collar to move about the neck. Generally, a properly fitted collar is one that when fastened, will snugly slide over the dog's head. Leave 2 or 3 inches for extra adjustment. Cut off and dispose of excess length. Wash hands after [installing] [placing] collar on dog. Replace collar every [6][six] months.


[Option #2 for Injection molded collars]

[Remove the collar from its packaging, separate the Peel-Away Comfort Strip and place in the trash.] Place collar around dog's neck and buckle in place [with the main clasp. Feed excess collar through the remaining two clasps for extra hold and a clean fit]. Adjust the collar for a snug fit to create contact between the collar and the dog's hair/coat for better product release and diffusion. A properly fitted collar will allow two fingers to be placed between the collar and dog's neck. The elasticity of the collar is designed to stretch in the event that the dog becomes entangled. Leave an excess of 1 – 2 notches (1/4 to 1/2 inch) past the last clasp. Adjust periodically for growing dogs. Cut off and dispose of excess length. Wash hands after [installing] [placing] collar on dog. Replace collar every [6][six] months.

[Option #3 for Injection molded collars]

Do not open until ready to use. Dust [will] form on collar during storage. Do not get dust in mouth or eyes. Take the collar out of the packaging and stretch to full length. [The tabs that held the collar in place [should][will] fall off when stretching; pull on any remaining tabs to remove them.]

{Note to Reviewer: the following pictograms will appear only for Option #3 for Injection molded collars}



Bend the buckle in half between the holes in the buckle, so that you can easily pass the end of the collar through both holes.-



Place the collar around your dog's neck. Feed the collar through both holes [[ridges][notches] facing out]. Fit to the neck of the dog. Generally, a properly fitted collar is one that, when fastened, will snugly slide over dog's head and two fingers can be placed between the collar and dog's neck. Leave [2 or 3] [1 or 2] extra inches for collar adjustment, cut off remaining excess collar and dispose of in the trash.-



Wash hands after [installing] [placing] collar on dog. Replace collar every 6 months. -

[OPTIONAL IMAGES FOR DIRECTIONS FOR USE FOR INJECTION MOLDED COLLAR]

Proprietary Triple Clasp System



Peel-Away Comfort Strip



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store this product in a cool, dry place away from children and pets.

Pesticide Disposal and Container Handling: Do not reuse container or used collar. Dispose of in trash.

[LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer, to the extent consistent with applicable law.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]


[In Case of Emergency, call: XXX-XXX-XXXX]

[For more information]

[Non-Emergency, call XXX-XXX-XXXX]

{END - Booklet Label or END – Insert Label}

[Optional images:



{Optional Marketing Claims}

Fleas

1. [Kills Fleas [for 6 months]]
2. [Kills fleas that may cause anemia]
3. [Kills fleas that may transmit bartonellosis]
4. [Kills fleas that may transmit tapeworms.]
5. [Kills [adult] fleas that may transmit [Flea Allergy Dermatitis (FAD)][and][flea bite dermatitis]]
6. [Kills fleas and may reduce the incidence of FAD]
7. [Kills fleas that may cause anaplasmosis]
8. [Kills [adult] fleas which may cause flea bite anemia]
9. [Kills [adult] fleas which may transmit tapeworms]
10. [Kills Fleas for [6] [six] [months] [180 days] [!]]
11. [Kills fleas which may be a source of flea allergy dermatitis][(and) flea bite anemia][(and) tapeworm]
12. [Prevents new flea infestations]
13. [Kills adult fleas [before they lay eggs]]
14. [Flea [control][prevention] for dogs [&puppies]]
15. [Provides [long lasting 180 days] protection against fleas]
16. [Provides [long lasting 6 [six] month[s]] protection against fleas]

Ticks

1. [Kills Ticks[for 6 months]]
2. [Kills ticks for [6][six][months] [180 days][!]]
3. [Kills the Ticks that may transmit Rocky Mountain Spotted Fever]
4. [Kills ticks that may cause babesiosis]
5. [Kills ticks for 6 months, including Deer ticks (that may transmit Lyme disease and anaplasmosis), American dog ticks (that may transmit Rocky Mountain spotted fever and ehrlichiosis), and Brown dog ticks (that may transmit ehrlichiosis, anaplasmosis, bartonellosis, canine hemoplasmosis, babesiosis)]
6. [Tick [control][prevention] for dogs [&puppies]]
7. [Kills ticks [including deer ticks which may transmit Lyme disease]]
8. [Provides [long lasting 6 month] protection against ticks]
9. [Provides [long lasting 180 days] protection against ticks]

Multiple Pests

1. [Kills Fleas and Ticks [for [6 Months] [180 days]]]
2. [Provides [6] [six] [months] control [of fleas [and] [&] ticks]
3. [Kills Fleas [and] [&] Ticks]
4. [Kills Fleas and Ticks* for 6 months per collar][*including Brown dog tick, American dog tick & deer ticks which may transmit the Lyme disease]

Multiple Package Claims

1. [[2][Two] Collars = a total of [12][twelve] month[s] protection]
2. [Up to a total of [12][twelve] month[s] protection [against ticks and fleas] with [2][Two] collars][in][1][one][per][package]
3. [12 Month Protection: apply 1 collar every 6 months]

Collar Fit Claims

1. [Lock and Stay Design]
2. [Click and Stay Design]
3. [Click to Fit Design]
4. [Fits Just Right [Design]]
5. [Comfort Fit [Design]]
6. [Designed for Comfort]
7. [Rugged][and][weatherproof]
8. [Time Release formula]
9. [Modern Click to Fit Design]
10. [Pull and Click]
11. [Best Fitting Flea Collar]
12. [Stay in Place design]
13. [Clicks into place]
14. [Won't slide and stretch]

15. [Won't be too loose or too tight]
16. [Won't be too loose or too tight [...fits just right(!)]]
17. [Fits just right [Design]]
18. [Fits just right ... won't be too loose or too tight]
19. [Right Size Collar [Design]]
20. [[New] Lock and Fit Design] {Note to reviewer: "NEW" will only be on label for 6 months after registration}
21. [Slide [to] [and] Fit [Design]]
22. [Fits securely] [Stays in place]
23. [Fit] [-] [and] Stay [Design]]
24. [Slide Fit [and] Stay Design]
25. [Right Fit [Design]]
26. [Right fit [Design]]
27. [Just Right Fit [Design]]
28. {For Extruded collars the following claims will be used}
[Fits All Size Dogs]
[Right Size Fit]
29. {For Injection molded collars the following claims will be used. These collars are offered separately for small/medium dogs and for Large/Extra-large dogs.}
[Small / Medium options: Fits Necks up to 20 inches]
[Large / X-Large: Fits Necks up to 25 inches]
[Large / X-Large: One size fits all dogs]
[Large / X-Large: One size fits all]
[Large / X-Large: Fits all size dogs]
30. [Great Fit]
31. [GRR...eat FIT]
32. [Grr.eat [Fit]]
33. [Adjustable]
34. [Cut to size]
35. [Size to fit]
36. [Fit to size]

All Other

1. [Long Lasting Protection for 6 months]
2. [Provides 6 months control of fleas and ticks]
3. [Continuous protection]
4. [For [Dogs], [Large Dogs], [Medium Dogs] [Small Dogs & Puppies] [Small Breeds]]
5. [[Features] insecticide-release technology]
6. [Wetting will not impair the collar's effectiveness or the dog's protection]
7. [Not affected by water] [Waterproof]
8. [All Weather Collar]
9. [Convenient]
10. [Easy to [use][apply][attach]]
11. [Apply new collar every 6 months]
12. [For dogs [and puppies] 12 weeks of age and older]
13. [Fits right over existing dog collar]
14. [Proprietary Triple Clasp System]
15. [With Peel-Away Comfort Strip][Value Pack]
16. [Multi[-][Pack]
17. [Buy More and Save]
18. [Buy [X] Get [X] Free]
19. [Buy [X] and Save]
20. [Bonus Pack]
21. [Peel Here] [image of an arrow]