



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

53883-504

Date of Issuance:

7/25/23

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

CSI 19-313H2 Glufosinate +
Imazapyr Low Load

Name and Address of Registrant (include ZIP Code):

Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).


Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:


for

Heather McFarley, Product Manager 24
Fungicide Herbicide Branch, Registration Division (7505T)

Date:

7/25/23

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 53883-504.”
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 11/11/2021
- Alternate CSF 1 dated 11/11/2021
- Alternate CSF 2 dated 11/11/2021
- Alternate CSF 3 dated 11/11/2021
- Alternate CSF 4 dated 11/11/2021
- Alternate CSF 5 dated 11/11/2021
- Alternate CSF 6 dated 11/11/2021
- Alternate CSF 7 dated 11/11/2021
- Alternate CSF 8 dated 11/11/2021
- Alternate CSF 9 dated 11/11/2021
- Alternate CSF 10 dated 11/11/2021
- Alternate CSF 11 dated 11/11/2021

If you have any questions, please contact Manjula Unnikrishnan at 202-566-2949 or at unnikrishnan.manjula@epa.gov .

Enclosure

ACCEPTED

07/25/2023

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 53883-504

[Text in brackets and italics are notes to the label editor.]

[Text in brackets alone are optional statements or alternative statements.]

Glufosinate-ammonium	Group	10	Herbicide
Imazapyr	Group	2	Herbicide

CSI 19-313H2 Glufosinate + Imazapyr Low Load

[Alternate Brand Name(s): Martin's Nullify Complete, Martin's Nullify Plus, Martin's Nullify Grass and Weed Killer, Martin's Nullify Grass and Weed Stop, Martin's Nullify Ground Clear, Martin's No Grow Grass and Weed Killer, Martin's End Game Grass and Weed Killer, Nullify Complete, Nullify Plus, Nullify Grass and Weed Killer, Nullify Grass and Weed Stop, Nullify Ground Clear, No Grow Grass and Weed Killer, End Game Grass and Weed Killer, Martin's Setback Grass & Weed Killer, Setback Grass & Weed Killer]

ACTIVE INGREDIENT:

Glufosinate-ammonium 5.78%
Imazapyr..... 0.39%

OTHER INGREDIENTS: 93.83%

TOTAL: 100.00%

Contains 0.47 lbs. of glufosinate-ammonium per gallon.

Contains 0.032 lbs. of imazapyr per gallon.



ADAMA

Consumer & Professional Solutions

Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

EPA Reg. No: 53883-XXX
EPA Est. No: _____
Net Contents: _____

[Store and transport in an upright position.]

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side panel(s) for Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment information call: SafetyCall® (866) 897-8050. [or] [For information on this pesticide product (including general health concerns or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Standard Time. In the event of a medical emergency, call your poison control center at 1-800-222-1222.]</p>	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. **DO NOT** apply to water except as specified on the label. Treatment of aquatic weeds may result in oxygen depletion or loss due to decomposition of dead plants. **DO NOT** treat more than one half the surface area of the water in a single operation and wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outward in bands to allow aquatic organisms to move into untreated areas. **DO NOT** contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements.

User Safety Recommendations

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

NON AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. The application for trimming and edging, industrial, recreational and public areas, and farmsteads are not within the scope of the WPS.

What does the product do?

[This product] kills and prevents regrowth of unwanted weeds, grasses and plants for up to one year. Use this product to kill unwanted vegetation on driveways, walkways, parking areas, sidewalks, patios, gravel areas, rock landscapes, under fences and around curbs. Use in areas where no vegetation growth is desired for up to 1/one year. {Note to reviewer: at final printing one or the other (1/one) will be used} [Product name] [This product] starts working as soon as it contacts the plant and weeds begin to turn yellow and wilt within 3-5 days. Complete kill occurs in 1 to 2 weeks.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before use.

USE RESTRICTIONS

- **DO NOT** enter or allow others to enter treated areas until spray has dried.
- Keep people and pets out of the area during application.
- Only the person applying this product may be in the area during application.
- **DO NOT** (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer, or apply through any irrigation system.
- Only apply to areas where no vegetation is desired for 1/one year. {Note to reviewer: at final printing one or the other (1/one) will be used}
- **DO NOT** apply to or allow product to drift onto desirable vegetation.
- **DO NOT** use on lawns, on or around vegetables, fruits, flowers, shrubs, trees, or over root zone of shrubs or trees.
- **DO NOT** apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.

- **DO NOT** apply over or around the root zone of desirable plants.
- **DO NOT** apply over their root systems.
- For shrubs and trees, **DO NOT** apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- **DO NOT** attempt to treat more than 300 sq ft.
- **DO NOT** apply near bodies of water; including, fish pools, ponds, lakes or streams.
- **DO NOT** apply this product by aerial application.
- **DO NOT** apply to sloped areas as movement on soil surfaces may damage desirable plants down slope.
- **DO NOT** apply before planting any desirable plant because this product remains active in the soil for up to 1[one] year.
- **DO NOT** allow grazing of vegetation treated with this product.
- **DO NOT** apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary soil surface must be settled by rain or irrigation.
- In the State of New York only: Not for use in Nassau and Suffolk counties.
- **DO NOT** exceed 7.2 fl.oz. (0.0264 lbs. glufosinate-ammonium, 0.0018 lbs imazapyr) per 300 sq.ft. per single application / per year .
- **DO NOT** apply more than once a year per 300 sq. ft.
- **DO NOT** apply this product to residential areas as other than a spot or directed spray.
- **DO NOT** apply near bodies of water including, fish pools, ponds, lakes or streams.

WHERE TO USE

Use outdoors on residential driveways, walkways, parking areas, sidewalks, patios, gravel areas, rock landscapes, under fences and around curbs.

AMOUNT TO USE:

For General Annual Weed Control:

- Add 3-6 fl. oz. (0.011-0.022 lbs. glufosinate-ammonium, 0.00075-0.0015 lbs imazapyr) (6 to 12 TBS) per gallon of water over a total of 300 ft² applied as spot or directed spray applications. Use the higher rate for larger weeds. Use lower rate for easy to kill weeds for example (small) seedlings.

For Brush, Vines, Woody Plants, Perennials and other tough established weeds:

- Add 6-7 fl. oz. (0.022-0.029 lbs. glufosinate-ammonium, 0.0015-0.002 lbs imazapyr) (12 to 16 TBS) per gallon of water over a total of 300 ft² applied as spot or directed spray applications. Use the higher rate for larger, well established vegetation.
- Vines: If vines are growing up poles, fences or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly. If vines are climbing shrubs or trees with green bark, cut vines at base and treat as directed for stumps or spray regrowth. Shield shrubs and tree trunks from spray drift with a sheet [piece] of cardboard or plastic.
- Poison Ivy & Poison Oak: Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Handle dead plants with rubber gloves.
- Kudzu: For best results, apply in mid to late summer when vines are mature and actively growing.
- Wild Blackberry: Spray anytime plants are actively growing. Dead canes need to be cut down and removed.
- Stumps: Cut living stump close to ground. Drive [drill] 4 to 5 holes into freshly cut stump. Immediately pour undiluted product into holes.

- No agitation is needed.
- Spray to thoroughly cover foliage, but avoid spray run-off.
- For best results, apply on warm days in bright sunlight.

MIXING INSTRUCTIONS

Pump-Up Sprayer:

Use a plastic, fiberglass, plastic-lined steel or stainless steel sprayer. **DO NOT** mix, store or apply in a galvanized or unlined steel sprayer/container.

Add specified amount of product to the sprayer then add water to make 1 gallon.

1 gallon of finished spray treats up to 300 sq ft of area.

Clean sprayer after use. Rinse sprayer and all sprayer parts with water 3 [three] times. Spray rinse water on bare soil or gravel.

HOW TO SPRAY

- Apply as a spot or directed spray application to weeds, grasses and any undesirable vegetation.
- Spray the plants you want to kill until they are thoroughly wet.
- If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].

IMPORTANT: DO NOT spray plants or grasses you like because they will die. Not advised for spot weed control in lawns since this product kills lawn grasses, for up to 1/one year *{Note to reviewer: at final printing one or the other (1/one) will be used}*.

WHEN TO APPLY

Apply when weeds are actively growing. [Use anytime weeds and grasses are actively growing.] For best [fastest visual] results, apply during warm, sunny weather [above 60° F] [to accelerate systemic movement of the product from foliage to roots.]

Apply when air is calm to prevent drift to desirable plants.

RAINPROOF Protection: Rain or watering 4 hours after application will NOT wash away effectiveness. [Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.]

[Optional Refill Directions]

[Optional Mixing Instructions – For Refill Bottles]

{Note to PM: The following instructions are intended for 7 fl. oz. bottles that can be used to make 1 gal in [Product Name] [alternate product name] containers or pump sprayers for spot treatments}

[Instructions] For refill of 1 gallon jug: 1 bottle/7 fl. oz. [equals] [=] [makes] 1 gallon

AMOUNT TO USE: For spot treatment application.

- Add entire contents 7 fl. oz. (0.026 lbs. glufosinate-ammonium, 0.0018 lbs imazapyr) 1 gallon [Product Name] [alternate product name] container or an empty pump sprayer only.
- Slowly fill [with] [to the fill line indicator] 128 fl. oz. for 1 gallon of [clean] tap water. Apply to 300 sq. ft.

For 1 gallon Pump Sprayer:

- Add entire contents (of 1 bottle) [7 fl. oz. (0.026 lbs. glufosinate-ammonium, 0.0018 lbs imazapyr)] to an empty 1-gallon pump sprayer. Slowly fill with 1 gallon of clean tap water. Apply to 300 sq. ft.

{Note to PM: The following instructions are intended for 9.31 fl. oz. bottles that can be used to make 1.33 gal in [Product Name] [alternate product name] containers or pump sprayers for spot treatments}

[Instructions] For refill of 1.33 gallon jug: 1 bottle/9.31 fl. oz. [equals] [=] [makes] 1.33 gallon

AMOUNT TO USE: For spot treatment application.

- Add entire contents 9.31 fl. oz. (0.034 lbs. glufosinate-ammonium, 0.0023 lbs imazapyr) 1.33 gallon [Product Name] [alternate product name] container or an empty pump sprayer only.
- Slowly fill [with] [to the fill line indicator] 170 fl. oz. for 1.33 gallon of [clean] tap water. Apply to 399 sq. ft.

For 1.33 gallon Pump Sprayer:

- Add entire contents (of 1 bottle) 9.31 fl. oz. (0.034lbs. glufosinate-ammonium, 0.0023 lbs imazapyr) to an empty 1.33 gallon pump sprayer. Slowly fill with 1.33 gallon of clean tap water. Apply to 399 sq. ft.

FOR [This product] [Name of bottle] [UNIT DOSE] [SINGLES] [EZ Enough]: *{Note to Reviewer: This is referring to a distributor product in a 2 – 7 fl. oz. size (0.007-0.026 lbs. glufosinate-ammonium, 0.0005-0.0018 lbs imazapyr). This bottle has a child resistant cap and a viewing window which indicates amount of product dispensed.}*

To refill 32 ounce Sprayer:

- Remove Cap. Reference window that shows how much of product is in the bottle. Add [squeeze] [2.0 fl. oz. (0.007 lbs. glufosinate-ammonium, 0.0005 lbs imazapyr)] to an empty 32 ounce sprayer [Product name] [alternate product name]. Slowly fill with 32 ounces of [clean] tap water. Apply to 75 sq. ft.

For 1 gallon Sprayer:

- Remove Cap. Reference window that shows how much of product is in the bottle. Add [squeeze] [7 fl. oz. (0.026 lbs. glufosinate-ammonium, 0.0018 lbs imazapyr)] to an empty 1 gallon sprayer or [Product name] [alternate product name]. Slowly fill with 1 gallon of [clean] tap water. Apply to 300 sq. ft.

[OPTIONAL WEED LIST]

KILLS ALL TYPES OF WEEDS & GRASSES

Weeds (including): Artichoke thistle, beggarweed, black medic, blue mustard, blue toadflax, brassbuttons, broadleaf plantain, burclover, buttercup, Canada thistle, cattail, chickweed, cocklebur, common groundsel, common mullein, common plantain, common ragweed, creeping beggarweed, creeping-Charlie, curly dock, dandelion, dog fennel, evening primrose, false dandelion, fiddleneck, field bindweed (wild morningglory), field pennycress, filaree, Florida pusley, garden spurge, henbit, horsenettle, horseradish, horseweed/marestail, iceplant, knapweed, knotweed, lambsquarters, lantana, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, narrowleaf (buckhorn) plantain, nightshade (silverleaf), oldenlandia, oxalis, Pennsylvania smartweed, pennywort, poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, ragweed, red clover, redroot pigweed, shepherdspurse, smooth catsear, smooth pigweed, sowthistle, spotted spurge, tansy ragwort, tansymustard, teaweed, trumpetcreeper, tumble mustard, Virginia creeper, white clover, whitetop, wild barley, wild mustard, wild oats, wild sweet potato, yellow starthistle, and other broadleaf weeds.

Grasses (including): Annual bluegrass, annual ryegrass, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, brome grass, Cogongrass, crabgrass, creeping bentgrass, dallisgrass, fall panicum, fescue, field sandbur, foxtail, goosegrass, guineagrass, Johnsongrass, Kentucky bluegrass, kikuyugrass, lovegrass, maidencane, nimblewill, nutsedge, orchardgrass, pampas grass, perennial ryegrass, purple nutsedge, quackgrass, sandspur, smooth brome grass, sprangletop, St. Augustinegrass, tall fescue, Texas panicum, Timothy, torpedograss, vaseygrass, witchgrass, yellow nutgrass, zoysia and other grassy weeds.

Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including): Alder, ash, (quacking) aspen, blackberry, bluegum eucalyptus, broom (French, Scotch), buckwheat, ceanothus, chamise, cedar, cherry, coyote brush, dewberry, elderberry, elm, eucalyptus, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, pine, persimmon, poison oak, poison ivy, poplar, raspberry, rose, sage,

sagebrush, salmonberry, saltcedar, sassafras, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, trumpet creeper, wild rose (multiflora) willow and other tough weeds.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store upright at room temperature. Avoid exposure to extreme temperatures. Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. In case of spillage or leakages, soak up with an absorbent material including sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER HANDLING: *[Plastic Containers less than 5 gallons]* **If empty** – Nonrefillable container.

DO NOT reuse or refill this container. Offer empty container for recycling if available or puncture and dispose of container in a sanitary landfill, or by other procedures approved by State and local authorities. Clean container promptly after emptying. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, **IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE**

PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

[In lieu of warranty statement, the following text may be used:]

Notice – To the extent consistent with applicable law, Buyer assumes all responsibility for safer and use not in accordance with directions.

Optional Marketing Statements:

- Pre-measured – Single Dose
- [Free] refill [included]
- Bonus Size
- Combo Pack
- 1 [1.33] gallon/gal refill size
- Easy to use [mix] [refill]
- Premeasured [refill] [bottle]
- Free sample
- Make only what you need
- Mix into pump sprayer
- Multipurpose grass and broadleaf weed control
- Next day results: Begins killing on contact, visible results in 24 hours.
- No odor
- No root. No weed. No problem
- Has no soil activity
- Fast acting formula
- Non-Selective: Kills weeds & grasses
- Once it enters the plant
- One application kills over 200 types of weeds and grasses, roots and all (maximum effectiveness)
- Proven performance
- Provides maximum control: Kills weeds to the root so they don't ever come back
- Quick-action formula lets you see results fast
- RainFast in hours - enters the plant on contact
- Same effective results even if it rains within hours
- Single application controls (kills) most weeds
- Spray weeds until thoroughly wet
- Starts to work immediately
- Starts working on contact
- Starts working in minutes
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.
- [Provides] Visible [see] results in 1 day
- Visible Results in 24 Hours
- See results in 24 hours
- Water based formula
- Weed Eliminator
- Weed Killer
- Kills to the root!
- Kills to the root so weeds won't grow back
- See results in 1-2 days
- Contains See-Spray [lets you see where you spray]
- Kills tough weeds, roots and all
- [This product] will kill almost all unwanted vegetation, including annual and perennial weeds, grasses, and other unwanted plants
- Kills the Root
- Kills weeds, grasses and brush

The following claims used for six (6) months from the accepted label date to a customer in accordance with Federal and State Registrations.

- New Formula
- New