



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

EPA Reg. Number:

53883-560

Date of Issuance:

9/11/26

Term of Issuance:

Unconditional

Name of Pesticide Product:

CSI 24-552 Insecticide

Name and Address of Registrant (include ZIP Code):

Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Jacquelyn Herrick, Chief
Invertebrate & Vertebrate Branch 1, Registration Division (7505T)

Date:

9/11/26

2. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, "EPA Reg. No. 53883-560."
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 07/22/2026
- Alternate CSF 1 dated 07/22/2026
- Alternate CSF 2 dated 07/22/2026
- Alternate CSF 3 dated 07/22/2026
- Alternate CSF 4 dated 07/22/2026

If you have any questions, please contact Rebecca Lasko at 202-565-2469 or at lasko.rebecca@epa.gov.

Enclosure

[Text in brackets and italics are notes to the label editor.]
[Text in brackets alone are optional statements or alternative statements.]

Sub-Label A: Fire Ant Only Use Directions

CSI 24-552 Insecticide

[ABNs: Martin's Surrender Fire Ant Dust; Surrender Fire Ant Dust; Martin's Surrender Fire Ant Killer; Surrender Fire Ant Killer; Martin's Surrender Fire Ant Assassin; Surrender Fire Ant Assassin]

For indoor and outdoor use

ACTIVE INGREDIENT:

Deltamethrin..... 0.05%


OTHER INGREDIENTS*: 99.95%

TOTAL: 100.00%

Contains 0.0003 lbs. deltamethrin per ounce of product.



Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507



EPA Reg. No: 53883-LAN
EPA Est. No: _____
Net Contents: _____

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID	
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

{The PPE section will be included on the market label if the intended customer base is commercial applicators. This section will be omitted if the intended customer base is residential applicators only.}

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separate from other laundry. Some materials that are chemically resistant to this product are listed below.

Applicators and other handlers must wear:

1. Long-sleeved shirt and long pants
2. Shoes plus socks

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

This product is intended for application with a hand duster or from the shaker can, with a paint brush or by other suitable means, to hiding and runway areas and other places where insects are found. Food utensils such as a teaspoon or measuring cup should not be used for food after use with pesticides.



Follow proper disposal procedures on this label ("Siga las indicaciones del etiquetado para el desecho apropiado del producto.").

INDOOR USE			
Application Method:	Apply lightly and uniformly to infested areas. To apply insecticide directly into voids, cracks and crevices, use a bulbous duster, or other suitable equipment. Pay particular attention to cracks and crevices; service ducts, false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces.		
Application Rate:	1 oz. per 125 ft ² (1/2 lb. per 1,000 ft ²)	Minimum Re-application Interval:	10 days
Ants:	Apply CSI 24-552 Insecticide thoroughly to all areas where these pests crawl and hide, especially in those areas described above. Apply to ant trails, around doors and windows and other places where ants enter premises.		
Indoor Application Restrictions:			
• DO NOT apply as a broadcast application indoors. • DO NOT apply more than 2 times per year. • Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. • DO NOT allow the product to enter any drain during or after application.			

- Spot treatments must not exceed two square feet in size (for example, 2ft. by 1 ft or 4 ft by 0.5 ft.).

Indoor Application Precautions:

- In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air.
- To avoid the possibility of staining, do not use on carpets, upholstery and other fabrics.

OUTDOOR USE

Mound Application Rate:	½ oz. per mound (1 tablespoon or 3 teaspoons)	Minimum Re-application Interval:	7 days
Imported Fire Ant Mound Treatment:	Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. If possible, treat all colonies in the vicinity. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control. Retreatment should only be made to maintain insect control. Treat new mounds as they appear.		
Application Rate:	8 oz. per 1,000 ft²	Minimum Re-application Interval:	Not applicable
Ant Treatments Around Structures:	Use CSI 24-552 Insecticide as a residual treatment for control of ants. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces where pests are active and may find entrance. Retreatment should only be made to maintain insect control.		
Outdoor Application Restrictions:			
• Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. • DO NOT allow the product to enter any drain during or after application. • Spot treatments must not exceed two square feet in size (for example, 2ft. by 1 ft or 4 ft by 0.5 ft.). • For soil or foliar applications, DO NOT apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. • DO NOT apply the product into fish pools, ponds, streams, or lakes. DO NOT apply directly to storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur unless labeled for drain treatment. • DO NOT allow the product to enter any drain during or after application unless labeled for drain treatments. • DO NOT apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment. • DO NOT make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to settle. • Rainfall within 24 hours after application may cause unintended runoff of pesticide application.			

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

DO NOT pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

PESTICIDE STORAGE: Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste storage area until proper disposal can be made.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. After insuring that the packet/container is completely empty, crush and dispose of in trash container. Offer for recycling, if available. If recycling is not available; then dispose of container in a sanitary landfill.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. **CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

To the extent consistent with applicable law, **IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

Optional Marketing Claims for Sub-Label A:

- Ready to Use Dust
- Controls Fire Ants
- Kills the Fire Ant Mound
- For Household Use
- Easy to Use
- Convenient
- Kills Fire Ants on Contact [- No Watering In Required]
- Ready to Use Dry Treatment of Fire Ant Mounds
- Long Lasting Residual Action
- Long Lasting
- Controls Imported Red Fire Ants on Lawns [and Other Residential Areas]
- Fast, Effective Kill of Fire Ants
- Fast, Effective Kill of Stinging Ants
- Kills the Queen
- Kills the Mound
- 8 oz. Treats Up to 15 Fire Ant Mounds
- 1 lb. Treats Up to 30 Fire Ant Mounds

- 2 lbs. Treats Up to 60 Fire Ant Mounds
- Penetrates down to where fire ants forage
- Easy treatment of fire ant mounds
- No mixing [required]
- Ready to apply

Sub-Label B: Full Label Uses

CSI 24-552 Insecticide

[ABNs: Martin's Surrender Fire Ant Dust; Surrender Fire Ant Dust; Martin's Surrender Fire Ant Killer; Surrender Fire Ant Killer; Martin's Surrender Fire Ant Assassin; Surrender Fire Ant Assassin; Martin's Surrender Insect Dust; Surrender Insect Dust]

For indoor and outdoor use

ACTIVE INGREDIENT:

Deltamethrin 0.05%

OTHER INGREDIENTS*: 99.95%

TOTAL: 100.00%

Contains 0.0003 lbs. deltamethrin per ounce of product.



Consumer &
Professional
Solutions

Manufactured for:
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507

EPA Reg. No: 53883-LAN

EPA Est. No: _____

Net Contents: _____

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

[Alternate text – all or in part: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

FIRST AID	
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

{The PPE section will be included on the market label if the intended customer base is commercial applicators. This section will be omitted if the intended customer base is residential applicators only.}

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separate from other laundry. Some materials that are chemically resistant to this product are listed below.

Applicators and other handlers must wear:

1. Long-sleeved shirt and long pants
2. Shoes plus socks

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Protect pollinating insects by following label directions intended to minimize drift and to reduce risk to these organisms.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

This product is intended for application with a hand duster or from the shaker can, with a paint brush or by other suitable means, to hiding and runway areas and other places where insects are found. Food utensils such as a teaspoon or measuring cup should not be used for food after use with pesticides.



Follow proper disposal procedures on this label ("Siga las indicaciones del etiquetado para el desecho apropiado del producto.").

INDOOR USE			
Application Method:	Apply lightly and uniformly to infested areas. To apply insecticide directly into voids, cracks and crevices, use a bulbous duster, or other suitable equipment. Pay particular attention to cracks and crevices; service ducts, false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces.		
Application Rate:	1 oz. per 125 ft ² (1/2 lb. per 1,000 ft ²)	Minimum Re-application Interval:	10 days
Ants, boxelder bugs, cockroaches (including both resistant and non-resistant strains), crickets, fleas, firebrats and silverfish:	Apply CSI 24-552 Insecticide thoroughly to all areas where these pests crawl and hide, especially in those areas described above. Apply to ant trails, around doors and windows and other places where ants enter premises.		

Termites, Carpenter Ants and Carpenter Bees:	For Localized Treatment of Wood Infesting Termites, Carpenter Ants, and Carpenter Bees; apply to voids and channels/galleries in damaged wooden members of a structure, to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. When drilling, care should be taken to avoid drilling into electrical wire, plumbing, gas lines or other utilities. Re-seal holes following treatment. This dust can be applied in attics and crawl spaces to prevent entry of drywood and formosan termites. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to ensure that colony has been killed. Do not use this product as the sole source of control for active, structural infestations by subterranean termites; the purpose of this application is to kill workers or winged reproductive forms of termites which are present at the time of treatment. It is not intended to provide structural pest control. It is not a substitute for mechanical alteration, soil and foundation treatment, but merely a supplement. For active, structural infestations by subterranean termites, this product can only be used to supplement a federally registered conventional product that is registered as a sole source for termite control. This product will not eliminate termite infestations or provide protection against future infestation.
Centipedes, ground beetles, millipedes, scorpions, spiders and sowbugs:	Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.
Wasps and Bees:	It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster (actisol or similar equipment) or other suitable means, with extension tubes if necessary, thoroughly dust nests, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensure complete kill then remove and destroy nest to prevent emergence of newly -hatched insects. If removal is not feasible, retreat nest if necessary. DO NOT use this product to treat overhead nests.
Webbing Clothes Moths:	Use CSI 24-552 Insecticide as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.
Carpet Beetles (Black, Furniture, Common and Varied):	Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture, and in closets.
Bed Bugs:	Apply dust thoroughly to all areas where these pests are typically found including folds and tufts of mattresses, coils or springs, cracks and hollow posts of bedsteads, upholstery of chairs and sofas, picture frame moldings and all cracks and crevices in room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas, dispose of vacuum bag and place clean linens on bed.
Stored Product Pests (cadelles, cheese mites,	To aid in control of exposed stages of listed pests. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

cigarette beetles, confused flour beetles, dark meal worms, drugstore beetles, grain mites, granary weevils, lesser grain borers, merchant grain beetles, red flour beetles, rice weevils, rust grain beetles, saw-toothed grain beetles, spider beetles, tobacco moths, yellow meal worms):	Clean up waste materials, dust, dirt, and other debris. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or other areas where food is prepared, processed, served, or stored.
Indoor Application Restrictions:	
DO NOT apply as a broadcast application indoors. DO NOT apply more than 2 times per year. - Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. DO NOT allow the product to enter any drain during or after application. - Spot treatments must not exceed two square feet in size (for example, 2ft. by 1 ft or 4 ft by 0.5 ft.).	
Indoor Application Precautions:	
- In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. - To avoid the possibility of staining, do not use on carpets, upholstery and other fabrics unless a staining test has been done on a non-visible area.	

OUTDOOR USE			
ORNAMENTAL PLANT PESTS: For control of aphids, beet armyworms, blister beetles, boxelder bugs, certain leafminers* (Boxwood, Holly, Oak, Spruce Needle), elm leaf beetle, flea beetles, Japanese beetles, leafhoppers, leafrollers, orange tortrix, periodical cicada, plant bugs, rose chafer, rose midges, rose slugs, tent caterpillars, thrips, weevils			
Application Rate:	8 oz. per 1,000 ft ²	Minimum Re-application Interval:	10 days
Shrubs, Ornamentals, Roses, Petunias, Chrysanthemums, Geraniums, Carnations and other related flowers:	Apply when insects or their damage first appear. Repeat application only if needed to maintain control. Apply a thin layer of dust on both the upper and lower sides of leaves, stems and flowers. DO NOT make more than 2 applications per year.		
RED IMPORTED FIRE ANT MOUND TREATMENT:			
Application Rate:	½ oz. per mound (1 tablespoon / 3 teaspoons)	Minimum Re-application Interval:	7 days
Imported Fire Ant Mound Treatment:	Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. If possible, treat all colonies in the vicinity. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control. Treat new mounds as they appear.		
TREATMENTS AROUND STRUCTURES:			
Application Rate:	8 oz. per 1,000 ft ²	Minimum Re-application Interval:	Not applicable

Residual Treatment for Control of ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs, spiders, ticks and wasps:	Use CSI 24-552 Insecticide as a residual treatment for control of listed pests. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces where pests are active and may find entrance. Retreatment should only be made to maintain insect control.				
Fleas and Ticks in Rodent Burrows:	To control fleas and ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense. Retreatment should only be made as necessary to maintain insect control.				
HOME VEGETABLE GARDENS:					
Use a dust applicator such as a shaker can, dust gun, puffer, duster or other bulbous duster, rotary duster, or other appropriate duster/application equipment/device. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.					
VEGETABLE	TARGET PESTS	REMARKS	APPLICATION RATE: OZ OF DUST/1,000 FT ²	MAX APPLICATIONS / GROWING SEASON	PRE-HARVEST INTERVAL
Artichoke, Globe	Aphids, armyworm, cabbage looper, cribrate weevil, leafminers, lygus bug (plant bug), pale striped flea beetles, plume moth, probas bug	Do not apply more than 0.14 lb deltamethrin per acre in one growing season. Allow 3 days between applications.	2.13 (0.0006 lbs. deltamethrin)	5	3 days
Bulb vegetables - garlic, leeks, onions, shallots	Cutworms, squash bugs, stink bugs, thrips	Do not apply more than 0.112 lb deltamethrin per acre in one growing season. Allow 5 days between applications.	2.13 (0.0006 lbs. deltamethrin)	4	1 day
Corn, sweet	Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), Southern corn borer, Southwestern corn borer, stalk borer.	Do not apply more than 0.45 lb. deltamethrin per acre in one growing season.	2.13 (0.0006 lbs. deltamethrin)	16	24 hours

	squash bugs, stink bugs, webworms				
Corn, pop	Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), Southern corn borer, Southwestern corn borer, stalk borer, squash bugs, stink bugs, webworms	Do not apply more than 0.095 lb. deltamethrin per acre in one growing season.	1.68 (0.0005 lbs. deltamethrin)	4	21 hours
Cucurbit Vegetables- Cantaloupes, Chayote, Chinese Wax Gourd, Citron Melon, Cucumber, Gherkin, gourds, Momordica species (balsom apple, balsom pear, bitter melon, Chinese cucumber) muskmelon, pumpkin, squash, watermelon	Armyworm, cabbage looper, Colorado potato beetle, corn earworm, cucumber beetle, cutworms, diamondback moth (larvae), Flea beetle, grasshoppers, green peach aphid, leafhopper, leafminer, melonworm, pickleworm, squash bugs, stink bugs, tarnished plant bug, tomato pinworm, vegetable weevil (adult), western plant bug, whitefly (adult).	Do not apply more than 0.168 lb deltamethrin per acre in one growing season. Allow 3 days between applications.	2.13 (0.0006 lbs. deltamethrin)	6	3 days
Fruiting Vegetables- Eggplant, groundcherry, pepinos, peppers, tomatillo, tomato	Aphids, armyworms, cabbage looper, Colorado Potato Beetle, cucumber beetle, cutworms, diamondback moth, European corn borer, flea beetles, imported cabbageworm, leafminers, pepper weevil, squash bugs, stink bugs, tarnished plant bug, thrips, tomato fruitworms, (corn earworm), tomato pinworm, variegated cutworm, whitefly	Do not apply more than 0.168 lb deltamethrin per acre in one growing season. Allow 5 days between applications.	2.13 (0.0006 lbs. deltamethrin)	6	1 day

Root Vegetables- Carrot, celeriac, Chervil (turnip Rooted), Chicory	Armyworms, cabbage looper, Colorado Potato Beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug, (plant bug), pea aphid, tarnished plant bug	Do not apply more than 0.14 lb deltamethrin per acre in one growing season. Allow 3 days between applications. Other than radishes, applications may not be made to root vegetables whose tops or leaves are to be harvested for human consumption.	2.13 (0.0006 lbs. deltamethrin)	5	3 days
Tuberous & Corm Vegetables- Potato, sweet potato, arracacha, arrowroot, Chinese artichoke, Jerusalem artichoke, edible canna, bitter and sweet cassava, chayote, (root), chufa, dasheen, ginger, leren tanier, tumeric, yarn bean, true yam	Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetle, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug.	Do not apply more than 0.14 lb deltamethrin per acre in one growing season. Allow 3 days between applications. Applications may not be made to tuberous or corm vegetables whose tops or leaves are to be harvested for human consumption.	2.13 (0.0006 lbs. deltamethrin)	5	3 days

Outdoor Application Restrictions:

- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- **DO NOT** allow the product to enter any drain during or after application.
- Spot treatments must not exceed two square feet in size (for example, 2ft. by 1 ft or 4 ft by 0.5 ft.).
- For soil or foliar applications, **DO NOT** apply by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds.
- **DO NOT** apply the product into fish pools, ponds, streams, or lakes. **DO NOT** apply directly to storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur unless labeled for drain treatment.
- **DO NOT** allow the product to enter any drain during or after application unless labeled for drain treatments.
- **DO NOT** apply directly to impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment.
- **DO NOT** make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to settle.
- Rainfall within 24 hours after application may cause unintended runoff of pesticide application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

DO NOT pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

PESTICIDE STORAGE: Do not store near food or feed. In case of spill on floor or paved surfaces, sweep up and remove to chemical waste storage area until proper disposal can be made.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. After insuring that the packet is completely empty, crush and dispose of in trash container. Offer for recycling, if available. If recycling is not available; then dispose of container in a sanitary landfill.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS **CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT** in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

Optional Marketing Claims for Sub-Label B:

- Ready to use [dust]
- Controls Fire Ants
- Kills the Fire Ant Mound
- For Household Use
- Easy to Use
- Easy treatment of fire ant mounds
- No mixing [required]

- Convenient
- Kills Fire Ants on Contact [- No Watering In Required]
- Ready to apply
- Ready to Use Dry Treatment of Fire Ant Mounds
- Long Lasting Residual Action
- Long Lasting
- Controls Imported Red Fire Ants on Lawns [and Other Residential Areas]
- Fast, Effective Kill of Fire Ants
- Fast, Effective Kill of Stinging Ants
- Kills the Queen
- Kills the Mound
- 8 oz. Treats Up to 15 Fire Ant Mounds
- 1 lb. Treats Up to 30 Fire Ant Mounds
- 2 lbs. Treats Up to 60 Fire Ant Mounds
- Provides Control of Ants, Bees, Cockroaches, Fleas, Silverfish, Ticks, Termites (localized control only) and numerous stored product pests.
- Kills listed crawling insects if left undisturbed for up to 8 months
- For use indoors and outdoors
- Controls [images of insects] Fire Ants, Fleas, Ticks, Termites (localized control only) and other listed insects
- Kills Termites (localized control only), Carpenter Ants and Carpenter Bees
- Kills Listed Insects for Up to 8 Months
- Household Ornamental Garden Insect Control
- For Use on Ornamentals
- Use on Roses, Flowers and Ornamentals
- Long Lasting Residual Action
- Long Lasting
- Kills Carpenter Ants [invading treated wall voids for up to 1 year (12 months) * {*Need to inspect treatment area at 6 months}]
- This product can be used around the perimeter of homes, in gardens, and many other areas
- Controls ornamental pests
- Use to control/kill vegetable pests
- Kills by contact
- Easy-to-use dust
- Home & Garden insecticide
- Kills Carpenter Ants, Silverfish, Deer Ticks, and other listed pests. Kills listed Ground Beetles and Sowbugs
- This product kills German Cockroaches, Carpenter Ants and other listed insects
- This product can be used outside around the home and other listed areas to kill, through contact, listed crawling pests
- Kills over 40 listed Insects on Vegetables, Fruits, Ornamentals & Lawns {*number of listed insects may vary based upon those listed on the market label*}
- Got Japanese Beetles? Get [Insert product name]!
- Got [insert listed pest here]? Get [Insert product name]!
- Hate The Bugs. Love The Garden. Get [Insert product name]!
- Use on [insert listed vegetables and fruits]
- Trusted Brand since [insert year]
- Established brand since [insert year]
- Est. [insert year]
- Trusted brand for over XX years
- [Insert product name] [Brand] Dust [Insect] [Pest] [Bug] Killer Ready-To-Use
- Kills [insert listed pest] [and [insert listed pest]]
- Plant a love for gardening

- Kills over [XXX 1-163] listed pests
- Formulated and Packaged in the U.S.A.
- Buy X Get X Free
- Guaranteed results[*] [*]or your money back
- Guaranteed to work[*] [*]or your money back
- Special Value! X% More (than X [lb]/[oz] [bag][can])
- Non-systemic
- Home & Garden insecticide
- Broad spectrum insect control
- Protect your roses[*]/flowers[*]/lawn [and][garden] from [damaging][harmful] pests.
- Won't harm [your] lawn [or garden] [plants] [shrubs] [vegetables] [edibles] [flowers[*]] [ornamentals][blooms]
- [Control/Kills] [lawn] [invading/damaging] [insects/pests] as listed
- 100% Guarantee to work* *or your money back
- Effective Control
- Kills over [40] insects!
- Kills over [40] common household insects [bugs]
- Kill [annoying] [damaging] [insects] [pests] and reclaim your [lawn][home] [today!]
- Kills Numerous [Over 40] Listed Pests on Lawns and Ornamentals
- Kills [insert listed insect] outside so they can't come inside!
- Protects over [30] listed vegetables
- Protects edibles from insect damage
- For use on vegetables
- Labeled for use on/in vegetable gardens
- Strong [insect][pest] protection for your [insert listed site]
- Ideal for [outdoor] container gardening
- Great for [veggie][vegetable][raised bed] gardens
- For vegetable insects
- Keeping your vegetable garden and lawn free of listed pests has never been easier
- Can be used up to 1 day before harvesting Tomatoes
- Protect your [garden][insert labeled site][veggies][listed vegetable][listed edible] with [insert brand name]!
- Growing [insert listed site]? Protect them [from] [insert listed pest] with [insert brand name]!
- Grow your own vegetables – protect them with [insert brand name]!
- Protects against listed damaging insects
- Broad spectrum
- Apply at first signs of insect damage or activity
- Can be used on vegetables/vegetable gardens
- Insect Killer
- Bug Killer
- Pest Killer
- Kills listed [bugs] [pests] [insects] by contact
- Starts killing immediately upon contact
- Reclaim your garden!
- Tough on [insert listed insects], gentle on [your] lawn [or garden] [plants] [shrubs] [vegetables] [edibles] [flowers[*]] [ornamentals][insert listed site]
- Provides a protective barrier to keep bugs away [all season]
- For home vegetable gardens, ornamental & flower gardens[*], lawns, and around the home.
- Works Fast/Fast Acting
- Kills in 24 hours
- Kills overnight
- Protects lawns against listed* damaging insects
- Kills Listed* Insects, Fleas & Ticks

- Kills Ants, Fleas, Ticks and other listed* pests/insects/bugs.
- Kills fleas and ticks
- Kills [insert listed pest] by contact!
- Not harmful to grasses* *when used as directed
- For use on lawns, ornamentals, home perimeter and flower gardens
- Penetrates down to where fire ants forage
- Provides control of [insert listed pest(s)]
- Protects plants from damaging insects/insect damage