53975-1

# ·i·PLEX

COMFILE B:CORRAL-3.LAB EPA FILE SYM:

Page 1 of 2

CORRAL SUPER SPOT WEEDER

Systemic Weed & Grass Killer
KILLS WEEDS & GRASSES ON CONTACT
ROOTS & ALL

Use For General Weed Control

ACCEPTIT

MAR 2 4 1986

Under the Federal In ordicion Fungicide, and Roder ide I.c., as amended, for the posicide tegistered under EPA Reg. No. 539716-

ACTIVE INGREDIENT:

\*N-(phosphonomethyl)glycine

READY TO USE

## KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel For Additionary Precautionary Statements

STATEMENTS OF PRACTICAL TREATMENTS

SWALLOWED: Call a physician or Poison Control Center immediatley. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give any thing by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. Get medical attention. IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

EPA REG. NO.

EPA EST. NO.

NET CONTENTS \_\_\_\_\_ (One Quart; One Gallon)

International Pesticide Label Exchange

7210 S.W. 57th AVE., SUITE 212A . MIAMI, FLORIDA 33143

COMFILE B:CORRAL-2.LA\_ EPA REG. NO.

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes. Keep children and pets away from treated are until spray has dried.

ENVIROMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or dispoal of wastes. Keep out of any body of water.

#### DIRECTIONS FOR USE

It is a vicolation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DIPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store product in original container in a cool, dry, locked, place out of reach of children. CONTAINER DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

.ERE TO USE- Use in and around FLOWER BEDS, TREES and SHRUBS, in LAWNS, on ALKS, and DRIVEWAYS, PATIOS, around and under FENCES, in GRAVEL, BARK or PEAT MOSS or GROUND COVER MULCH.

This product gives complete kill of Hard-To-Kill annual and perennial grasses and broadleaf weeds as follows:

ANNUAL WEEDS(Partial Listing) - Annual Blue Grass, Chickweed, Florida Pusley, Garden Spurge, Goosegrass, Foxtail, Crabgrass, Knotweed, Henbit, Lambsquarter, Mayweed, Oxalis, Prickley Lettuce, Purslane, Pigweed, Puncture Vine, Redroot Pigweed, Sandspur, Shepards Purse, Sowthistle, Smartweed, Velvetweed, Wild Geranium,

PERENNIAL WEEDS (Partial Listing)-Bahiagrass, Bermudagrass, Bull Thistle, Canada Thistle, Centipedegrass, Clover, Creeping Charlie, Beggartick, Dock, Dandelion, Dogfennel, Field Bindweed, Johnsongrass, Kentucky Bluegrass, mblewill, Nutgrass, Orchardgrass, Poison Ivy, Poison Oak, Ragweed, antain, Spurge, Fescuegrass.

IMPORTANT: This product kills all green plant tissue. When treating weeds do not allow spray to touch surrounding desireable plants, grasses, flowers and/or shrubs. Wash spray off immediately with plenty of water. Weed kill will be reduced if it rains on treated area within 24 hours after treatment. Retreat as soon as possible.

HOW MUCH TO USE: This product is ready to use. Spray each weed to point of: spray run-off. One gallon should treat approximately 1800 Sq.Ft.(equal to 1 lb. active ingredient per acre).

WHEN TO USE: Apply when weeds are actively growing at any time of time year.....
Most weeds begin to die within 5 to 7 days with complete kill in 2 to 4 wks...
HOW TO APPLY: Apply with hand sprayer or sprinkler to give coarse droplet....
spray coverage. Apply directly to the center of weed growth. One treatment will kill most weeds listed. Repeat treatment within 3 to 4 weeks if "Hard-To-Kill" perennials persist.

RESEEDING THE LAWN AREA: Areas that have been treated can be seeded within 7 days of treatment. This product has no residual weed control effects. NOTICE: Buyer assumes all risk and liability of use, and/or handling not in accordance with the terms of this label.