Reg, no: 54022-6 PM-15 EPA REGISTRATION NO DATE OF ISSUANCE US ENVIRONMENTAL PROTECTION AGENCY 54022-€ OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20480 Until Reregistration NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION Protection 150 Plus Flea and Sick (Under the Federal Insecticide, Fungicide, CONTRACTOR CONTRACTOR SET and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) BEST AVAILABLE COPY NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered . . 1. 1. 1. of Containing the second . More than the contract of t The SC Confidence of the Confi Some of the property of the second is the report of the thydical accesses: to Mivorcian: Dr Dinon is in orchapping hat indectioned. If symptoms of cholinesterase inhibition are present, attorine sulfate by injection of infloorage in-PAM a sino marroral and typical basis to the conty in co jungity of the inc. The second of the feet to be only the more second of the s the it is to (i) copies of your set our at the end we store you the same to product our of Arrests. A fer to the 2-7 the same for a furnish on in the car of the dispersive dispersion. In these boses, was no not not been title, in regular tion will be on let to a most the indicator tends of the FIRM lets, ((e), Your release for at of the look, I tonit hater we have on these countainer. ATTACHMENT WAPPLICANCE OF THE BANK OF THE DOT OF FOUR IN THE 20 SIGNATURE OF APPROVING OFFICIAL 1 2 1990 PA Form 8570-6 (Rev. 5-74) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Constitution of the second of the second

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ Plus 150 Flea and Tick Collar for Cats with EFA*

*Slow release coat conditioner helps enhance texture, manageability and luster.

Kills fleas for 5 months Kills ticks for 5 months

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon (O,O-diethyl O-(2-isopropyl-6-

methyl-4-pyrimidinyl)

phosphorothioate] 11.0 % INERT INGREDIENTS* 89.0 % TOTAL 100.0%

*Includes 5% unsaturated fatty acids as a grooming aid.

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For neck size up to 12".

VIRBAC

CONTAINS 1 FLEA AND TICK COLLAR NET WT. 0.71 OZ. (20.0 g)

A-660/12

10 222 223 2444 10 222 223 2444

70 00 13903

BACK PANEL (CARDBOARD BACKING)

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor.

Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on Persian cats.

Adjustable - will accomodate up to a 12" neck size.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection Plus 150 collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

This Protection™ Plus 150 collar contains Essential Fatty Acids necessary for healthy skin and hair. Unsaturated fatty acids released from the collar are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc. Fort Worth, Texas 76118 Made in France

Is not see on ours need than " When I

FRONT PANEL (CARTON)

PROTECTION™ Plus 150 Flea and Tick Collar for Cats with EFA* (color)

*Slow release coat conditioner helps enhance texture, manageability and luster.

Kills fleas for 5 months Kills ticks for 5 months

For neck size up to 12".

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-

methyl-4-pyrimidinyl)

phosphorothioate] 11.0 % INERT INGREDIENTS* 89.0 % TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

CONTAINS 1 FLEA AND TICK COLLAR NET WT. 0.71 OZ. (20.0 g)

^{*}Includes 5% unsaturated fatty acids as a grooming aid.

BACK PANEL(CARTON)

PROTECTION" Plus 150 Flea and Tick Collar for Cats with EFA (Color) Adjustable - will accommodate up to a 12" neck size.

PRECAUTIONARY STATEMENTS HAZARD TO HUMP VS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on Persian cats.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection Plus 150 collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

This Protection Plus 150 collar contains Essential Fatty Acids necessary for healthy skin and hair. Unsaturated fatty acids released from the collar are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL

Do not reuse empty pouch or box: Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc. Fort Worth, Texas 76118 Made in France

Do not use on cats less than I year old

POUCH LABEL

PROTECTION" Plus 150 Flea and Tick Collar for Cats with EFA

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENT:
Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl)
phosphorothioate] 11.0 %
INERT INGREDIENTS* 89.0 %
TOTAL 100.0%
*Includes 5% unsaturated fatty acids a a grooming aid

EPA Reg. No. 54022- EPA Est. 15577-FR-1

Manufactured for Virbac, Inc. Fort Worth, Texas 76118 Made in France DEFICE OF PERIODES PROGRAMS

NODETHATION DIVISION (75-767)

WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, an amended)

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Protection 150 Plus Flea and Tick Coller for Cats with EFA

NAME AND ADDRESS OF REGISTRAN'S (Include ZIP code)

Virbac, Inc. P.O. Box 16598 Ft, Worth, TX 76162

BEST AVAILABLE COPY

160 / 249 190

NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregiste | f under the Federal Insecticide, Fungicide, and Rodr nticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This product is not ally registered in accordance with EIFRM sec.

"(c)(7)(A) provided that you:

- 1. Submit and/or cate all data required for registration/reregistration of your product under FIFTA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - 2. Add the phrise, "mph Registration Yo. 18022-6."
 - b. Change the Note to Physician to read:

Note to Physician: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAT is also antidotal and may be administered, but only in conjunction with atropine.

o. Add "Do not use on cats less than one pair of " and r precautionary taxt. This is required about the animal safety data and percented on mature category.

4. Cubmit five (F) copies of your final prints such that before you to be product for a ignorate Refer to the $\lambda-\mathcal{H}$ to constitution of final prints. Takening.

To these conclusions of not complie with, in a gusti from will be subject to dancell them in secondance with FIFP; sec. ((c). Your release for the state passes of a feater accordance the passes of the passes.

i	ATTACHMENT IS APPLICABLE	,	•		 1 .	1 1	

SIGNATURE OF APPROVING OFFICIAL

Tist of in

July a). " yo

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Richards

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ Plus 150 Flea and Tick Collar for Cats with EFA*

*Slow release coat conditioner helps enhance texture, manageability and luster.

Kills fleas for 5 months Kills ticks for 5 months

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-

methyl-4-pyrimidinyl)

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For neck size up to 12".

VIRBAC

CONTAINS 1 FLEA AND TICK COLLAR NET WT. 0.71 OZ. (20.0 g)

54020-A

, . 26 199...

54022-6

^{*}Includes 5% unsaturated fatty acids as a grooming aid.

BACK PANEL (CARDBOARD BACKING)

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor.

Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on Persian cats.

Adjustable - will accomodate up to a 12" neck size.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection Plus 150 collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

This Protection Plus 150 collar contains Essential Fatty Acids necessary for healthy skin and hair. Unsaturated fatty acids released from the collar are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc. Fort Worth, Texas 76118 Made in France

FRONT PANEL (CARTON)

PROTECTION Plus 150 Flea and Tick Collar for Cats with EFA* (color)

*Slow release coat conditioner helps enhance texture, manageability and luster.

Kills fleas for 5 months Kills ticks for 5 months

For neck size up to 12".

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-

methyl-4-pyrimidinyl)

phosphorothioate] 11.0 % INERT INGREDIENTS* 89.0 % TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

CONTAINS 1 FLEA AND TICK COLLAR NET WT. 0.71 OZ. (20.0 g)

^{*}Includes 5% unsaturated fatty acids as a grooming aid.

BACK PANEL(CARTON)

PROTECTION™ Plus 150 Flea and Tick Collar for Cats with EFA (Color) Adjustable - will accommodate up to a 12" neck size.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on Persian cats.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection Plus 150 collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 150 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

This Protection™ Plus 150 collar contains Essential Fatty Acids necessary for healthy skin and hair. Unsaturated fatty acids released from the collar are rapidly absorbed to help maintain a lustrous, manageable coat.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc. Fort Worth, Texas 76118 Made in France

use on care incr there land

606

FOIL POUCH/CARTON PACKAGE POUCH LABEL

(

PROTECTION™ Plus 150 Flea and Tick Collar for Cats with EFA

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

SEE BACK PANEL OF OUTER CARTON FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Made in France

ACTIVE INGREDIENT.
Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimicinyl)
phosphorothicate] 11.0 %
INERT INGREDIENTS* 89.0 %
TOTAL 89.0 %
*Includes 5% unsaturated fatty acids as a grooming aid
EPA Reg. No. 5402? EPA Est. 15577-FR-1

Manufactured for Virbac, Inc. Fort Worth, Texas 76118