

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION

DATE OF ISSUANCE

54022-7

JUL 26 1990

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Protection 150 Reflectin Film and
Application System

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Faint, illegible text]

BEST AVAILABLE COPY

160/249264
18/2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

[Faint, illegible text, possibly a label or technical description]

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

[Handwritten signature]

DATE

[Handwritten date]

Richards

BLISTER PACKAGE

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies

**Kills fleas for 5 months
Kills ticks for 4 months**

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For puppies over 5 weeks - neck size up to 12".

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.47 OZ. (13.3 g)**

54022-7

100% 100%
100% 100%
to 100% 100% 100%

26 135

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the Pesticide
registered under EPA Reg. No.

54022-7

BLISTER PACKAGE

BACK PANEL(CARDBOARD BACKING)

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on puppy while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing puppies. Do not use on puppies less than 5 weeks of age.

Adjustable - will accomodate up to a 12" neck size.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the puppy's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

4 of 12

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

FOIL POUCH/CARTON PACKAGE

FRONT PANEL (CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs
(color)**

**Kills fleas for 5 months
Kills ticks for 4 months**

For neck size up to 22".

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]		15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.85 OZ. (24.0 g)**

FOIL POUCH/CARTON PACKAGE

BACK PANEL(CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs (Color)
Adjustable - fits dogs, 22" neck or smaller.**

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, aids in tick control in the head and neck area up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

7 7 12

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidinyl)	
phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	<u>100.0%</u>

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

BLISTER PACKAGE

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs

**Kills fleas for 5 months
Kills ticks for 2 months**

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	<u>100.0%</u>

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For neck size up to 28".

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.91 OZ. (25.8 g)**

BLISTER PACKAGE

BACK PANEL(CARDBOARD BACKING)

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

Adjustable - fits large dogs, 28" neck or smaller.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue to aid in tick control in the head and neck area in unusually large breeds for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

FOIL POUCH/CARTON PACKAGE

FRONT PANEL (CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs
(color)**

**Kills fleas for 5 months
Kills ticks for 2 months**

For neck size up to 28".

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidinyl)	
phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.91 OZ. (25.8 g)**

FOIL POUCH/CARTON PACKAGE

BACK PANEL(CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs (Color)
Adjustable - fits large dogs, 28" neck or smaller.**

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue to aid in tick control in the head and neck area in unusually large breeds for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

12 of 12

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION

DATE OF ISSUANCE

54022-7

JUL 26 1990

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Protection 150 Reflecting Flea and Tick Collar for Dogs

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Virbac, Inc.
P.O. Box 16594
Ft. Worth, TX 76162

160/249264
18/2

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

Richards

2 of 12

BLISTER PACKAGE

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies

**Kills fleas for 5 months
Kills ticks for 4 months**

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For puppies over 5 weeks - neck size up to 12".

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.47 OZ. (13.3 g)**

54022-7

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 54022-7

BLISTER PACKAGE

BACK PANEL(CARDBOARD BACKING)

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on puppy while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing puppies. Do not use on puppies less than 5 weeks of age.

Adjustable - will accomodate up to a 12" neck size.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the puppy's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Reflecting Flea and Tick Collar for Puppies

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

FOIL POUCH/CARTON PACKAGE

FRONT PANEL (CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs
(color)**

**Kills fleas for 5 months
Kill's ticks for 4 months**

For neck size up to 22".

ACTIVE INGREDIENT:	
Diazinon [O,O-diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidinyl)	
phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.85 OZ. (24.0 g)**

FOIL POUCH/CARTON PACKAGE

BACK PANEL(CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs (Color)
Adjustable - fits dogs, 22" neck or smaller.**

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. For unusually large breeds, aids in tick control in the head and neck area up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

7/12

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Reflecting Flea and Tick Collar for Dogs

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon (O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**

BLISTER PACKAGE

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs

**Kills fleas for 5 months
Kills ticks for 2 months**

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidinyl)	
phosphorothioate]	15.0 %
INERT INGREDIENTS	<u>85.0 %</u>
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For neck size up to 28".

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.91 OZ. (25.8 g)**

BLISTER PACKAGE

BACK PANEL(CARDBOARD BACKING)

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

Adjustable - fits large dogs, 28" neck or smaller.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue to aid in tick control in the head and neck area in unusually large breeds for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

FOIL POUCH/CARTON PACKAGE

FRONT PANEL (CARTON)

**PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs
(color)**

**Kills fleas for 5 months
Kills ticks for 2 months**

For neck size up to 28".

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidinyl)	
phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.91 OZ. (25.8 g)**

FOIL POUCH/CARTON PACKAGE

BACK PANEL(CARTON)

PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs (Color)
Adjustable - fits large dogs, 28" neck or smaller.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on dog while collar is worn. Some dogs and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 Reflecting collar around the dog's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue to aid in tick control in the head and neck area in unusually large breeds for up to 2 months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Reflecting Flea and Tick Collar for Large Dogs

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-	
methyl-4-pyrimidinyl)	
phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

**Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France**