

WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION Reregistration

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

Date of Registration

NAME OF PESTICIDE PRODUCT

Protection 150 Flea and Tick Collar for Cats

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Virbac, Inc.
P.O. Box 16598
Ft. Worth, TX 76162

160/249266
18/2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or file all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment.

a. Add the following, "EPA Registration No. 54022-9."

b. Change the Note to Physician to read:

Note to Physician: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

c. Add "Do not use on cats less than one year old" under the precautionary text. This is required since the domestic animal safety data was generated on mature cats only.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE. Label is enclosed to product.

SIGNATURE OF APPROVING OFFICIAL

DATE

July 16, 1974

FRONT PANEL (CARDBOARD BACKING)

PROTECTION™ 150 Flea and Tick Collar for Cats

**Kills fleas for 5 months
Kills ticks for 4 months**

(Color of collar visible through affixed blister package)

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

For neck size up to 12".

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.42 OZ. (11.9 g)**

ACCEPTED
with COMMENTS
in EPA Letter Dated:

Jul 26 1990

Use of this product is limited to the control of fleas and ticks on cats.

54022-9

BLISTER PACKAGE

BACK PANEL(CARDBOARD BACKING)

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on Persian cats.

Adjustable - will accomodate up to a 12" neck size.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 collar around the cat's neck ,adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty blister. Wrap blister and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

FOIL POUCH/CARTON PACKAGE

FRONT PANEL (CARTON)

**PROTECTION™ 150 Flea and Tick Collar for Cats
(color)**

**Kills fleas for 5 months
Kills ticks for 4 months**

For neck size up to 12".

ACTIVE INGREDIENT:

**Diazinon [O,O-diethyl O-(2-isopropyl-6-
methyl-4-pyrimidinyl)
phosphorothioate]**

15.0 %

INERT INGREDIENTS

85.0 %

TOTAL

100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements and directions.

VIRBAC

**CONTAINS 1 FLEA AND TICK COLLAR
NET WT. 0.42 OZ. (11.9 g)**

FOIL POUCH/CARTON PACKAGE

BACK PANEL(CARTON)

**PROTECTION™ 150 Flea and Tick Collar for Cats (Color)
Adjustable - will accomodate up to a 12" neck size.**

**PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: This collar is intended for use as an insecticide generator and is not to be taken internally by man or animal. Not intended for use on humans. The insecticide in this collar is a cholinesterase inhibitor. Do not allow children to handle or play with this collar.

Note to Physicians/Veterinarians: This product contains a cholinesterase inhibitor. Atropine sulfate and 2-PAM are antidotal only if signs of cholinesterase inhibition are present.

Do not use other pesticides on cat while collar is worn. Some cats and humans may be sensitive to this collar. Remove at first sign of irritation or adverse reaction. Do not use on sick or convalescing animals. Do not use on Persian cats.

DIRECTIONS FOR USE

It is a violation of Federal law to use this collar in a manner inconsistent with its labeling.

Place Protection™ 150 collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn loosely so that two fingers can be placed between collar and cat's neck. If collar is worn too tightly, it may produce neck irritation. Activity against fleas starts within 24 hours, reaches maximum effectiveness in 3-4 days and continues as long as the collar is worn (up to 150 days). Ticks are relatively harder to kill and die more slowly. Activity against ticks will occur within a few days and will continue killing and controlling ticks for up to 120 days. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled by the action of the collar. Replace collar when effectiveness diminishes. Collar is not affected by normal wetting such as rainfall; however, it is suggested the collar be removed before bathing.

DISPOSAL

Do not reuse empty pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap in newspaper and place in trash collection.

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France

FOIL POUCH/CARTON PACKAGE

POUCH LABEL

PROTECTION™ 150 Flea and Tick Collar for Cats

Do not open until ready to use

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

**SEE BACK PANEL OF OUTER CARTON FOR
ADDITIONAL PRECAUTIONARY STATEMENTS**

ACTIVE INGREDIENT:

Diazinon [O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	15.0 %
INERT INGREDIENTS	85.0 %
TOTAL	100.0%

EPA Reg. No. 54022-

EPA Est. 15577-FR-1

Manufactured for Virbac, Inc.
Fort Worth, Texas 76118
Made in France