

54282-14
PM 15
1/1

SPECIMEN LABEL

Read to Federal and State Government Only

WARNING: In a violation of Federal law to use this product in a manner inconsistent with the labeling. To be used by licensed pest control operators only. Use only in areas where authorized closed areas of 20,000 cubic feet per one hour, or 2,000 cubic feet, or one 500 sq. ft. per one 5,000 cubic feet. During fogging and in release containers, wear a pesticide respirator (formerly approved by the Mining, Reclamation and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Open containers and doors to areas to be treated. Shut off air conditioning and fans before using.

All occupants must be removed from homes or buildings before treatment is started and should not re-occupy buildings for at least 2 hours. Open doors and windows and allow to be ventilated before reoccupying. Swept-up or unopened foods should be removed or placed in refrigerator during fogging. Food handling equipment, dishes, should be washed after application. Do not consume water, food or food stuffs. Remove all pets. Cover fish tanks, or remove. Cover house plants within 2 feet of point of release with temporary or permanent covering of tender plants.

Seal up on table in center of area to be treated, on-table point of exit. Release. Place newspaper under tabular. Use one or more a. where in combination of 8 and 12 insect sites to give the best distribution of vapors where free flow of air is not desired.

Shut both-up doors over lip of container. Leave building or area. The active vapors will release automatically.

WARNING: DANGER TO HUMANS AND DOMESTIC ANIMALS: Clean the face, hands, and clothing if contacted, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Wear several rubber gloves, protective clothing and gasmask when handling. Use a mask or respirator (formerly approved by the Mining, Reclamation and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11).

Only use in approved areas. Do not use in areas of animals, wash immediately with soap and water. Wash face, arms and feet thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and hot water before reuse. Containers are under pressure. High temperatures may build containers. Do not expose to direct sunlight, rain, or other sources of heat.

WARNING TO PETS: Remove all pets from treatment area, protection must be observed after handling. (See articles and warnings) Store in a safe place. Children and animals must be able to reach or handle. Care should be used in handling empty containers. Do not consume food, water or foodstuffs. Do not use flame except pilot light.

NET WT. 6 OUNCES
(170 GRAMS)



**KILLS EXPOSED STAGES OF ROACHES, TICKS,
FLEAS, FLIES AND SILVERFISH IN HOMES
AND BUILDINGS
KEEP OUT OF REACH OF CHILDREN**



See antidote statement and other cautions on side panel.

ACTIVE INGREDIENTS:	
2,2 dichlorovinyl dimethyl phosphate	6.5%
related compounds	0.5%
petroleum distillates	4.0%
inert ingredients	89.0%

WARNING AND FIRST AID TREATMENT

STATEMENT OF PRACTICAL TREATMENT: CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. The following treatment should be employed before the physician arrives. If swallowed - give victim one or two glasses of water and induce vomiting by inserting finger in back of throat. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If inhaled - remove victim to fresh air. Apply artificial respiration if indicated. If on skin - remove contaminated clothing and wash affected areas with soap and water. If in eyes - flush eyes for at least 15 minutes with water. If victim has stopped breathing, apply artificial respiration. If victim's heart has stopped beating, apply cardiac resuscitation.

DANGERS TO HUMANS

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Acetylene is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 30-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Atropine is contraindicated. Clear throat by postural drainage. Urinary output continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow an further exposure until time of cholinesterase regeneration has been allowed as determined by blood test.

PHYSICAL OR CHEMICAL HAZARDS, DANGER: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 150°F may cause bursting. Never throw container into fire or incinerator.

DISPOSAL AND DISPOSAL: Do not store near heat or open flame. Do not store near food or feed. Wash container if empty. Do not reuse; wrap in newspaper and set in trash collection.

EPA EST. # 11715-TN-1

E.P.A. REGISTRATION NO. 54282-14
TECHNICAL PRODUCTS CORPORATION
PORTSMOUTH, VA 23704

BEST AVAILABLE COPY

ACCEPTED
JUL 8 1987
Under Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 54282-14

77-277