

10/2

PM 15
54282-14
345/202554
17/5

DEC 22 1987

Mr. Leon P. Knight
Technical Products Corporation
1501 London Boulevard
Portsmouth, VA 23704

Dear Mr. Knight:

Subject: Amendment - Toxic Inert Warning, Flammability Warning, and
Change of Instructions for Use Statement
V Clean-Out
EPA Registration No. 54282-14
Your Application Dated July 8, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

There is no objection to the amendment to the above-mentioned product. However, DDVP Technical Grade Organophosphorus Insecticide (EPA Registration No. 5481-96) is only 93% DDVP and 7% related compounds, which makes the statements in your Confidential Statement of Form 1a (CSF) inaccurate, and lower than your label claim. Please submit an updated and revised CSF which takes into account the correct percentages of active and related compounds in your manufacturing concentrate.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

10167:I:Stevenson:LR-14:KENCO:12/15/87:12/24/87:EK:VO:dq;aw

CONCURRENCES

SYMBOL	ORIGINATOR						
SURNAME							
DATE							

BEST AVAILABLE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Sold to Professional Pest Control Operators Only

DIRECTIONS: To be used by licensed pest control operators. Use one 12 oz. can for each unobstructed closed area 1,000 cubic feet but not less than 7,000 cubic feet, or 1/2 can for each 3,000 cubic feet.

During fumigation and to release contents, wear a pesticide respirator (totally approved by the Pesticide Information and Safety Administration through the U.S. Bureau of Health and the National Institute for Occupational Safety and Health under the provisions of 29 CFR Part 11). Operate canisters and hoses to areas to be treated. Shut off air conditioning and fans before using.

All occupants must be removed from houses or building before treatment is started and should not reoccupy building for at least 2 hours. Open doors and windows and allow to be ventilated before reoccupying. Unwrapped or unpackaged foods should be removed or placed in refrigerator during fumigation. Food handling equipment, dishes, should be washed after application. Do not consume water, food or food-stuffs. Remove all pets. Cover fish tanks, or remove. Cover house plants within 2 feet of point of release with newspaper to prevent possible burning of tender plants.

Place canister on table in center of area to be treated, or near point of greatest infestation. Place newspapers under canister. Use one or more canisters in combination of 8 and 12 ounce sizes to give the best distribution of vapors where area size of mist is not assured.

Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start spraying action. Set canister in upright position on table, etc. and leave fumigation in place.

PRECAUTIONS: Avoid contact with skin and clothing. Avoid contact with eyes. Do not breathe fumes. Wear correct rubber gloves, protective clothing and goggles when handling. Wash hands and face thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and hot water before reuse. Avoid contact with children, pets, birds, etc. or other sources of food.

PRECAUTIONS TO OBSERVE: Observe the following directions, restrictions and to observe this fumigation. This fumigation and fumigation should be in a safe place. Children and animals must not be able to reach or handle. Care should be used in handling empty canisters. Do not consume food, drink or beverages. Do not use all flames except pilot lights.

**NET WT. 6 OUNCES
(170 GRAMS)**



Clean-Out

**AEROSOL
INSECTICIDE**

**KILLS EXPOSED STAGES OF ROACHES,
TICKS, FLEAS, FLIES AND SILVERFISH
IN HOMES AND BUILDINGS**

ACTIVE INGREDIENTS	
1,1-dichloro-2,2-bis(4-chlorophenyl) ethane	6.5%
related compounds	0.5%
petroleum distillates	4.0%
inert ingredients	89.0%

This Product Contains the Toxic Inert Ingredient Methylene Chloride

DANGER:
KEEP OUT OF REACH OF CHILDREN
POISON



See antidote statement
and other cautions on side panel.

EPA Reg. No. 54282-14

Technical Products Corporation, Portsmouth, Virginia 23704

RESISTANCE AND FUMIGATION PRECAUTIONS

RESISTANCE OF PRACTICAL TREATMENT: CALL A PESTICIDE SPECIALIST FOR TREATMENT. The following treatment application system, if followed - give insecticide vapors emitting by inserting finger in back of hand in clear. Never breathe vapors or a second person. If inhaled - remove or artificial respiration if indicated. If on clothing and web affected area with soap and water for at least 15 minutes with water. If victim sufficient respiration. If victim's heart has a malfunction.

HOW TO RECONNECT

RECONNECT PRECAUTIONS: Symptoms include weakness, blurred vision, non-specific dyspeptic pain, diarrhea and abdominal cramps.

RECONNECT PRECAUTIONS: Symptoms include weakness, blurred vision, non-specific dyspeptic pain, diarrhea and abdominal cramps.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use on or heated surfaces. Turn off and unplug or turn off electrical area. After airing out phase pilot lights and reconnect all smoke in the use area. Contain puncture or incinerate container above 130°F may cause bursting may cause explosion.

STORAGE AND DISPOSAL: Do not store near heat, open flame or food. This container is heavy, and not to touch collection.

11-228

DEC 2 1987

EPA EST. # 11

34282-14