

MAR 31 1989

BEST AVAILABLE COPY

247,684

17

Faint, mostly illegible text from the main body of the document.

... of handling or storage of containers, equipment, or materials before application in such a way as to avoid contact surfaces and equipment with cleaning compound followed by application.

... Replace "in the field" with "in the laboratory" and "should be covered" with "should be sealed" to prevent contamination of the material.

4. Add "If inhaled: remove to fresh air and state of practical treatment."

CONCURRENCES

SYMBOL	MS 787C					
SURNAME	M. J. Anderson					
DATE	3/15/89					

5-10-5

THE UNITED STATES OF AMERICA
DEPARTMENT OF THE ARMY
HEADQUARTERS, ARMY DISTRICT OF THE ARCTIC

1. *[Faint handwritten text]*

2. *[Faint handwritten text]*

BEST AVAILABLE COPY

CONCURRENCES

SYMBOL	IS 767								
SURNAME	Mandibala								

SPECIMEN LABEL

NET WT. 5 OZS.
(142 GRAMS)



Clear-Out

INSECTICIDE

KILLS EXPOSED: FLIES, MOSQUITOES, WASPS,
GNATS, SMALL FLYING MOTHS, ANTS,
ROACHES, SILVERFISH, CRICKETS, FLEAS

ACTIVE INGREDIENTS:

- Pyrethrins 0.5%
- Piperonyl butoxide*, technical 4.0%
- Petroleum distillates 10.5%

INERT INGREDIENTS 85.0%

*Equivalent to 3.2% (butylcarbitol) (6-propylpiperonyl) ether and 0.8% of other related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Cautions

TECHNICAL PRODUCTS CORPORATION
PORTSMOUTH, VIRGINIA 23704

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

Use in homes, motels, hotels, food plants, canneries, bakeries, dairies, milking parlors, restaurants, cafeterias, diners, grocery stores, schools, hospitals, institutions, warehouses, kennels, Empty truck and railroad cars

Kills exposed roaches, flies, gnats, confused flour beetles, red flour beetles, sawtooth grain beetles, spider beetles, agoutis grain moth, mediterranean flour moth, meal worms, cigarette beetles, drugstore beetles, cheese skippers, cheese mites, granary weevils, rice weevils, fleas, silverfish, crickets, wasps, mosquitoes, spiders and small flying moths

HOW TO USE: Clean out any debris, shut off air conditioners and fans, prior to treatment. Place can upright on floor in center of area to be treated. For home use, place on a table or stand for best results. A newspaper should be placed under the container to prevent marring surfaces. Snap lock-open nozzle over lip of container. When discharge of insecticide starts, close areas as tightly as possible and leave closed for at least 30 minutes. Repeat treatment as necessary. The entire contents of this can are sufficient to treat a space of 5000 cubic feet of unobstructed space. Do not remain in treated areas and ventilate the area after treatment is completed. Sweep up and destroy fallen insects.

FLEAS: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, molding, window and door frames and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENT HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or sprays. Avoid contact with skin and eye. Contact: immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.
Do not apply directly to food. In commercial food handling facilities, cover or remove all food and food products during application. Do not apply while food processing is underway. Floors and walls in commercial kitchens and prep areas must be washed with an effective cleaning compound followed by a potable water rinse after spraying. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.
Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING:** Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF SWALLOWED:** Call a physician or Poison Control Center for treatment and do not induce vomiting because of aspiration hazard.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Explosive when heated above 130°F. May react with strong oxidizers.

EPA Reg. No. 54282-43

EPA Est. 11715-TN-1

