

# OUTDOOR & HORTICULTURAL CONCENTRATE EM 30

CONTAINS NATURAL PYRETHRUM

KILLS MOTH CATERPILLARS AND JAPANESE BEETLES

DILUTE WITH WATER FOR USE ON VEGETABLE AND ORNAMENTAL PLANTS  
AND SHADE TREES

CONTROLS LISTED CRAWLING AND FLYING INSECTS ON PORCHES AND  
PATIOS IN AND AROUND GARAGES AND AROUND THE YARD

QUICK ACTING - LEAVES NO HARMFUL RESIDUES

ACCEPTABLE FOR USE TO DAY OF HARVEST ON EDBLE PLANTS

ACTIVE INGREDIENT  
Pyrethrin  
Insecticidal Concentrate  
NET WEIGHT 1.0 LBS

NET WEIGHT 1.0 LBS (453.59 grams)  
NET VOLUME 1.0 LBS (453.59 grams)

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See side panel for additional precautions

EPA Reg. No. 9591-PPU, EPA Est. No. 9591-0112

NATIONWIDE CHEMICAL PRODUCTS, INC.  
P. O. BOX 13027  
HAMILTON, OHIO 45013

NET WEIGHT  
1.0 LBS  
EPA Letter D-21

NET CONTENTS NOV 30 1988

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
and under EPA Reg. No.

9591-144

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use outdoors and in greenhouses throughout the growing season or as a pre harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control listed insects combine 1.0 fluid ounces of this product per 1 gallon of water. Apply to insure thorough coverage of upper and lower surfaces.

### VEGETABLES

**CROPS:** Asparagus, beans, broccoli, brussels sprouts, cabbage, cauliflower, celery, eggplants, cranberries, cucumbers, eggplants, kale, lettuce, melons, mustard greens, peppers, potatoes, radishes, spinach, squash, sweet corn, tomatoes, and turnips.

**INSECTS CONTROLLED:** Aphids, asparagus beetles, blister beetles, cabbage loopers, Colorado potato beetle, cross striped cabbage worms, diamondback caterpillars, flea beetles, leafhoppers, Mexican bean beetles, stink bugs, 12 spotted cucumber beetles, webworms and whiteflies.

### ORNAMENTALS, TREES, SHRUBS AND ROSES

Apply as a fine mist, spraying plants on the upper and lower leaf surfaces.

**INSECTS CONTROLLED:** Aphids (red, black and green peach), bagworms, thrips, flea beetles, Japanese beetles, lace bugs, leaf hoppers, leaf rollers, leafhoppers, mimosa webworm larvae, plant bugs and whiteflies. Repeat treatment weekly or as needed to control infestations.

To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and forest tent caterpillars on Luntan.

**ON TREES AND SHRUBS:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**ON TREES AND FLOWERS:** Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

### YARDS, PORCHES, PATIOS AND GARAGES

Treat the surfaces directly with the insects where ever possible.

Ants: Spray the nests and points of entry. Spray on ants where possible. Repeat if necessary.

Wasps & Hornets: Apply at the nest when insects are at rest; spray liberally into flying and breeding places containing as many insects as possible. Repeat if necessary.

Spiders: Spray directly on spiders and webs. Repeat if necessary.

**ANALYSE TO TREAT SEVERE INFESTATIONS:** Clean up of severe insect infestations, dilute at a rate of 1 part concentrate in 14 parts water (8.5 fluid ounces per gallon). For normal infestations dilute 1 part concentrate in 28 parts water (4.3 ounces per gallon).

To kill cockroaches, palm weevils, earwigs, sawbugs, centipedes, millipedes, crickets, silverfish and clovermites, spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas and sheds. Spray directly on insects where possible. Repeat treatment if necessary.

To kill mosquitoes, gnats, midges, house flies, biting flies, and small flying moths (millers), apply spray to shrubs, bushes, and glassy areas. Spray these areas with a slow sweep of the nozzle, moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results, spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat if necessary.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Remove pets from areas being treated.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water, food or feed by storage or disposal.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour or spill near heat or open flame.

#### STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF INHALED: Remove victim to fresh air. Apply artificial Respiration if indicated.
- IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

#### STORAGE AND DISPOSAL

Store in original container in a cool, dry place inaccessible to children and pets. Containers 1 gallon & less: Do not reuse container. Wrap container in several layers of newspaper and discard in trash. Pails & Drums: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

Mr. Harvey T. Belcher, Jr.  
Technical Director  
Technical Products Corporation  
1501 London Blvd.  
Portsmouth, VA 23704

Dear Mr. Belcher:

Subject: Labeling Amendment Submitted with Application Dated  
6/17/88  
EPA Registration No. 54282-47

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following comments.


1. Add the statement "In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation." to the Hazards to Humans and Domestic Animals section.

2. Replace the statement "After space spraying ... with potable water." with the statement "After space spraying, food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse."

3. Add the phrase "remove food," after the phrase "In the home."

A stamped copy of the draft label is enclosed for your records. Submit five (5) copies of the final printed labeling.

Sincerely,



Phil Hutton  
Product Manager (17)  
Insecticide Rodenticide Branch  
Registration Division (TS-767C)

CONCURRENCES

CONCURRENCES							
SYMBOL	TS-767C						
SURNAME	Mandelbaum						
DATE	10/14/88						