CONTROLS MOTHS, ROACHES, CARPET BEETLES, SILVERFISH, BEDBUGS, SPIDERS, CRICKETS, WASPS and most other insects that can damage clothing and other fabrics.

# READ ENTIRE LABEL BEFORE USE

### **DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE USING. Remove protective cap. Hold container upright and aim opening away from people. Push button down to spray Keep nozzle at least 36 i...ches from surfaces or fahrics to avoid possible staining. Remove pets, birds and cover fish aquariums before spraying.

# **MOTH PROOFING**

CLOTHING AND BLANKETS should be dry cleaned or washed before treating. Hold the container 14 18 inches from Jabric and apply spray while moving evenly in a forward and back motion across the fabric while covering one fool per second. Spray fabric surface until it is shightly moist or damp to the louch. When possible treat both sides of labric, For maximum protection place treated labrics after drying in plastic or paper bags. CARPETS, RUGS AND DRAPERIES should be cleaned by thoroughly brushing before treating Treat as in directions for Clothing and Blankets, SPECIAL NOTES. Prior to use, be sure to test for staining on delicate or expensive fabrics by applying to inconspicuous area. CLOSETS: Also freat cracks and crevices of closets. chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of two seconds per linear foot. When applied as directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make applications outdoors, if application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete

# **INDOORS - FOR FLYING INSECTS**

Files, Mosquitoes, Gnats, Waspa and Flying Moths: Close all doors and windows and spray room at the rate of 2 - 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep can in constant motion. Repeat treatment as necessary. Indian Meal Moths and Angound's Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored ford product containers, pallets and darkened areas. Spray 7: 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat applications weekly or as needed.

### INDOORS - FOR CRAWLING INSECTS

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sowbugs. Spray into hiding places such as cracks and crevices, behind sinks cabinets along baseboards and floors, around drains and plumbing hitting insects with spray whenever possible. Repeat treatment as necessary Exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevits, Granary Weevits and Grain Mites. Spray into cracks and crevices, processing and handling equipment around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface Keep area closed for a feet treatment. Repeat application as



# Flying and Crawling Insect Spray IV

**Cedar Scented** 

# Kills Moths

Also kills roaches, silverfish, bedbugs, carpet beetles, flies, ants, mosquitoes, spiders, wasps and many others

For Clothes & Closets - No Unpleasant Odor

• Water-based • Non-Staining

- Protects for 6 Months

### Active Ingredients:

Pyrethrins	(+ 18,20
'Piperonyl Balloxide Technical	1.90%
Inert Ingredients	98 (5%
* Equivalent to 0.8% (butylcarbity) (6 propy	Light eminyly ether and
0.2° related controlled	

Keep out of Reach of Children CAUTION

See side panel for additional precautionary statements

NET WT. 15 OZ. (425 g)

necessary Carpet Beetles: Spray directly on beetles, floors, baseboards shelves and carpets Repeat treatment as necessary. Note: Check carpet manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting. Bedbugs: Spray mattresses, particularly around tutts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Fleas: Spray sleeping quarters, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

### **OUTDOORS**

Ants: Spray trails, nests and points of entry. Spray on ants where possible Repeat as necessary. For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hat by spray, as well as aphids, exposed thinps and spider mites. May be used on plants, as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. When treating plants, do not spray closer than 18 inches. Use sweeping motion. Spray in one-second bursts. Do not well foliage or biossoms.

# STORAGE AND DISPOSAL

Store in cool, dry area away from heat or open flame. Discard container in trash. Do not incinerate or puncture container.

# PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feet and foodstuffs. Do not spray closer than 18 inches from plants. Do not use near fishbows or aquariums.

# STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Cak a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin. Wash contaminated Jothing and wash affected areas with plenty of soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if introduce persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

### **Environmental Hazards**

This pesticide is toxic to fish. Do not apply directly to water

### PHYSICAL OR CHEMICAL HAZARDS

Concerts under pressure. Do not use or store near field cr open flame. Not puncture or incinerate container. Exposure to temperatures above 13. Finally cause bursting.

NOTICE. Buyer assumes all responsibility for safety and use in the accountries with directions.

Manufactured in the USA by Chemsico, Division of United Industries (1) g., P.O. Box 15842, St. Louis, MO, 63114

EPA Reg. No. 9688 52 EPA Est. No. 9688 MO 1 Form. A2 REG. @ 1993 hieri ngkebieni

Total

100.000*%* 

\*MGK 264, Insecticide Synergist \*MGK Repellent 326

Keep Out of Reach of Children
WARNING

See back panel for additional precautionary statements.

NET CONTENTS: OZ.

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# Read all Directions and Precautionary Statements Before Using This Product

Use just enough repellent to cover exposed skin. Avoid overexposure. Do not use under clothing. Do not apply to eyes and mouth and do not apply to the hands of young children. Repeat as needed. Frequent reapplication and saturation is unnecessary for effectiveness. After returning indoors, wash treated skin with soap and water.

Avoid contact with plastics, such as eyeglass frames and fabrics, such as acetate and rayon.

STORAGE: Store in a cool, dry area away from heat or open flame. DISPOSAL: Do not reuse empty container. Wrap container and pw. in trash collection.

# PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Due to irritating nature, may be harmful if swallowed. Instruct older children in the proper use of this product. Do not apply on lips or get into eyes. Do not apply over cuts, wounds or irritated skin.

# Statement of Practical Treatment

In case of contact with eyes, flush with water. Get medical attention if irritation persists. Use of this product may cause skin reactions in rare cases. If you suspect that you or your child is reacting to this product, wash treated skin and call your physician or local poison control center. If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Contact a physician.

EPA Reg. No. 54287-8

EPA Est. 54287-FL-1

ASSOCIATED REGISTRATIONS
P.O. Box 188
Safety Harbor, FL 34695