

# Point-Guard™

READY-TO-USE MITICIDE/INSECTICIDE FOR THE CONTROL OF MANGE MITES AND LICE ON SWINE

DO NOT USE ON HORSES. MAY CAUSE COLON IMPACTION.

ACTIVE INGREDIENT	BY WEIGHT
Amitraz: N'-(2,4-dimethylphenyl)-N- [[ (2,4-dimethylphenyl) imino]methyl]- N-methylmethanimidamide.....	2%*
INERT INGREDIENTS.....	98%
TOTAL	100%

\* Protected by U.S. Patent No. 3,781,355 and 3,864,497

\*\* Equivalent to 0.15 lbs. of active ingredient per gallon

EPA Reg. No. 54382-6

EPA Est. No. 407-MN-1

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

KEEP OUT OF REACH OF CHILDREN

## CAUTION - PRECAUCION

### STATEMENT OF PRACTICAL TREATMENT


IF IN EYES: FLUSH WITH PLENTY OF WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

IF INHALED: REMOVE VICTIM TO FRESH AIR OR NON-CONTAMINATED AREA.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION

HOECHST-ROUSSEL AGRI-VET COMPANY  
Route 202-206, P. O. Box 2500  
Somerville, NJ 08876-1258

Net Contents:  
3000 ML (101.4 fl.oz.)



**PRECAUTIONARY STATEMENTS**

**HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if inhaled. Avoid breathing spray vapor or mist. Causes slight eye injury. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, smoking or urinating.

**ENVIRONMENTAL HAZARDS:** Amitraz is toxic to fish. Do not contaminate water when disposing of equipment washwaters.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container and keep closed. Store in a cool, dry place.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**EMERGENCY PHONE NUMBERS:**

**For Human, Fire, Spills, Environmental:**

1-800-228-5635, ext. 132

**For Animals: 1-800-345-4735, ext. 104**

**IMPORTANT:**

Read the entire Directions for Use and Disclaimer before using this product.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**DO NOT USE ON HORSES - CAN CAUSE DEATHS.**

**GENERAL INFORMATION:** Point-Guard Miticide/Insecticide is an insecticide to be applied at a specified dose in each ear and along the dorsal midline from between the ears to the rump of hogs to control lice and mange mites. Point-Guard Miticide/Insecticide is supplied ready-to-use and is intended to be carried as a back-pack. Do not add water or any other liquid. Note that the applicator gun is calibrated in milliliters (ml; 1 fl oz = 29.6 ml).

Do not use Point-Guard Miticide/Insecticide at the same time with any other amitraz containing product.

#### DOSAGE RECOMMENDATIONS:

Animal Type	Total Dose	Dorsal Midline	Ears
Piglets/Weaners (20-44 lb)	5 ml	---	2.5 ml/ear
Growers (45-89 lb)	10 ml	5 ml (1x5 ml)	2.5 ml/ear
Finishers (90-134 lb)	20 ml	10 ml (2x5 ml)	5 ml/ear
Finishers (135-199 lb)	30 ml	20 ml (1x20 ml)	5 ml/ear
Gilt or small sow (200-399 lb)	50 ml	40 ml (2x20 ml)	5 ml/ear
Sow or boar (400-600 lb)	70 ml	60 ml (3x20 ml)	5 ml/ear
Large sow or boar (over 600 lb)	70 ml or more as necessary*	60 ml (3x20 ml)	5 ml/ear

\*apply additional 5 ml doses to any localized lesions outside the treated (ear or dorsal midline) area, up to a maximum total dose of 135 ml.

#### Administration

Using the Point-Guard Miticide/Insecticide applicator gun, apply the dorsal midline dose evenly from between the ears to the rump and a 2.5 or 5 ml dose to the inside of EACH ear.

There is no need to remove wax or scabs before treatment.

Under some circumstances, animals treated outdoors or in very dusty conditions may show some accumulation of dirt or dust on the body, but this will not persist and may be washed off if desired.

Do not treat within 7 days of slaughter (7-day PSI).

**Recommended Control Program**

Because mange and lice are widespread, they must first be eliminated from a herd. Re-infestation is then prevented by a routine program of treatment.

The Point-Guard Miticide/Insecticide program consists of two corresponding phases:

Phase 1: Control Program

Mange: Apply the recommended dose on all animals in the herd; retreat all animals 7-10 days later.

Lice: Apply the recommended dose on all animals in the herd; retreat all animals 10-14 days later.

Phase 2: Maintenance Program

Gilts and sows: Treat immediately before farrowing, to ensure maximum protection of the newborn piglets.

Boars: Treat every 3 months.

New additions to the herd: Treat and isolate until after the second application before mixing with any other members of the herd.

Piglets: Treat at weaning.

Repeat Phase 2 routinely as recommended above to maintain the herd free of infestation.

Contra-indications: None

**Further Information:**

Point-Guard Miticide/Insecticide can be used simultaneously with any anthelmintic or other medication.

Point-Guard Miticide/Insecticide can be used on pigs of all ages, including breeding pigs at all stages of pregnancy and suckling piglets.

The Point-Guard Miticide/Insecticide applicator gun has been specially designed and constructed to give continued, accurate dosing with this product. There can be no guarantee that guns of outwardly similar appearance will perform satisfactorily.

**IMPORTANT NOTICE: DISCLAIMER**

Read "IMPORTANT NOTICE: DISCLAIMER" before buying or using. If terms are not acceptable, return at once unopened. HOECHST-ROUSSEL AGRI-VET COMPANY warrants only that the product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with the directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to HOECHST-ROUSSEL AGRI-VET COMPANY, and user assumes the risk of any such use. HOECHST-ROUSSEL AGRI-VET COMPANY MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OF MERCHANTABILITY. In no case shall HOECHST-ROUSSEL AGRI-VET COMPANY be liable for consequential, special, indirect or incidental damages resulting from the use or handling of this product. The foregoing conditions of sale and warranty can be varied only by an agreement in writing signed by a duly authorized representative of HOECHST-ROUSSEL AGRI-VET COMPANY.

H o e c h s t    □

R o u s s e l   U c l a f    ▲

The name and logo Hoechst are registered trademarks of Hoechst AG.

The name and logo ROUSSEL are registered trademarks of Roussel Uclaf SA

Point-Guard is a trademark of Hoechst Veterinaer GmbH.

© 1995 HRAVC

March 2, 1995

