

pm 21

54401-2

File 1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAR 7 1994

LINDA C. WATSON
LYKES AGRI SALES INC.
BOX 1758
DADE CITY, FL. 33526

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 8/10/93 Response to PR Notice 93-7
EPA Reg. No. 54401-2
SUNGRO COMBO SULFUR DUSTING & SPRAYING

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

387

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division

Linda C Watson
LYKES AGRI SALES INC
BOX 1758
DADE CITY FL 33526

Comment for: EPA Reg Nr.54401-2
SUNGRO COMBO SULFUR DUSTING & SPRAYING

The following specific comments pertain to your WPS
labeling submission concerning the product
cited above:

Add the following User Safety Recommendation to the label
in the location shown in Section A on Part 1 of the Product
Worksheet in Supplement Three-A to PR Notice 93-7: "Remove
clothing immediately if pesticide gets inside. Then wash
thoroughly and put on clean clothing."

487

ACCEPTED
with COMMENTS
in EPA Letter Dated
MAR 7 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
54401-2

SUNGRO COMBO SULFUR
DUSTING & SPRAYING

ACTIVE INGREDIENTS:	
Sulfur.....	90.0%
INERT INGREDIENTS:.....	10.0%
TOTAL:.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with water for at least 15 minutes and get medical attention.

See side panel for additional precautionary statements.

EPA Reg. No. 54401-2

EPA Est. No. 54401-FL-002

Manufactured By

LYKES AGRI SALES, INC.
P. O. Box 1685
Eaton Park, Florida 33840
NET CONTENTS: 50 LBS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust. Avoid contact with eyes, skin, or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR, 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS:

Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of rinsate or equipment washwater.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks, and flame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any

requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, waterproof gloves and shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

OBSERVE THE FOLLOWING USE PRECAUTIONS

Sulfur may cause severe fruit and foliage injury to certain crops. Use only if local use has proved that sulfur does not damage crops in your area. Sulfur may burn foliage when temperature is high. Do not apply if temperature during, or within 3 days after application is expected to exceed 90 F.

Do not use within 2 weeks of an oil spray treatment or on citrus within 60 days. When growing crops for processing, consult the processor before applying sulfur.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

APPLES, PEARS: Scab, Powdery Mildew:

As a dust: Apply 30 to 40 lbs. per acre.

As a spray: Use 6 to 8 lbs. per 100 gals. Reduce sulfur to 2 lbs. if hot weather threatens. Make first application in Green Tip State. Repeat application in Pink Bud Stage.

CITRUS: Rust Mites:

As a dust: Apply 80 lbs. per acre.

As a spray: Use 80 lbs. per acre in sufficient water to cover. Begin application at first sign of damage and repeat as necessary. Rust Mites should be controlled at all times of the year to prevent russetting of fruit and greasy spot of leaves.

PEACH: Brown rot blossom blight, Fruit brown rot, Scab:

As a dust: Apply 30 to 40 lbs. per acre.

As a spray: Use 6 to 8 lbs. per 100 gallons in Pink, cover and preharvest sprays.

BEANS, PEAS: Powdery Mildew, Rust:

As a dust: Apply 6 to 8 lbs. per acre.

As a spray: Use 6 to 8 lbs. per acre in sufficient water to cover. Start application as soon as the first true leaves form. Repeat every 8 to 14 days as necessary.

IMPORTANT: Use higher dosage rates during periods of heavy rainfall or rapid growth. Keep new growth covered with light uniform coating.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.