

PM 21

54401-2

1/4

SUNGRO COMBO SULFUR

Dusting and Spraying

ACTIVE INGREDIENT:

Sulfur.....90.0%

INERT INGREDIENTS:.....10.0%

TOTAL:.....100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If in eyes: Flush with water for at least 15 minutes and get medical attention:

If swallowed: Give one or two glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

EPA Reg. No. 54401-2

EPA EST. No. 54401-FL-002


Manufactured By

LYKES AGRI SALES, INC.

P. O. Box 1758

Dade City, FL 33526-1758

NET CONTENTS: 50 LBS.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through skin. May cause irritation of nose, throat, or skin. Causes moderate eye irritation. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not contaminate feed or foodstuffs.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of rinsate or equipment washwater.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks, and flame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter into treated area until at least 24 hours after the completion of application to the area unless wearing the protective clothing listed below. During early reentry into treated areas (less than 24 hours after the completion of application) to perform hand labor tasks, wear long pants (or coveralls), long sleeved shirt, shoes, socks, chemical/water resistant gloves, goggles or face shield. Pesticide Handlers: During mixing, loading and application of this product, wear long pants (or coveralls), long sleeved shirt, shoes, socks, chemical/water resistant gloves, and goggles or face shield.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warning must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. (Indicate specific oral warnings which inform workers of areas or fields that may not be entered without specific protective clothing. period of time field must be vacated and appropriate actions to take in case of accidental exposure.) When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written warnings must include the following information: CAUTION: Area treated with SUNGRO COMBO SULFUR on (date of application). Do not enter without appropriate protective clothing for 24 hours. In case of accidental exposure, see the Statement of Practical Treatment on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

OBSERVE THE FOLLOWING USE PRECAUTIONS

Sulfur may cause severe fruit and foliage injury to certain crops. Use only if local use has proved that sulfur does not damage crops in your area. Sulfur may burn foliage when temperature is high. Do not apply if temperature during, or within 3 days after application is expected to exceed 90°F.

Do not use within 2 weeks of an oil spray treatment or on citrus within 60 days. When growing crops for processing consult the processor before applying sulfur.

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

APPLES, PEARS: Scab, Powdery Mildew:

As a dust: Apply 30 to 40 lbs. per acre.

As a spray: Use 6 to 8 lbs. per 100 gals. Reduce Sulfur to 2 lbs. if hot weather threatens. Make first application in Green Tip Stage. Repeat application in Pink Bud Stage.

CITRUS: Rust Mites:

As a dust: Apply 80 lbs. per acre.

As a spray: Use 80 lbs. per acre in sufficient water to cover. Begin application at first sign of damage and repeat as necessary. Rust Mites should be controlled at all times of the year to prevent russetting of fruit and greasy spot of leaves.

PEACH: Brown rot blossom blight, Fruit brown rot, Scab:

As a dust: Apply 30 to 40 lbs. per acre.

As a spray: Use 6 to 8 lbs. per 100 gallons in Pink, cover and preharvest sprays.

BEANS, PEAS: Powdery Mildew, Rust:

As a dust: Apply 6 to 8 lbs. per acre.

As a spray: Use 6 to 8 lbs. per acre in sufficient water to cover. Start application as soon as the first true leaves form. Repeat every 8 to 14 days as necessary.