• .	FRONT	LABEL FORMAT C	
			ACCEPTE
			OCT 1 1 1989
455 A			Contraction and a second of the th
			La Rey 15 54452
N	IAGNET	C ROACH FOO	י סי
171	177 <b>C</b> 114 <b>F</b> 1-1	01101101100	
	M.R.F. 20	000 - PASTE FORMULA®	
		KEEP OUT OF REACH OF	CHILDBEN
l G	AUTION	See side or back panel for addition	
	STATEMENT	OF PRACTICAL TREATME	
Immediate		Poison Control Center if swallowed. If ey	
		f water. Get medical attention if irritation	
<b></b>			·
		BE SOLD IN CONTAINERS GRE LY INSPECTED NEAT AND POUL	
	Manufactured by=	BLUE DIAMOND MANUFACTURI	NG CO.
		ROUTE #2 ROGERSVILLE, TENNEESSEE	
		PHONE: 1-800-237-5705	37857
	Contact Person	1-615-345-2317 BILLY J. OR SUSIE STAPLE	TON
		ROUTE #2 BOX 1322	7057
		ROGERSVILLE, TENNESSEE 37 PHONE: 1-615-345-2317	/65/
		1-800-237-5705	
	Itration No. 54452-2	EPA Est. H.	J. 54452-TN-001
EPA Regis		t BORIC ACID 33.3%	h
EPA Regis	Inert Ingredients	:	6
EPA Regis	Inert Ingredients TOTAL	:	6
EPA Regis	Inert Ingredients TOTAL	:	6
EPA Regis	Inert Ingredients TOTAL	:	6
EPA Regis	Inert Ingredients TOTAL	:	6 · · · · · · · · · · · · · · · · · · ·

(

• (

## LABEL FORMAT C

44

FRONT, BACK OR SIDE PANEL

# PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. May cause eye irritation. AVOID eve contact. Wash thoroughly after handling.

### DIRECTIONS FOR USE

STIR WELL BEFORE USE.

It is a violation of Federal law to use this product in a manner inconsistant with its labeling.

For cockroach control: Use a small putty knife to apply the paste liberally under and behind refrigerators, stove, sink, dishwasher, washing machines and dryer, tubs; into openings around drains, severs, manholes , water pipes and electrical conduits; in cracks and crevices along baseboards and in formers of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year. Any paste visible after application must be scrapped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

<u>Pirections for Applying in New Construction to Control Cock-</u> roaches.

When treating large areas, such as wall voids, seffit and subcabinet voids in new and existing construction, apply the paste liberally.

### LABEL FORMAT C

### FRONT, BACK OR SIDE PANEL (CONTINUED)

This product may be used in homes, restaurants, and other food and feed handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes. garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities. 1.

ŀ..

. . .

•••

•••

. . . .

### CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS Places other than private residents in which exposed food or feed is held, processed, prepared or served.

### FOOD AREA-APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, diaries, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticde directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing preparation and derving surfaces or introducing the material into food and or feed processing surfaces, to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOL AND FEED AREAS OF FOOD HANDLING ESTABLISH ENTS, OTHER THAN AS A CRACK AND CREVICE TREAT-MENT, ARE NOT PERMITTED.

SERVING AREAS- Facilities where prepared roods are served, such as dining rooms, but excluding areas where foods may be prepared or held

#### LABEL FORMAT C

4/.1

cc.c.t.t

### FRONT, BACK OR SIDE PANEL ( CONTINUED )

APPLY AS A SPOT TREATMENT TO SELECTIVE SURFACES SUCH AS BASE-BOARDS, UNDER ELEMENTS OF CONSTRUCTION INTO CRACKS AND CREVICES. AVOID TREATING SURFACES LIKELY TO BE CONTACTED BY FOOD. ( DO NOT APPLY WHEN FACILITY IS IN OPERATION OR FOODS ARE EXPOSED.)

<u>NON FOOD AREAS- INCLUDE GARBAGE ROCHS, LAVATORIES, FLOOR DRAINS</u> ( TO SEWER ENTRIES AND VESTIBULES ). OFFICES, LOCKER ROOMS, HACHINE ROOMS, BOILER ROOMS, GARAGES, MOP CLOSETS AND STORAGE ( AFTER CANNING OR BOTTLING.)

APPLY TO BASEBOARD AREAS, AROUND WATER PIPES, SURFACES BEHIND AND BENEATH SINKS, LOCKERS, TABLES, PALLETS AND SIMILAR AREAS WHERE INSECTS HIDE OR THROUGH WHICH THEY MAY ENTER.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.