


19/14

Reg # 54452-2

PM-10

h.p.



Label Front Panel Carton

STAPLETONS
MAGNETIC ROACH FOOD
M. R. F. 2000
PASTE FORMULA

ACCEPTED
26 APR 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 54452-2

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL, INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

ACTIVE INGREDIENT: BORIC ACID..... 33.3%
INERT INGREDIENTS..... 66.7%
TOTAL..... 100.0%

EPA Registration No. 54452-2

EPA Est. No. 54452-TN-001

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions

Use only in areas not easily accessible to children and pets.

Do not remove syringes from carton except for immediate use.

Blue Diamond Exterminating & Mfg. Co., Inc.
Rt. 2, Box 1322
Rogersville, TN 37857
1-800-237-5705

NET CONTENT: 70 grams

Contains 2 x 35 gram syringes

29714

Label Back Panel Carton

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
See complete Directions for Use inside label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used syringes and place in a trash can.

See Disclaimer inside label.

CONTAINS TWO PRE-FILLED SYRINGES



1.

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

Contains: Boric Acid 33.3%

CAUTION! KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS GREATER THAN ONE POUND TO FEDERALLY INSPECTED
MEAT AND POULTRY PLANTS.

See additional precautionary statements and directions for use in enclosed leaflet.

EPA Reg. No. 54452-2

EPA Est. No. 54452-TN-001

BLUE DIAMOND MANUFACTURING CO., INC.

Rt. 2, Box 1322

Rogersville, TN 37857

Net Wt: 35g

4914
8

Label for Inside Unit Packaging Carton
Front Panel

STAPLETONS

MAGNETIC ROACH FOOD
M.R.F. 2000 - PASTE FORMULA

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

CAUTION! KEEP OUT OF REACH OF CHILDREN
Use only in areas not easily accessible to children and pets.
See side or back panel for additional cautions.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS, GREATER THAN ONE POUND TO FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

Manufactured by: BLUE DIAMOND EXTERMINATING & MFG. CO., INC.
Rt. 2, Box 1322, Rogersville, TN 37857
Phone: 1-800-237-5705 / 1-615-345-2317

Contact Person: Bill and Susie Stapleton
401 Arrowhead Drive, Rogersville, TN 37857
Phone: 1-615-272-3209 / 1-800-237-5705

NET CONTENT: 70 grams

EPA Registration No. 54452-2	EPA Est. No. 54452-TN-001
Active Ingredient: BORIC ACID.....	33.3%
Inert Ingredients.....	66.7%
TOTAL.....	100.0%

Label for Inside Unit Packaging Carton
Back Panel

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This syringe is designed to be used manually.

To use, simply remove tip cap and replace with application nozzle to dispense product. When not in use, replace application nozzle with tip cap.

To control cockroaches: Apply the paste liberally under and behind refrigerators, stove, sink, dishwasher, washing machines and dryer, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner, if reinfestation should occur. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

Back Panel (Continued)

FOOD AREA--APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS--Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

NON-FOOD AREAS: Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Note: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used syringes and place in a trash can.

Back Panel (Continued)


DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of Blue Diamond Manufacturing Co., Inc. All such risks shall be assumed by the user. Blue Diamond Manufacturing Co., Inc., warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

Blue Diamond Manufacturing Co., Inc., makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.

417.8



Label Front Panel Cart

STAPLETONS
MAGNETIC ROACH FOOD
M. R. F. 2000
PASTE FORMULA

ACCO
28 APR
Under the Fe
Fungicids, an
as amended,
registered un
EPA Reg. No

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL, INSTITUTIONAL, FOOD AND FEED ESTABLISHMENTS.

ACTIVE INGREDIENT: BORIC ACID..... 33.3
INERT INGREDIENTS..... 66.7
TOTAL.....100.0

EPA Registration No. 54452-2

EPA Est. No. 54452-TN-

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional

Use only in areas not easily accessible to children and pets.

Do not remove syringes from carton except for immediate use.

Blue-Diamond Exterminating & Mfg. Co., Inc.
Rt. 2, Box 1322
Rogersville, TN 37857
1-800-237-5705

NET CONTENT: 12.50 oz.

Contains 10 x 35 gram

99.14

Label Back Panel Carton

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
See complete Directions for Use inside label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used syringes and place in a trash can.

See Disclaimer inside label.

CONTAINS TEN PRE-FILLED SYRINGES



6

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

Contains: Boric Acid 33.3%

CAUTION! KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS GREATER THAN ONE POUND TO FEDERALLY INSPECTED
MEAT AND POULTRY PLANTS.

See additional precautionary statements and directions for use in enclosed leaflet.

EPA Reg. No. 54452-2

EPA Est. No. 54452-TN-001

BLUE DIAMOND MANUFACTURING CO., INC.

Rt. 2, Box 1322

Rogersville, TN 37857

Net Wt: 35g

10

11914

Label for Inside Unit Packaging Carton
Front Panel

STAPLETONS

MAGNETIC ROACH FOOD
M.R.F. 2000 - PASTE FORMULA

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

CAUTION! KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.
See side or back panel for additional cautions.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS, GREATER THAN ONE POUND TO FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

Manufactured by: BLUE DIAMOND EXTERMINATING & MFG. CO., INC.
Rt. 2, Box 1322, Rogersville, TN 37857
Phone: 1-800-237-5705 / 1-615-345-2317

Contact Person: Bill and Susie Stapleton
401 Arrowhead Drive, Rogersville, TN 37857
Phone: 1-615-272-3209 / 1-800-237-5705

NET CONTENT: 12.50 oz.

EPA Registration No. 54452-2	EPA Est. No. 54452-TN-001
Active Ingredient: BORIC ACID.....	33.3%
Inert Ingredients.....	66.7%
TOTAL.....	100.0%

12914

Label for Inside Unit Packaging Carton
Back Panel

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This syringe is designed to be used manually.

To use, simply remove tip cap and replace with application nozzle to dispense product. When not in use, replace application nozzle with tip cap.

To control cockroaches: Apply the paste liberally under and behind refrigerators, stove, sink, dishwasher, washing machines and dryer, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner, if reinfestation should occur. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

Back Panel (Continued)

FOOD AREA--APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment, capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS--Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

NON-FOOD AREAS: Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Note: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellant. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used syringes and place in a trash can.

Back Panel (Continued)

DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors, such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of Blue Diamond Manufacturing Co., Inc. All such risks shall be assumed by the user. Blue Diamond Manufacturing Co., Inc., warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

Blue Diamond Manufacturing Co., Inc., makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.