



**STAPLETONS**  
**MAGNETIC ROACH FOOD™**  
**M. R. F. 2000 - PASTE FORMULA**

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,  
 INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS  
 Contains Boric Acid 33.3%

**CAUTION! KEEP OUT OF REACH OF CHILDREN**

Use only in areas not easily accessible to children and pets.  
 APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD  
 HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE  
 TREATMENT, ARE NOT PERMITTED

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS GREATER THAN ONE  
 POUND TO FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

See additional precautionary statements and directions for use in enclosed leaflet.


EPA Reg. No. 54452-2

EPA Est. No. 54452-TN-001

BLUE DIAMOND MANUFACTURING CO., INC.

Net Wt. 35g

Rt. 2, Box 1322  
 Rogersville, TN 37857



**ACCEPTED**  
 OCT - 4 1996  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 54452-2

**STAPLETONS**

**MAGNETIC ROACH FOOD™**  
**M.R.F. 2000 - PASTE FORMULA**

FOR USE IN AND AROUND HOMES, COMMERCIAL,  
 INDUSTRIAL, INSTITUTIONAL, FOOD AND  
 FEED HANDLING ESTABLISHMENTS

**CAUTION!**  
**KEEP OUT OF REACH OF CHILDREN**

See side or back panel for additional cautions.  
 Use only in areas not easily accessible to children and pets.

STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison  
 Control Center if swallowed. If eye contact  
 occurs, flush eyes with plenty of water. Get  
 medical attention if irritation persists.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS,  
 GREATER THAN ONE POUND TO FEDERALLY  
 INSPECTED MEAT AND POULTRY PLANTS.

Manufactured by: Blue Diamond Exterminating & Mfg. Co., Inc.  
 Rt. 2, Box 1322, Rogersville, TN 37857  
 Phone: 1-800-237-5705 / 1-615-345-2317

Contact Person: Bill and Susie Stapleton  
 401 Arrowhead Drive, Rogersville, TN 37857  
 Phone: 1-615-272-3209 / 1-800-237-5705

NET CONTENT: 12.50 OZ.

EPA Registration No. 54452-2      EPA Est. No. 54452-TN-001

ACTIVE INGREDIENT: BORIC ACID .....	33.3%
INERT INGREDIENTS .....	66.7%
TOTAL .....	100.0%

PM 10

54452-2

1/1

2/15

# PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

**Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.**

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This reservoir is designed to be used in conjunction with the bait gun designed by Specialty Products, a Division of-EFD, Inc.

To use simply attach a filled reservoir of bait to the BaitGun. Twist on the dispensing tip. Adjust the grip of the gun to fit your hand size. Aim and gently squeeze the trigger.

To control cockroaches: Apply the paste liberally under and behind refrigerators, stove, sink, dishwasher, washing machines and dryer, tubs, into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year, or sooner, if reinfestation should occur. Any paste visible after application must be scraped out of cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

**DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES:** When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

### CRACK AND CREVICE TREATMENT

**FOOD AND FEED HANDLING ESTABLISHMENTS:** Places other than private residences in which exposed food or feed is held, processed, prepared or served.

**FOOD AREA -- APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:** Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

**SERVING AREAS --** Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

**NON-FOOD AREAS:** Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Note: Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements, as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces.

Numerous smaller placements will provide faster control than few large spots, especially for German cockroach control.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a dry place. Do not store where children or animals may gain access.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


**CONTAINER DISPOSAL:** Wrap used reservoirs and place in a trash can.

### DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors, such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of Blue Diamond Manufacturing Co., Inc. All such risks shall be assumed by the user. Blue Diamond Manufacturing Co., Inc., warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages.

Blue Diamond Manufacturing Co. Inc., makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.



**STAPLETONS**  
**MAGNETIC ROACH FOOD™**  
**M.R.F. 2000**  
**ROACH PASTE FORMULA**

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,  
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS

ACTIVE INGREDIENT: BORIC ACID . . . . .	33.3%
INERT INGREDIENTS . . . . .	66.7%
TOTAL . . . . .	100.0%

EPA Registration No. 54452-2

EPA Est. No. 54452-TN-001

---

**Caution:**      **KEEP OUT OF REACH OF CHILDREN**  
                          **See back panel for additional cautions**

---

Use only in areas not easily accessible to children and pets.  
Do not remove reservoirs from carton except for immediate use.

Blue Diamond Exterminating & Mfg. Co., Inc.  
Rt. 2, Box 1322  
Rogersville, TN 37857  
1-800-237-5705

NET CONTENT: 12.50 OZ.

Contains 10 x 35g.

*5/6*

## STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

## PRECAUTIONARY STATEMENTS HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See complete Directions for Use inside label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.


**STORAGE:** Store in a dry place. Do not store where children or animals may gain access.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Wrap used reservoirs and place in a trash can.

See Disclaimer inside label.

## CONTAINS TEN PRE-FILLED RESERVOIRS



4/6

# STAPLETONS

## MAGNETIC ROACH FOOD™

M.R.F. 2000 - PASTE FORMULA

### CAUTION

KEEP OUT OF REACH OF CHILDREN  
See side or back panel for additional cautions.

### STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control Center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

**THIS PRODUCT CANNOT BE SOLD IN CONTAINERS,  
GREATER THAN ONE POUND TO FEDERALLY  
INSPECTED MEAT AND POULTRY PLANTS.**

Manufactured by: **BLUE DIAMOND EXTERMINATING & MFG. CO.**  
Rt. #2 - Box 1322, Rogersville, TN 37857  
Phone 1-800-237-5705/1-615-345-2317

Contact Person: **Bill and Susie Stapleton**  
401 Arrowhead Drive Rogersville, TN 37857  
Phone 1-615-272-3209/1-800-237-5705

NET CONTENT: 8 ozs.

EPA Registration No. 54452-2      EPA Est. No. 54452-TN-001  
Active Ingredient: BORIC ACID .....33.3%  
Inert Ingredients .....66.7%  
TOTAL.....100.0%

Patent Pending

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For containers other than the plastic tube, stir well before using.

To control cockroaches: Apply the paste liberally under and behind refrigerator, stove, sink, dishwasher, washing machines and dryer, tubs; into openings around drains, sewers, manholes, water pipe and electrical conduits, in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

### CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

FOOD AREA--APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS--facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, patios and similar areas where insects hide or through which they may enter.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.