



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

54452-6

NOV 23 1998

Term of Issuance:

Conditional

Name of Pesticide Product:

Pro-Joe-S Bait/Gel
Formula 15

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Blue Diamond Manufacturing Co.
1001 Old Highway 11W
Mooresburg, TN 37811

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 54452-6".

3. On the label for the 30 Gram Syringe Container, revise the statement "See additional precautionary...enclosed leaflet" to read "See additional precautionary....enclosed label". In addition, ensure that the label mentioned above has been placed in the carton for this product.

Signature of Approving Official:

Date:

NOV 23 1998

page 2
EPA Reg. No. 54452-6

4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Marion J. Johnson, Jr.
Product Manager 10
Insecticide Branch
Registration Division 7505c

LABEL FOR THE 30 GR. SYRINGE CONTAINER

Pro-Joes

Roach Bait/Gel Formula 15



FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS

CONTAINS BORIC ACID @ 15 %

CAUTION! KEEP OUT OF REACH OF CHILDREN

Use only in areas not easily accessible to children and pets.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD
HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE
TREATMENT, ARE NOT PERMITTED.

THIS PRODUCT CANNOT BE SOLD IN CONTAINER GREATER THAN ONE POUND
TO FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

See additional precautionary statements and directions for use in enclosed leaflet.

EPA Registration No. 54452-A

EPA Est. No. 54452-TN-001

NET WT: 30 gr..

Blue Diamond Exterminating & Mfg. Co., Inc.

1001 Old Hwy. 11W

Mooresburg, TN. 37811

ACCEPTED
with COMMENTS
In EPA Letter Dated:
NOV 23 1998

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
54452-6

OUT SIDE CARTON LABEL- FRONT PANEL

Pro-Joe-S

Roach Bait/Gel Formula 15



FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

CAUTION: KEEP OUT OF REACH OF CHILDREN
See back panel for additional cautions :

Use only in areas not easily accessible to children and pets.
Do not remove syringes from carton except for immediate use.

Active ingredients: BORIC ACID.....	15 %
Other ingredients:.....	85 %
TOTAL.....	100 %

Manufactured by: Blue Diamond Exterminating & Mfg. Co., Inc.
1001 Old Hwy. 11W, Mooresburg, TN. 37811
Phone: 1-800-237-5705/ 1-423-921-9994

NET Content : 60.00 grams- --Contains 2 x 30 Gram Syringes
10.71 ounces---Contains 10 x 30 Gram Syringes
6.70 pounds---Contains 100 x 30 Gram Syringes
12.00 pounds---Contains 12 x 16 oz. Containers
6.00 ounces---Contains 1 x 6 oz. Squeeze tube

EPA Registration No : 54452-A

EPA Establishment No : 54452-TN-001

INSIDE CARTON LABEL - FRONT PANEL

Pro-Joe = 5

Roach Bait/Gel Formula 15

FOR USE IN AND AROUND HOMES, COMMERCIAL, INDUSTRIAL,
INSTITUTIONAL, FOOD AND FEED HANDLING ESTABLISHMENTS.

CAUTION : KEEP OUT OF REACH OF CHILDREN

See Side or back panel for additional cautions.

Use only in areas not easily accessible to children and pets.

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

THIS PRODUCT CANNOT BE SOLD IN CONTAINERS, GREATER THAN ONE POUND TO FEDERALLY INSPECTED MEAT AND POULTRY PLANTS.

Manufactured by: Blue Diamond Ext. & Mfg. Co., Inc.
1001 Old Highway 11 W.
Mooresburg, Tennessee 37811
Phone: 1-800-237-5705/ 1-423-921-9994

CONTACT PERSON : Bill and Susie Stapleton
401 Arrowhead Drive
Rogersville, TN. 37857
Phone : **1-423-272-3209**
1-800-237-5705

NET CONTENT: (60 g.); (6.00 oz.); (10.71 oz.); (6.70 lbs.); (12.00 lbs.)

EPA Registration No. 54452-A

EPA Est. No. 54452-TN-001

Active ingredient :	BORIC ACID-----	15 %
Other ingredients :	-----	85 %
TOTAL-----	-----	100 %

678

OUT SIDE CARTON LABEL- BACK PANEL

STATEMENT OF PRACTICAL TREATMENT

IF Swallowed : Call a physician or poison Control Center . Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger . If person is unconscious , do not give anything by mouth and do not induce vomiting .

If in Eyes : Flush eyes with plenty of water . Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

" HAZARDS TO HUMANS AND DOMESTIC ANIMALS ."

CAUTION :

" Harmful if swallowed . May cause eye irritation . Avoid contact with skin , eyes, or clothing . Wash thoroughly with soap and water after handling ."

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling .

See complete Directions for Use inside label.

STORAGE AND DISPOSAL

Do not contaminate water , food or feed by storage or disposal.

STORAGE : Store in a dry place. Do not store where children or animals may gain access .

PESTICIDE DISPOSAL : Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL : Wrap used syringes and place in a trash can .

See Disclaimer inside label.

PRECAUTIONARY STATEMENTS**" HAZARDS TO HUMANS AND DOMESTIC ANIMALS ."****CAUTION****" HARMFUL IF SWALLOWED . MAY CAUSE EYE IRRITATION .
AVOID CONTACT WITH SKIN , EYES , OR CLOTHING . WASH
THOROUGHLY WITH SOAP AND WATER AFTER HANDLING . "**

DIRECTIONS FOR USE : It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control cockroaches : Use suitable equipment , such as the handy squeeze tube ; spatula with the wide mouth container ; Suitable Bait Dispensing Guns or Hand Plunger with the 30 gr. syringe, to apply **Pro~Joe~S Roach Bait Gel** in amounts about the size of a grain of corn about every linear foot at or near harborage or aggregation areas , such as under and behind the refrigerator , stove , sink, dishwasher , washing machine and dryer , tubs ; into openings around drains , sewers , manholes, water pipes and electrical conduits . In cracks and crevices along baseboards and in corners of cabinets , cupboards and closets . Remove all lower drawers in kitchen and bathroom cabinets , bedroom dressers and chests of drawers , then apply the gel into each corner of the drawer wells. Reapply the same as above at least once a year or sooner if reinfestation should occur . Any gel visible after application must be scraped into cracks and crevices or removed . Apply in areas inaccessible to children and pets . Avoid contamination of feed and foodstuffs. Do not apply product in non-harborage or non- aggregation areas.

Directions for applying in new construction to control cockroaches : When treating large areas, such as wall voids , soffit and subcabinet voids in new and existing construction , apply the gel liberally.

Pro~Joe~S Roach Bait Gel: may be used in homes , restaurants , and other food handling establishments , markets , schools , warehouses , factories , offices , hotels , motels , hospitals , nursing homes , garages , grocery stores , apartment buildings , new construction , industrial plants , theaters , ships , boats , trains , yachts , camps , mobile homes , buses , zoos , kennels , military bases , libraries , utilities .

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS : Places other than private residences in which exposed food or feed is held , processed , prepared or served.

FOOD AREA— APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY : Includes areas for receiving , storage , packing (Canning , wrapping , boxing) preparing , edible waste storage and enclosed processing systems such as mills , dairies , bakeries , restaurants or anywhere food or feed is stored , processed , prepared or served . Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply the product in small amounts about the size of a grain of corn about every one linear foot directly into cracks and crevices , in points between different elements of construction , between equipment and floors , openings leading to void and hollow spaces in walls , equipment legs and bases , conduits , motor housing , where cockroaches hide.

For outdoor use : Place bait in areas adjacent to structures where roaches may rest or breed . Apply bait to potential points of insect entry , such as eaves , sills , and expansion joints . Apply bait in protected areas whenever possible. Excessive water may reduce the residual effectiveness.

8/89

INSIDE CARTON LABEL-BACK PANEL.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATION OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS --Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. **Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)**

NON FOOD AREAS -- Include garbage rooms, lavatories (Floor drains to sewer entries & vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE Do not apply bait to areas which have been recently sprayed with insecticides or spray insecticides over bait placements as this may cause the bait to become repellent. Do not place bait in locations that are routinely washed, as bait will be removed by washing. Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparations surfaces.

Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Wrap used syringes and place in a trash can.

DISCLAIMER

The label instructions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Reduced performance or other unintended consequences may result from external factors such as environmental conditions, presence of other materials, or the use or application of the product contrary to label instructions all of which are beyond the control of Blue Diamond Manufacturing Co., Inc. All such risks shall be assumed by the user. Blue Diamond Manufacturing Co., Inc. warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the directions for use, subject to the risks referred to above.

Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values of any other special or indirect damages.

Blue Diamond Manufacturing Co., Inc. makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY.