

<p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION</p> <p><i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<p>EPA REGISTRATION NUMBER 54514-3</p>	<p>DATE OF ISSUANCE NOV 15 1988</p>
<p>TERM OF ISSUANCE</p>		<p>NAME OF PESTICIDE PRODUCT M... ..</p>
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p>Water Chemicals, Inc. 410 South First Street Spartanburg, SC 29303</p>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p>		
<p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p>		
<p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p style="text-align: center;"><i>John A. Lee</i></p>		
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p> <p>SIGNATURE OF APPROVING OFFICIAL _____ DATE _____</p>		

WC&C #254

INDUSTRIAL MICROBICIDE

ACTIVE INGREDIENTS

Methylene bis(thiocyanate) _____

2.5%

2-Ethoxyacetylmethylthiothiazole _____

2.5%

INERT INGREDIENTS

95.0%

This product weighs 7.99 pounds per gallon

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer. Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID: In case of skin contact, wash promptly and thoroughly with soap and water and finally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in

COOLING TOWERS: WC&C #254 _____

wood against soft or surface rot and internal or dry rot. It is effective against wood decay fungi on surfaces containing 2.0 to 2.8% _____ WC&C #254

lacers. The amount applied should provide 2.4 to 3.2 lb _____

1000 ft² of wood surface. Soft or surface rot can also be controlled by _____ WC&C #254 _____ to the recirculating

well. The dosage should provide 5.0 lb of _____ WC&C #254 _____

water and the bleedoff should be stopped for 4 to 6 hr after application. Repeat every four months.

COOLING WATER: WC&C #254 _____

and fungi in industrial recirculating cooling water systems. The system should be cleaned thoroughly to remove old algal growth, and the system should then be drained, flushed, refilled with water, and treated with _____ WC&C #254 _____ per 1000 gal

of 0.8 to 4.8 fl oz per 1000 gal should be made every 1 to 5 months to prevent severity of microbiological fouling.

DRILLING FLUIDS: To inhibit bacterial and fungal degradation of wells, _____ WC&C #254 _____

concentrations of 0.2 to 1.0% based on the total wet weight of the fluid. _____ WC&C #254 _____

PETROLEUM SECONDARY RECOVERY: _____ WC&C #254 _____

control sulfate reducing bacteria, slime-forming bacteria, and emulsion micellar floods, water disposal systems, and other oil field applications. _____ WC&C #254 _____ per 1000 gal of

fluid. _____ WC&C #254 _____ made continuously or intermittently by means of a metering pump after injection pumps and injection well headers. Continuous application is recommended. _____ WC&C #254 _____

Continuously until desired degree of control is achieved. _____ WC&C #254 _____ per 1000 gal of

fluid. _____ WC&C #254 _____ control. Intermittent or Slug Method: When system is not fouled, _____ WC&C #254 _____

and 1 to 4 times per week, or as needed to maintain control. _____ WC&C #254 _____

CRUDE AND REFINED OILS: _____ WC&C #254 _____

inhibitor for the control of bacteria and fungi that cause the degradation of oil during storage. It should be added to the oil as it is being transferred to storage tank at the rate of 2.4 to 24.0 fl oz _____ WC&C #254 _____

Addition should be made batchwise where mixing occurs. _____ WC&C #254 _____ transfer pump.

Manufactured by

WATER CHEMICAL & CO.

180 SOUTH FLAT RIVER

SOUTHBURY, CT 06488

EPA REG. NO. _____

EPA _____

NET CONTENTS _____