## DIRECTIONS FOR USE

tit is a waterior to use this product in a manner inconsistent with its labeling?) FOR INITIAL APPLICATION, POOL WATER CHANGE OR VISIBLE ALGAE GROWTH use one quart per 25,000 gallons of water. Vacuum pool after 24 ficurs to remove dead algae, if algae is still visible repeat dose as necessary until pool is free of visible alone.

FOR MAINTENANCE: Use one ounce per 5,000 gallons of water each week. After a significant rainfall, add four ounces per 5,000 gallons of water. The above directions should be followed even when the pool is not in use.

DLM PG = 4G-S Is compatible with many swimming pool chemicals and when used as directed it is not harmful to the metal paint, plastic or tile surfaces of the swimming pool.

DLM FQ-40-5 when used as directed, will help improve the appearance and cleaniness of the swimming pool water.

DLA PQ-40-5 helps inhibit the growth of unsightly algae.
DLA PQ-40-5 when properly stored for prolonged periods of time, will not lose its effectiveness or strength.

בנים הב-40-5 requires no special equipment for treating swimming pool water. The correct use-dilu" on may be added directly to the pool in any spct, or added to the water-circulation equipment.

This product is compatible with most chemicals normally used in swimming pools; however, in its concentrated form, this chemical should not come in contact with high concentrations of chlorine.

Do not mix this product with any other chemicals before adding to the pool. Always add chemicals separately.

Do Not Use Water Containing Residue From Use Of This Product To Irrigate Crops Used For Food or Feed.

PRECAUTIONARY STATEMENTS

## DANGER

## Hazards To Humans and Domestic Animals KEEP OUT OF REACH OF CHILDREN

OCPROSIVE. Causes severe eye and skin damage, Do not get in eyes, on skin or on clothing. Wear goggles or face shield and ribber gloves when handling. Harmful or ratal if swallowed. Avoid contamination of lood, Wash thoroughly with spap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to tish, Do not discharge into axes, streams, ponds or public waters unless in accordance with NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of The EFA.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately to ish eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg white, getatin solution or if these are not available, drink large quantities of water. Avoid Alcohol, Call a physic an mmediately.

NOTE TO PHYSICIAN: Probable mucosa - amage may contraind-cate the use of gastric lavage. Measures against circulatory hock, as well as oxygen and measures to support breathing manually or mechanically may be needed.

PhySICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open (in the.) STORING AND DISPOSAL:

- 1. JTOFAGE INSTRUCTIONS: Store in original container and place in locked storage area. Keep from freezing. Do not cor tabinate water, food, or feed by storage or disposal
- 2 SPILL OR LEAK PROCEDURE; Small stor's may be mopped up or tirished away with water or absorbed on some absorbent material and incinerated
- 3. PESTIG DE GISPOSAL. Securely wrate original container in several layers or newspaper and discard in trash
- 1. CONTAINED DISCOSAL Do not reuse container (bottle, consulars ; it has are a colore disease no in trash

MANUFACTUREN IN. DEM MODERNOUSS COMMIND NA 23301

JUN 0 a i

Under the Frage Punaicide, and i as amended, for registered under EPA Reg. No.

