92289:0.Laird:RD-7:KENCO:10/9/85:10/21/85:Kim:VO

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOT 2 4 1985

Bio-Kill_100

Under the Fe 'erd Insecticide, Fungicide, and Redenticide Act as amended, for the posticide registered under EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID; it swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if thise are not available, drink large quantities of water. Avoid alcohol. Dafi a physician immediately.

ENVIRONMENTAL HAZARDS: This posticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this switcide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FO

to be alian
Its labeling.
Bio-Kiil-100
and fungi in recirculating commercial and ind
to its use, systems must be cleaned to rem
slime, and other deposits. An initial slug add fluid ounces ofBio-Kill-100
of water to provide a concentration of <u>48</u>
Bio-Kill-100
in the system, is recommended. Repeat Initia
Subsequent stug additions of1.>3
B10-K111-100 per 100
Subsequent stup additions of 1.53 Bio-Kill-100 per 100 120 perts per million of Bio-Kill
employed every 2 to 5 days, or as needed. T
upon the relative amount of bleedoff and the s
lem. Skin additions should be made in the a
lem. Slug additions should be made in the su
ala conchina a contra at c
air-washing systems that meintain effective r
to its use, systems should be cleaned to
deposits. An initial slug dose of24.7
Bio-Kill-100
mended. Repeat initial dosage until control
ticins of 16.9 to 41.2 fluid ounces of
per 1000 gallons of water should be employed
frequency of addition depends upon the relati
of the bacterial problem. Slug additions may be
collection trays of the airwash system.

It is a violation of Endavel Inc. to the this

STORAGE AND D

Do not contaminate water, food, or feed by storage or dispose STORAGE: Do not steck more than four drums high. Leaking drums for disposet. Spills should be absorbed in sewdust or saterine closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of it proved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC Triple inner for equivalent). Then offer for recyclinic sensory lendfill, by increasion, or, if allowed by state and listing single.

METAL: Triple rinse for equivalenti. Then offer for recycling senitary fandlist, or by other procedures approved by state or

		Manufact	1100
	Uniwater	Internation	a1
_	P.O. Box	1927	
_	Evergreen	i, Colorado	80
EBA DEC	NO		F P

NET CONTENTS __