

DM 32

54679-3

7/21/98

1/2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUL 21 1998

Custom Controls & Pumps Inc.
P.O. Drawer 490
Silver Springs, FL 34489

Attention: Roy Lisk
Employee

Subject: Custom Chlor
EPA Registration Number 54679-1
Custom Chlor-150
EPA Registration Number 54679-2
Custom Chlor-200
EPA Registration Number 54679-3
Your Amendment Dated May 28, 1998

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, are acceptable provided that you make the labeling change listed below before you release the products for shipment bearing the amended labeling.

Under the "Directions for use" for "Green House and Hard Surface Sanitation" change the word "disinfectant" to read "sanitizing" wherever it appears.

Stamped copies are enclosed for your records. Submit one copy of each final printed label before you release the products for shipment bearing the amended label.

If you have any questions concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Robert S. Brennis
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7504C)

CONCURRENCES

SYMBOL	SURNAME	DATE						

CUSTOM CHLOR-200

CHLORINATING SOLUTION

ACTIVE INGREDIENT:

SODIUM HYPOCHLORITE	12.5%
INERT INGREDIENTS	87.5%
	100%

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID) IF CONTACT WITH EYES, flush with water for at least 15 minutes. Get prompt medical attention.

IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water. IF SWALLOWED, drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of the National Pollutant Discharge System (NPDES) permit and the Permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 54 to 108 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust & maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 12 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should remain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 54 to 108 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At end of the swimming season, or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

DISINFECTION OF WASTEWATER TREATMENT

The disinfection of sewage effluent must be evaluated by determining the total number of coliform bacteria and/or fecal coliform bacteria, as determined by the MPN procedure, of the chlorinated effluent has been reduced to or below the maximum permitted by the Controlling Regulatory Jurisdiction.

Successful disinfection is extremely dependent on response to fluctuating chlorine demand to maintain a predetermined desirable chlorine level. Secondary effluent should contain 0.5 to 1.0 ppm Chlorine residual after a 15 to 30 minute contact time. A reasonable average of residual chlorine is 0.8 ppm after 15 minutes contact time.

DISINFECTION OF POTABLE WATER TREATMENT FACILITIES

Dilute this sodium hypochlorite solution in the ratio of one part sodium hypochlorite to 3 parts potable water. Mix sodium hypochlorite solution and water thoroughly and begin feeding of solution with hypochlorinator (measuring pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 1.2 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. * Check water regularly with a DPD chlorine test kit. * Contact your local Health Department for further details.

SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of 10 minutes. Allow to air dry. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of one fluid oz. (2 tablesp.) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level available chlorine.

FOR GREEN HOUSE and HARD SURFACE SANITATION

Remove foliage or protect foliage from contact with Sodium hypochlorite solution. Sodium hypochlorite solution may be used for disinfection of ceilings, roofs, floors, walls, walkways, benches and confinement areas. Clean equipment and/or area in the normal manner. Just before using, rinse all surfaces thoroughly with Sodium hypochlorite solution containing 200 PPM available chlorine, maintain contact with disinfectant a minimum of 10 minutes. Allow to dry. DO NOT rinse with water after treatment with Sodium hypochlorite solution. DO NOT soak overnight. When dry foliage may be returned to disinfected areas. Addition of one fluid oz. (2 tablesp.) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 PPM available chlorine by weight. NOTE: This product degrades with age, use a chlorine test kit and increase dosage as necessary to obtain the required level available chlorine.

STORAGE AND DISPOSAL

Store this product in a cool dry area, away from direct sunlight and heat to avoid vaporization. In case of spill, flood areas with large quantities of water. Product or residues that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in reuse collection. Do not contaminate food or feed by storage, disposal or cleaning equipment.

Distributed by:
CUSTOM CONTROLS & PUMPS, INC.
 1521 N. Magnolia Ave. • Ocala, FL 34475-8082
 Ph. (352) 622-9244 1-800-837-9633
 EPA Reg. No. 54679-3 EPA Est. No. 54679-FL-001
NET CONTENTS: 2 1/2 GALLONS

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 21 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

54679-3