



United States
Environmental Protection Agency
Washington, DC 20460

| | |
|-------------------------------------|--------------|
| <input type="checkbox"/> | Registration |
| <input type="checkbox"/> | Amendment |
| <input checked="" type="checkbox"/> | Other |

OPP Identifier Number
237021

Application for Pesticide - Section I

| | | |
|---|--|--|
| 1. Company/Product Number 54705 - 3 BP | 2. EPA Product Manager C. Giles-Parker | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Fungicide-Fighter ³ Systemic Fung ^{BP} | PM# 22 | |
| 5. Name and Address of Applicant (Include ZIP Code) Lawn and Garden Products, Inc. P.O. Box 5317 Fresno, CA 93755 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____ | |

Section - II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application. |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

NOTIFICATION
FEB 10 1997

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of advisory statements revision per PR Notice 95-2.
This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling of the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

| | | | | | |
|---|---|--|---|---|----------------------------------|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No | | <input type="checkbox"/> Metal | <input type="checkbox"/> Plastic |
| * Certification must be submitted | | If "Yes" Unit Packaging wgt. No. per container | If "Yes" Package wgt. No. per container | <input type="checkbox"/> Glass | <input type="checkbox"/> Paper |
| | | | | <input type="checkbox"/> Other (Specify) _____ | |
| 3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container | | 5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 5. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | | <input type="checkbox"/> Other _____ | |

Section - IV

| | | |
|---|--------------------------------|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Lynn P. Georges | Title Regulatory Affairs | Telephone No. (Include Area Code) (209) 493-2100 |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | 6. Date Application Received (Stamped) |
| 2. Signature | 3. Title Regulatory Affairs | |
| 4. Typed Name Lynn P. Georges | 5. Date 1/29/97 | |

BEST AVAILABLE COPY



FUNGI-FIGHTER

SYSTEMIC FUNGICIDE

*For Control of Certain Diseases
of Flowers, Foliage, Plants, Shrubs, Turf, Grapes,
Apples, Melons, and Shade Trees.
Prevents and Cures Diseases.*

FOR HOMEOWNER USE ONLY

ACTIVE INGREDIENT:

1-(4-Chlorophenoxy)-3,3-dimethyl-1-
(H-1,2,4-triazol-1-yl)-2-butanone 25%

INERT INGREDIENTS: 75%
Total 100%

EPA Reg. No. 54705-3

EPA Est. No. 11160-CA-1

Manufactured For:

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 5317 • Fresno, CA 93755
(209) 499-2100

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.
If In Eyes: Flush with plenty of water. Call a physician if irritation persists.
If On Skin: Wash with plenty of soap and water. Get medical attention.
SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation.
NOTE TO PHYSICIANS: No specific antidote. Treat symptomatically.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Causes eye irritation. Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Do not make applications when weather conditions favor drift from target area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in original container in cool, dry place out of reach of children and domestic animals. Do not reuse empty container. Securely wrap original container in several layers of newspaper and put in trash collection.

NOTICE

273

Seller makes no warranty, express or implied, concerning use other than indicated on label. Buyer assumes all responsibility for safety and use not in accordance with directions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For homeowner use only. Read entire label and use strictly in accordance with label precautionary statements and directions.

APPLICATION: FUNGI-FIGHTER is absorbed rapidly and works systemically from within the plant. Good coverage and wetting of the foliage is necessary. Rainfall or sprinkler irrigation, within 1/2 hour after application, does not decrease effectiveness. Control may be less effective on plants suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices.

Applications should be applied at recommended intervals to maintain disease control.

| TURF DISEASE CONTROL | | |
|--|---|---|
| Disease | Rate* Oz./1,000 sq. ft. in 2-4 gallons of water | Remarks |
| Anthracnose Brown Patch/Rhizoctonia Blight Copper Spot Dollar Spot Powdery Mildew Red Thread Rusts | 1 - 2 | Preventative: Apply at 15-30 day intervals prior to appearance of the disease. Curative: Apply the higher rate when disease is apparent. Follow up with the preventative rate. |
| Southern Blight | 1 - 4 | |
| Stripe Smut | 2 | Apply a single application in the spring as grass growth begins. |
| Fusarium Blight Summer Patch | 2 - 4 | Apply in the spring 30-60 days before symptoms appear. Repeat at 30-day intervals. |
| Gray Snow Mold/Typhula Blight (except California) Pink Snow Mold/ Fusarium Patch (except California) | 2 - 4 | Make one application in late fall. |

| ORNAMENTAL PLANT DISEASE CONTROL | | | |
|---|----------------|--|---|
| Plant | Disease | Rate* | Remarks |
| Azalea Dendrobium (Hawaii only) | Flower blight | 1 - 2 teaspoons/ 5 gallons of water | Apply to the point of drip. Repeat at 7 - 21 day intervals. |
| Cedar Iris Nephtyis Zinnia | Leaf blight | | |
| Azalea Begonia Crape Myrtle Euonymus Geranium Hollyhock Oak Rose Snapdragon Sweetpea Sycamore Viburnum Willow Zinnia | Powdery mildew | | |
| Geranium Hollyhock Pine Snapdragon | Rusts | | |
| Pine | Tip Blight | | |

NOTIFICATION
FEB 10 1997

| GREENHOUSE PLANTS (Homeowner only) | | | |
|---|----------------|--|---|
| Plant | Disease | Rate* | Remarks |
| African Violet Carnation Chrysanthemum Geranium Grapeleaf Ivy Rose | Powdery mildew | 1 - 2 teaspoons/ 5 gallons of water | Apply to the point of drip. Repeat at 30-day intervals. |
| Carnation Chrysanthemum Geranium | Rust | | |

* 1 oz. = 3-1/3 tablespoons of FUNGI-FIGHTER
3 level teaspoons = 1 level tablespoon of FUNGI-FIGHTER

**HOME GROWN FRUIT, MELONS
and VEGETABLE DISEASE CONTROL**

| Plant | Disease | Rate* | Remarks |
|--|--|--|--|
| Apple Pear | Cedar-apple rust (apple only) Powdery mildew | ½ - 2 teaspoons/ 5 gallons of water | Apply in adequate water to the point of drip. Make the first application to apples at green-tip stage and to pears at the budburst stage; continue at 7-14 day intervals. Do not exceed 6 teaspoons/season. May be applied up to 45 days before harvest. |
| Grape | Powdery mildew | 1-3 teaspoons/ 5 gallons of water | Apply pre-bloom and continue at 14-21 day intervals. |
| | Black rot | 1-1½ teaspoons/ 5 gallons of water 1½-2 teaspoons/ 5 gallons of water | Preventative Apply first application at 10 inch green shoot and continue at 7-14 day intervals until berry coloring is complete. Post-infection - During bloom, apply within 72 hours of the infection period. After bloom continue on a 7-14 day schedule. Do not exceed 9 teaspoons/season. May be applied up to 14 days before harvest. |
| Cucurbits Balsam Pear Chinese Waxgourd Citrus Melon Cucumber Gourd Pumpkin Squash Watermelon | Powdery mildew | 2-4 teaspoons/ 5 gallons of water | Apply to the point of drip. Begin application when disease first appears and repeat at 14-day intervals. Do not exceed 16 teaspoons/season. May be used up to 1 day before harvest. |

* 1 oz. = 3-1/3 tablespoons of FUNGI-FIGHTER
3 level teaspoons = 1 level tablespoon of FUNGI-FIGHTER

BEST AVAILABLE COPY