54705 - 3 Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060 Registration **United States Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 54705-3 C. Giles-Parker XNone Restricted 4. Company/Product (Name) & 22 FUNGI-FIGHTER SYSTEMIC FUNGICIDE 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c#3) (b)(i), my product is similar or identical in composition and labeling Lawn and Garden Products, Inc. to: P.O. Box 5317 EPA Reg. No. Fresno, CA 93755 Check if this is a new address **Product Name** Section - II Final printed labels in repsonse to OTF CAT UN Amendment - Explain below. Agency letter dated Resubmission in response to Agency letter dated _ "Me Too" Application. NOV 4 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification to modify ingredients statement to add common name. This notification is consistent with the provisions of PR Notice 97-5 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 97-5 and 40 CFR 152.46. this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging **Unit Packaging** Water Soluble Packaging 2. Type of Container Metal Yes Yes Plastic No Nο Glass Paper If "Yes" If "Yes" No. per * Certification must Unit Packaging wgt. container Package wgt Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Label Container Lithograph Paper glued Stenciled 6. Manner in Which Label is Affixed to Product Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No Marchade Area Code) PROPERTY TO SERVER THE SERVER OF THE Regulatory Affairs Lynn P. Georges 209-499-2100 Certification . 6. Dize Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 2. Signature 3. Title with many transport to the second Regulatory Affairs.

5. Date

Lynn P. Georges

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

4. Typed Nar

White - EPA File Copy (original)

Committee of the control of the state of the control of the contro

10/22/97

Yesow - Appacent Copy





FOR HOMEOWNER USE ONLY

ACTIVE INGREDIENT:	
Triadimefon: 1-(4-Chlorophenoxy)-3,3-dimethyl-	
1-(H-1,2,4-triazol-1-yl)-2-butanone	25%
INERT INGREDIENTS:	75%
TOTAL:	

EPA Reg. No. 54705-3

EPA Est. No. 11160-CA-1

Manufactured for:

LAWN AND GARDEN PRODUCTS, INC.

P.O. Box 5317 • Fresno, CA 93755 • (209) 499-2100

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If In Eyes: Flush with plenty of water, Call a physician if irritation persists. If On Skin: Wash with plenty of soap and water. Get medical attention. SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation.

NOTE TO PHYSICIANS: No specific antidote. Treat symptomatically.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Causes eye irritation. Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to ntertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical n areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Do not make applications when weather conditions favor drift from target area.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store in original container in cool, dry place out of reach of children and domestic animals. Do not reuse empty container. Securely wrap original container in several ayers of newspaper and put in trash collection.

NOTICE

Seller makes no warranty, express or implied, concerning use other than indicated on label. Buyer assumes all responsibility for safety and use not in accordance with directions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For homeowner use only. Read entire label and use strictly in accordance with label precautionary statements and directions.

APPLICATION: FUNGI-FIGHTER is absorbed rapidly and works systemically from within the plant. Good coverage and wetting of the foliage is necessary. Rainfall or sprinkler imigation, within 1/2 hour after application, does not decrease effectiveness. Control may be less effective on plants suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices.

Applications should be applied at recommended intervals to maintain disease control.

		1 30 Zi _ iii, vi · · · ·
TUR	F DISEASE CO	ONTROL
Disease	Rate* 0z/1,000 sq. ft. in 2-4 gallons of water	Remarks
Anthracnose Brown Patch/Rhizoctonia Blight Copper Spot Dollar Spot Powdery Mildew Red Thread Rusts	1-2	Preventative: Apply at 15-30 day intervals prior to appearance of the disease. Curative: Apply the higher rate when disease is apparent. Follow up with the preventative rate.
Southern Blight	1-4	1
Stripe Smgt	2 .	Apply a single application in the spring as grass growth begins.
Fusarium Blight Summer Patch	2-4	Apply in the spring 30-60 days before symptoms appear. Repeat at 30-day intervals.
Gray Snow Mold /Typhula Blight (except California) Pink Snow Mold/ Fusarium Patch (except California)	2-4	Make one application in late fall.

UR	NAMENTAL	PLANT DIS	EASE CONTROL
Plant	Disease	Rate*	Remarks
Azalea Dendrobium (Hawali only)	Flower blight	1 - 2 teaspoons/ 5 gallons of water	Apply to the point of drip. Repeat at 7 - 2' day intervals.
Cedar Iris Nephthytis Zania	Leaf blight		
Azalea Begonia Crape Myrtle Evonymous Geranium Hollyhock Oak Rose Snapdragon Sweetpea Sycamore Vibumum Willow Zinnia	Powdery mildew		
Geranium Hollyhock Pine Snapdragon	Rusts		••••
Pine	Tip Blight	7	****
GREENHOUS	SE PLANTS (Ho	meowner only)	
African Violet Carnation Chrysanthemum Geranium Grapeleaf Ivy Rose	Powdery mildew	1 - 2 teaspoons/ 5 gallions of water	Apply to the point of drip. Repeat and daintervals.
Carnation Chrysanthemum Geranium	Rust		••••

3 level teaspoons = 1 level teblespoon of FUNGI-FIGHTER

HOME GROWN FRUIT, MELONS and VEGETABLE DISEASE CONTROL				
Plant	. Disease	Rate*	Remarks	
Apple Pear -	Cedar-apple rust (apple only) Powdery mildew	¼-2 teaspoons/ 5 gallons of water	Apply in adequate water to the point of drip. Make the first application to apples at green- fip stage and to pears at the budburst stage; continue at 7-14 day intervals. Do not exceed 6 teaspoons/season. May be applied up to 45 days before harvest.	
Grape	Powdery mildew	1-3 teaspoons/ 5 gallons of water	Apply pre-bloom and continue at 14-21 day intervals.	
	Błack rot	1-1½ teaspoons/ 5 gallons of water 1½-2 teaspoons/ 5 gallons of water	Preventative: Acriy first application at 10 inch green shoot and confinue at 7-14 day intervals until beny coloring is complete. Post-infection: During bloom, apply within 72 hours of the infection period. After bloom, continue on a 7-14 day schedule. Do not exceed \$\text{\text{Easpoons/season}\$. May be applied up to 14 days before harvest.}	
Cucurbits Balsam Pear Chinese Waxgourd Citrus Melon Cucumber Gourd Pumpkin Squash Watermelon	Powdery mildew	2-4 teaspoons/ 5 gallons of water	Apply to the point of crip. Begin application when disease first appears and repeat at 14-day intervals. Do not exceed 16 tesspoors/season. May be used up to 1 day before harvest.	

^{*1} oz. = 3-1/3 tablespoons of FUNGI-FIGHTER 3 level teaspoons = 1 level tablespoon of FUNGI-FIGHTER

0896/1097(02)