

VEGETABLE and **ORNAMENTAL** WEEDER

Weed and Grass Herbicide

A selective, preemergence herbicide for use in ornamental and vegetable gardens for the control of annual grasses and broadleaf weeds

FOR HOMEOWNER USE

Active Ingredient:

	Trifluralin* (a,a,a-trifluoro-2,6- 🛥
	dinitro-N,N,-dipropyl-p-toluidine) 43.0%
	Inert Ingredients:
ŕ	Total:

atains petroleum distillates.

Contains 4 pounds active ingredient per gallon. EPA Reg. No. 54705-6

Manufactured For:

EPA Est. No. 48498-CA-1

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745 • (559) 499-2100 www.montereylawngarden.com

KEEP OUT OF REACH OF CHILDREN CAUTION **FIRST AID**

If In Eyes · Hold eye open and rinse slowly and gently with water for 15-20 minutes. · Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. · Call poison control center or doctor immediately for treatment ... Swallowed advice · Have person sip a glass of water if able to swallow. . Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. if Inhaled · Move person to fresh air. . If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth. if possible. · Call a poison control center or doctor for further treatment advice May pose an aspiration pneumonia hazard. If On Skin Take off contaminated clothing. Or Clothing · Rinse skin immediately with plenty of water for 15-20 minutes. · Call a poison control center or doctor for treatment advice. HOT LINE NUMBER Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC at (800) 424-9300 for emergency medical treatment information. NOTE TO PHYSICIAN

This product contains an aromatic hydrocarbon and can be extremely harmful if swallowed. Aspiration of this product may produce a severe pneumonitis. Stomach lavage with a cuffed endotracheal tube in place and immediate administration of activated charcoal, 6-8 heaping teaspoonfuls with water, should be considered. Treatment is otherwise symptomatic and supportive.

ITIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Avoid contact with eyes, skin or clothing. Do not allow children or pets to contact treated arearuntil sprays have dried.

User Safety Requirements

06/23/200

Wear long-sleeved shirt, long pants, shoes plus socks and chemical resistant gloves when mixing and applying this product. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Read all Directions for Use Carefully before applying.

VEGETABLE AND ORNAMENTAL WEEDER is a selective preemergence herbicide for the control of annual grasses and broadleaf weeds in ornamental trees, ornamental woody shrubs, ornamental groundcovers, roses, established flowers and vegetable gardens.

Special Precaution: Do not apply VEGETABLE AND ORNAMENTAL WEEDER through any type of irrigation system.

GENERAL INFORMATION

VEGETABLE AND ORNAMENTAL WEEDER is a preemergence herbicide which provides a long-lasting control of annual grasses and broadleaf weeds (see following list). VEGETABLE AND ORNAMENTAL WEEDER controls weeds by killing their seeds as they germinate. It does not control established weeds.

VEGETABLE AND ORNAMENTAL WEEDER is recommended for use on a wide variety of vegetables, ornamental trees, ornamental groundcovers, shrubs and flowers.

GRASSES CONTROLLED

Annual bluegrass	Johr
Barnyardgrass (Watergrass)	Jung
Brachiaria	Pan
Bromegrass	Pan
Cheat	San
Crabgrasses	Spra
Foxtail	Stin

nsongrass (from seed) glerice icum, Fall icum, Texas idbur angletop korass Woolly cupgrass

BROADLEAF WEEDS CONTROLLED

Carpetweed	Lambsquarters
Chickweed	Pigweed
Florida pusley	Puncturevine (Western U.S. only)
Goosefoot	Purslane
Knotweed	Russian thistle
Kochia	Stinging nettle

Note: VEGETABLE AND ORNAMENTAL WEEDER will not control certain resistant weeds such as Cocklebur, Velvetleaf, Jimsonweed, Ragweed, Venice Mallow and Nutgrass.

GENERAL USE PRECAUTONS

Applied according to directions and under normal growing conditions, VEGETABLE AND ORNAMENTAL WEEDER will not harm the treated plant. Over application may result in plant injury or a soil residue. Uneven application of VEGETABLE AND ORNAMENTAL WEEDER can result in erratic weelt cooptrol or plant injury. Seedling disease, cold weather, deep planting, excessive moisture, high salt concentration or drought may weaken plant sendlings and increase the possibility of damage from VEGETABLE AND ORNAMENTAL WEEDER. Under these conditions, delayed plant development or reduced yields may results.



SURFACE APPLICATION AND WATER INCORPORATION DIRECTIONS FOR ORNAMENTALS, VEGETABLE GARDENS AND GROUNDCOVER PLANTINGS:

Mix 3 ounces of VEGETABLE AND ORNAMENTAL WEEDER in 2 gallons of water and apply to 1,000 square feet. Start with clean spray tank. Fill sprayer 1/2 full with clean water, then add VEGETABLE AND ORNAMENTAL WEEDER. Finish filling sprayer with water and shake occasionally to keep solution mixed. Spray solution directly onto soil.

APPROVED ORNAMENTAL SPECIES

Woody Shrubs

Andromeda, Japanese Arborvitae, American Azalea Barberry, Japanese Barberry, mento Boxwood, common Boxwood, Harlands Boxwood, littleleaf Camellia, Japanese Camellia, sasangus Cherrylaurel, American Cinquefoil Clevera, Japanese Cotoneaster, cranberry Cotoneaster, zabel. Deutzia Elaeagnus, silverberry Euonymus, spreading Euonymus, winged Euonymus, wintercreeper Firethorn

<u>res</u>

mond Apple, Crabapple Apricot Ash, white Baldcypress Birch, european white Blackoum Cherry Chestnut, Chinese Cottonwood Dogwood, flowering Dogwood, kousa Douglas fir Fir balsam Hemlock, Canada Honey locust Larch, Japanese Locust, black Maple, Norway Maple, red Maple, silver

Groundcover Plantings

Aaronsbeard 'flower, Adriatic flower, Poscharsky Ceanothus Coreopsis Cotoneaster Coyote brush Crown vetch Daisy, Trailing African Fern, asparagus Gazania Germander Ice plant, largeleaf lvy Algerian Ivy, English Lily-of-the-Nile Lilyturf, bigblue

Roses and Other Established Flowers

African daisy Aster (perennial) Balsam Blackeyed Susan Calendula Carnation Centaurea, velvet Chrysanthemum Coreopsis Cornflower Cosmos Dahlia Dianthus **Dusty Miller** Floss flower Forget-me-not Four O'Clock

Forsythia Guava, pineapple Hawthorn, India Holly Honeysuckle Juniper Laurel, mountain Lilac, common Mockorange Pittosporum Japanese Privet Redcedar, eastern Rhododendron Spiraea, Vanhoutte Viburnum Weigela Willow Yew, anglojap Yew, Japanese Yewpine

Maple, sugar Oak, pin Oak, red Oak Scarlet Peach Pine, Austrian Pine, Eastern white Pine, Japanese black Pine, loblolly Pine, red Pine, scotch Planetree, London Plum Redbud, eastern Spruce, Colorado Spruce, Norway Spruce, white Sweetgum Sycamore Tuliptree Walnut, black

Marigold Myoporum Plumbago, dwarf Rockrose Aosemary Rupturewort Snow-in-Summer Speedwell St. Johnswort Stonecrop (Sedum) Strawberry, beach Thrift Thrift Wirevine, creeping Yarrow, wooliy Zoysiagrass

Marigold Marigold, cape Morningglory Nasturtium Nicotiana Petunia Phlox Pincushion flower Poppy, California Portulaca Rose Salvia Shasta daisy Snapdragon Snow-on-the-Mountain Stock Sunflower

Roses and Other Established Flowers (Continued)

Gallardia Gladiolus Golden glow Impatiens Ixora Lobelia Lupine Sweet alyssum Sweet pea Sweet sultan Sweet William Vinca Yarrow Zinnia

VEGETABLE GARDENS

Asparagus — Established

VEGETABLE AND ORNAMENTAL WEEDER can be applied to established asparagus as a single application. Apply VEGETABLE AND ORNAMENTAL WEEDER to asparagus after ferns are removed but before spear emergence.

Beans

(Lima Bean and Snap Bean)

Carrot

Cole Crops

(Broccoli, Brussels Sprout, Cabbage and Cauliflower)

Celery - Direct seeded and transplant

Cucurbits — Postplant Emerged (Cantaloupe, Cucumber and Watermelon)

Greens

(Turnip Greens, Collard, Kale and Mustard)

Green Pea

Okra

Pepper — Transplant Apply prior to transplanting only.

Potatoes — All States except Maine Apply VEGETABLE AND ORNAMENTAL WEEDER after planting, before emergence, or after the potato plants have fully emerged.

Southern Pea

Before planting only.

Tomato - Transplant

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

Storage: Store in original container and place in an area inaccessible to children. Avoid freezing. Store above 40°F. If frozen, poor weed control may result. Do not store near heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Plastic Container Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

CONDITIONS OF SALE AND WARRANTY

Lawn and Garden Products. Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Lawn and Garden Products. Inc. neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materings or other influencing factors, all of which are beyond the control of Lawn and Garden Products, inc. and Seller. Buyer and user acknowled je and ussume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall Lawn and Garden Products, inc. or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by Lawn and Garden Products, Inc. and is accepted as such by the Buyer.

•

ACCEPTED JUN 23 2000 Under the Federal Insecticide. Fungicide. and Rodenticide Act. as a mended. for the pesticide registered under EPA Reg. No. 54705-6 Ē

ļ

ì

ろ

9 . . . **. .** .

•

• • •