

<p>U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE</p> <p>Registration No. _____ Pesticide Name _____</p>	<p>DATE: _____</p> <p>NAME AND ADDRESS OF REGISTRANT: _____</p>
---	---

NAME AND ADDRESS OF REGISTRANT: _____

NOTE: Changes in label formula different in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the label has been accepted in connection with this Registration/Reregistration is returned herewith.

Registration of a pesticide does not constitute an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act does not constitute recognition of the registrant's right to exclusive use of the name or to its use if it has been covered by other law.

<p><input type="checkbox"/> ATTACHMENT AVAILABLE</p> <p>SIGNATURE OF APPROVING OFFICIAL: _____</p>	<p>DATE: _____</p>
--	--------------------

SLIMETROL W-600

55088-2

DIRECTIONS FOR

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SLimetrol W-600 is used to control slime and fungi in recirculating commercial and industrial water systems. To its use, systems must be cleaned to remove slime, and other deposits. An initial slug addition of fluid ounces of SLimetrol W-600 of water to provide a concentration of 8 SLimetrol W-600, based on the volume of water in the system, is recommended. Repeat initial dosage

Subsequent slug additions of 0.2 to 0.5 SLimetrol W-600 per 1000 gallons of water

employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the problem. Slug additions should be made in the sump

SLimetrol W-600 is used in air washing systems that maintain effective mist

to its use, systems should be cleaned to remove deposits. An initial slug dose of 3.33 to 5.55 SLimetrol W-600 per 1000 gallons of water should be employed each

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

SLimetrol W-600 per 1000 gallons of water should be employed each

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the sump or collection trays of the airwash system.

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride) 90.0 %

INERT INGREDIENT 10.0 %

This product contains 5.76 lb. of active ingredient per gallon and weighs 9.6 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store more than four drums high. Leaking or damaged drums should be removed. Spills should be absorbed in sawdust or sand and stored in a closed container when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be disposed of by a registered or approved waste disposal facility.

CONTAINER DISPOSAL:

(1) PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reuse, if available, or for incineration, or, if allowed by state and local authorities, for other approved disposal procedures.

(2) METAL: Triple rinse (or equivalent). Then offer for recycling or reuse, if available, or for incineration, or, if allowed by state and local authorities, for other approved disposal procedures.

Manufactured by

Market Water Treatment

910 N. 91st Ave.

Topeka, AZ 86533

EPA REG. NO. _____ EPA _____

NET CONTENTS _____