55146-11 Post 10=0

EPA REGISTRATION US ENVIRONMENTAL PROTECTION AGENCY 55146-4 OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) TERM OF ISSUANCE WASHINGTON, DC 20460 NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION NAME OF PESTICIDE PRODUCT (Under the Federal Insecticide, Fungicide, Blue Copper SD and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Г Actrol Chemical Products Arena Tower Two, Suite 1000 7324 Southwest Preeway Houston, TX 77074 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. This predict is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data. 2. Make the labeling changes listed below before you release the product for shipment: Add the phrase "EPA Registration No. 55146-4." Specify whether dosage rate is fluid ounces, or avoirdupois ounces, for all uses. Specify the product weight per gallon, by adding a statement below the ingredient statement. Under the wheat and barley, delete the extra "Bacterial Leaf Blight" entry and correct the spelling of "Pseudomonas." Under general Directions for Use, add the statement, "Note: The Federal Government and most States have seed laws or regulations requiring that certain caution statements be affixed to containers used to ship or store treated seed."

EPA Form 8570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUS

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

- f. Under the general Directions for Use, add the statement "Do not use treated seed for food, feed, or oil purposes."
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby 'Product Hanager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

PAT "

•

` • • `

BLUE COPPER SD

SEED DRESSING AGRICULTURAL FUNGICIDE

ACCEPTED
with COMMENTS
to EPA Letter Dated:

MAR 2 4 1986

Finder the Federal Insecticide, Pungleide, and Rodenticide Act mended, for the pesticide resistered under EPA Reg. No.

EPA REG. NO. EPA Est. No. 35896-SC-1 GALLONS

KEEP OUT OF REACH
OF CHILDREN
CAUTION
SEE BACK PANEL FOR
ADDITIONAL PRECAUTIONARY
STATEMENTS, AND
STATEMENT OF
PRACTICAL TREATMENT

BACK LABEL

SLICE COPPER ED ASRICULTURAL FRANCICHIE

FRECAMILICARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CATION

rarmful if swallowed, assorbed by exin or invaled. Avoid contact with exim, eyes or clothing, wash thoroughly with soap and water after bandling. To not apply this product in a manner as to cirectly eroose workers or other persons. The area being treated must be vacated by unprotected persons. Bo not handle treated seed without proper protection.

STATEMENT OF PRACTICAL DESAUDENT

IF SWALLDKED:Call a chysician or Poison Control Center. Drink 1 or 2 glasses of water and induce voeiting by touching back of throat with finger. Do not induce vomiting or live anything by mouth to an unconcious person. IF ON SKINIMASH with plenty of soap and water. Get medical attention if irritation persists. If INHALED:Remove victor to fresh air. If not breathing, give artificial respiration, preferably mouthtomouth. Get medical attention.

If IN EVERIFIUSA with copious volumes of water. Bet medical attention if irritation persists.

EXVIRONENTAL HAZARIS

This product is toxic to fish. Do Not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor frist from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

REMEDIAL INSTRUCTIONS

SLUE COPPER 3D should be used as described below. FLUE COPPER SD is specially formulated for use as a seed protectant. It is compatible with many fungicides and other materials commonly used as seed disinfectants. Because of the wide number of combinations possible with other posticides, it is recommended that specific distures be evaluated before use with this product.

The following approximations are based on departal applications. The processing of Physical Agricultural Experience.

The following specific instructions are based on general applications. The recommendations of State Agricultural Experiment Stations should be closely followed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste dump facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then affer for recycling or reconditioning, or puncture and dispose of in a sanitary landfull, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of sacke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistant with its labeling.

Written or oral warnings must be given to workers who are expected to be in an area where seed treatment with this products is taking place.

RICE: Water Mold & Seed Rot (Achlya sop., Pythium spp.). Use BLUE COPPER SD at a rate of 4-8 ounces for each 100 pounds of riceseed. For ease of handling and when using a seed treating machine, dilute with an equal amount of water. Maintain continuous agritation of the mixture throughout the operation. (Caution: Phytotoxicity may occur in drill-seeded rice. Consult State Agricultural Experiment Station regarding specific recommendations for your area.)

WEAT & MANLEY, Bacterial leaf blight (Pseudoomonas syringae), Bacterial leaf Blight (pseudmonas syringae), Bacterial leaf Streak (Manthomonas translucens). Common Bunt (Tilletia caries), Apply BLUE COPPER SD at the rate of 4 ounces of formulated product per 100 bounds of seed. It should be diluted with equal parts of water before applying.

Treatment area should not be used for food, feed, or edible oil purposes.

WARRANTY STATEMENT

AGTROL CHEMICAL PRODUCTS warrants that this product in its unopened backage conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions. THERE ARE NO OTHER MARRANTIES, EXPRESS OR IMPLIED, INCLUDING A MARRANTY OF FITNESS FOR A PARTICULAR PURPOSS. This marranty does not extend to the handling of use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably forseeable to seller and buyer assumes all risk of any such use.

