Agtrol Chemical Products c/o Linda Elliott Houte 1, Box 1228 Hahira, CA 31632 JL 9 1987

### Centlemen:

Subject: Change in Righal Word - Revised Labeling Rlue Copperma: RPA Registration No. 55146-11 Your Submission Dated April 13, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided you:

- Make the changes below before releasing the product for shipment bearing amendment labeling:
  - a. Add "Causes eye irritation" and "May cause skin sensitization in certain individuals" to Mazards to Mazards section.
  - b. Modify Environmental Mesards language per Copper II Registration Standard.
  - c. Change "Cupric" to "Copper" in the active ingredient statement.
- Submit one (1) copy of final printed labeling incorporating the changes above.

A stamped copy of labeling is enclosed for your records.

Sincerely yours,

Richard F. Nountfort Froduct Hanager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

94955: I:Mountfort:MF-15: KENCO: 7/8/87: 7/16/87: SONJA TH: VO: EK: SONJA

CONCURRENCES									
SAMBOL	ORIGIONATOR								
SURNAME								**********************	
DATE									



AGTROL CHEMICAL PRODUCTS

# AGRICULTURAL



7-1/2 GALLONS

## **KEEP OUT OF** REACH OF CHILDREN CAUTION

CHAMPION FIGURABLE PLUS HANGE WITH ARRIVED LINE **SEE BACK PANEL FOR** ADDITIONAL PRECAUTIONARY STATEMENTS, AND STATEMENT OF PRACTICAL TREATMENT

ACTIVE INGREDIENTS	
CUPRIC HYDROXIDE	. 18.4%
MANEB (Manganese *	
Ethylenebisdithiocarbamote)	. 19.2%
INERT INGREDIENTS	. 52.4%
TOTAL	1000/2
METALLIC COPPER FOLLIVALENT	12) 110%

METALLIC MANGANESE EQUIVALENT . 3.9%

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **RE-ENTRY STATEMENT**

Whiten or oral warrings must be given to workers who are expected to his in a freezed area or in an area about to be treated with this product. Do not enter treated area without protective closing until spray has dred. Because certain states it ay require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

### **GENERAL INSTRUCTIONS**

MANPOWER can be used with all types of spraying equipment. The volume per acre will depend on the equipment used. Use MANPOWER according to instructions on this label. For high volume sprays (dilute) use 25-100 gallons per acre (GPA). For concentrate ground sprays use 5-20 GPA and for aerial spraying use 3-15 GPA. No additional surfactants are needed. Add MANPOWER slowly to the spray tank followed by any other sticker-spreaders, insecticides, nutrients, etc. Observe all cautions and limitations on the label of all products used in mixtures. The specific instructions given on this label are based on general applications and circumstances. The recommendations of the State Agricultural Extension Service should be closely followed as to timing, frequency and number of sprays per season.

### **YEGETABLE CROPS**


BEANS, Bacterial Blight (Halo and Common), Rust, Downy Mildew. Apply first when plants are small on 7 to 14 day schedule depending on local conditions, use 4-5 pints per acre depending on disease condition. Do not apply to succulent beans within 4 days of harvest.

CELERY, Early, Late and Bacterial Blight. Apply as soon as plants are established in the field. Use 4-6 pints per acre depending on disease severity. Repeat as often as necessary or every 7-10 days. Remove residues by stripping, trimming and washing. Do not apply within 14 days of harvest.

PEPPERS, Bacterial Spot, Anthracnose, Cercospora Leaf Spot. Depending on disease severity, apply 4-6 pints per acre in sufficient water to obtain good coverage. Begin when disease threatens and apply every 7-10 days.

TOMATO, Early Blight, Late Blight, Anthracnose. Apply 4-6 pints per acre depending on disease severity at 7-10 day intervals. Bacterial Speck. Apply at 6 pints per acre at 10-30 day intervals when disease threatens. Apply more frequently when disease pressure is high. Bacterial Spot. Begin application when disease threatens. Apply 6-8 pints per acro depending on disease severity at 7-10 day intervals or more frequently if necessary. Do not apply within five days of harvest.





## MANPOWER" AGRICULTURAL FUNGICIDE

### **PRECAUTIONARY STATEMENTS**

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, absorbed by skin or inhaled. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Do not apply this product in a manner as to directly expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter area without protective clothing until soray has dried.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF IN EYES: Flush with copious volumes of water. Get medical attention if irritation persists.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste dump facility. Store in a cool, dry place. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay of smoke.

### **WARRANTY STATEMENT**

AGTROL CHEMICAL PRODUCTS warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably forseeable to seller and buyer assumes all risk of any such use.