

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number: 55146-72

Date of Issuance:

MAK 20 1998

Term of Issuance:

NOTICE OF PESTICIDE:

\_XX\_ Registration Reregistration

(under FIFRA, as amended)

Conditional

Name of Pesticide Product:

Agri Tin Water Soluble Pack

Name and Address of Registrant (include ZIP Code):

Agtrol Chemical Products 7322 Southwest Freeway, Suite 1400 Houston, TX 77074

Send Correspondence to:

Mr. Robert M. Sielaty Compliance Services International 2001 Jefferson Davis Hwy., Suite 1010 Arlington, VA 22202-3603

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fundicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration of your product 1. under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- Modify the labeling as follows: 2.
  - Revise the EPA Registration Number to read, "EPA Reg No 55146a. 72".

Continues on Page 2

Signature of Approving Official:

Date:

Cynthia Giles-Parker Product Manager (22) Fungicide Branch

Registration Division (7505C) WAR 30 1998

EPA Form 8570-6

Page 2 EPA Reg No 55146-72

- b. Under the "Mixing Procedures" section, the word "pack" should be used instead of "bag" in order to clarify that the directions refer to the water soluble pack.
- c. Two different company names are used in the first and last pages of the label. This should be corrected to indicate the same name in both pages.
- 3. Submit one copy of the revised final printed label for the record.

For the two alternate formulations, you must provide the Agency the following information prior to formulating your product:

- a. The registration number and establishment number of the manufacturing or technical product from which your product is derived.
- b. The name and address of the entity from which the manufacturing product was obtained.
- c. A copy of the bill of sale.

If these conditions are not complied with, the registration will he subject to cancellation in accordance with FIFRA section 6(e). For release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions, then please contact María I. Rodríguez of my staff at 703-305-6710 or me at 703-305-7740.

3/12/98

#### RESTRICTED USE PESTICIDE

Because of the high acute toxicity of triphenyltin hydroxide and its potential for affecting fetal development, this product may be applied only by certified applicators of person directly under their supervision.

# AGRI TIN Water Soluble Pack

Active Ingredient	
Triphenyltin Hydroxide	. 80.0%
Inert Ingredients	20.0%
Total	100.0%

Contains 6.0 ounces triphenyttin hydroxide per 7.5 ounces pack. Contains 1.67 pounds triphenyttin hydroxide per 2.34 pounds pack.

# KEEP OUT OF REACH OF CHILDREN DANGER-PELIGRO

# (POISON SYMBOL) POISON

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. IF IN EYES: Flush with plenty of water. Call a physician. IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician or Poison Control Center. Avoid alcohol. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use if gastric lavage.

See Label for Additional Precautions and Directions for Use.

Agtro	ol Che	mic	al Products	;
EPA	Reg.	No.	55146-XX	

Houston, Texas USA 77074 EPA Est. No. \_\_\_\_\_

ACCEPTED
with COMMENTS
In EPA Letter Dated

MAR 20 1998

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) DANGER- PELIGRO

Fatal if inhaled. Corrosive, causes irreversible eye damage and skin burns. May be fatal if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breath dust, vapor or spray mist. The United States Environmental Protection Agency has determined that triphenyltin hydroxide, the active ingredient of this product, affects fetal development in laboratory animals. Exposure to this product during pregnancy should be avoided.

## PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: coveralls over long-sleeved shirts and long pants, waterproof gloves, chemical-resistant footwear plus socks, protective eyewear, chemical-resistant headgear for overhead exposure, and chemical-resistant apron when cleaning equipment, mixing or loading.

For exposures outdoors: Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

For exposures in enclosed areas: A respirator with either an organic vaporremoving cartridge with pre-filter approved for pesticides (MSHA/NIOSH approved number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### DIRECTION FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

# AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for protection of agricultural workers on farms, forests, nursenes, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance, it also contains specific instructions and exceptions perfaining to the statements on this label about personal protective equipment (PPE) notification to workers and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker to entry to treated areas during the restricted-entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls over long-sleeved shirt and long pants, waterproof gloves, chemical-resistant footwear plus socks, protective eyewear, and chemical resistant headgear for overhead exposure.

Notify worker of the applications by warning them orally and by posting warning signs at entrances to treated areas.

#### **GENERAL INSTRUCTIONS**

GROUND AND AERIAL APPLICATION: AGRI TIN can be applied as a ground or aerial spray to control fungal infestations on listed crops. Application rates are for general use and must not be exceeded. The state agricultural extension or agricultural experiment station specialist should be consulted for specific applications and timing recommendations. With any spray application, thorough coverage is essential for good control. Do not apply this product through any type of irrigation system except on potatoes. Apply this product only as specified on this label. In case of accidental exposure, see Statement of Practical Treatment.

MIXING PROCEDURES: When using AGRI TIN alone, open outer bag and place the entire water-soluble bag into the filled spray tank and close tank immediately. Do not open water-soluble bag. If boron or other micronutrients, fertilizers or other crop protection chemicals are to be used, fill spray tank 2/3 full, with agitation running add AGRI TIN and close lid. Do not open water-soluble bag. Allow approximately 10 minutes for the water-soluble bag to dissolve. After bag has dissolved, add other products and remaining water. Continue agitation

during spray out. See PRECAUTIONS STATEMENT below on emulsifiable concentrate insecticides.

CHEMIGATION: Do not apply this product through any type of irrigation system on crops other than potatoes. Apply this product only through one or more of the following types of systems: sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set or hand move irrigation system. Do not apply this product through any other type of irrigation system. Crop injury, lack of effectiveness or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

For specific information about calibration, contact State Extension Service specialists, equipment manufacturers or other imigation experts.

Do not connect an irrigation system used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustment should the need arise.

Posting of areas to be chemigated is required when 1) any part of a treated area is within 300 feet of sensitive areas such as residential areas, labor camps, businesses, day care centers, hospitals, in-patient clinics, nursing homes or any public areas such as schools, parks, playgrounds or other public facilities not including public roads, or 2) when the chemigated area is open to the public such as golf courses or retail greenhouses.

Posting must conform to the following requirement. Treated areas shall be posted with signs at all usual points of entry and along likely routes of approach from the listed sensitive areas. When there are no usual points of entry, signs must be posted in the comers of the treated areas and in any location affording maximum visibility to sensitive areas. The printed side of the sign should face away from the treated area towards the sensitive area. The signs shall be printed in English. Signs must be posted prior to application. Signs may remain in place indefinitely as long as they are composed of materials to prevent deterioration and maintain legibility for the duration of the posting period.

All words shall consist of letters at least 2 ½ inches tall, and all letters and symbol shall be a color, which sharply contrasts with their immediate background. At the top of the sign shall be the words KEEP OUT, followed by an octagonal stop sign symbol at least 8 inches in diameter containing the word STOP. Below the symbol shall be the words PESTICIDES IN IRRIGATION WATER. This sign is in addition to any sign posted to comply with the Worker Protection Standard.

SPRINKLER CHEMIGATION: The system must contain a functional check valve, vacuum relief valve and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back-flow.

The pesticide injection pipeline must contain a functional, automatic, quickclosing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pumps motor stops.

The irrigation line or water pump must include a functional pressure switch, which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

AGRI TIN should be added through a traveling irrigation system continuously or at the last 30 minutes of solid set or hand moved irrigation systems. Agitation is recommended.

#### **PRECAUTIONS**

We do not recommend mixtures with surfactants, spreaders, stickers or buffers unless testing or prior experience has shown the mixture to be non-phytotoxic to the crop. Combinations with some pesticides, micronutrients, spreaders, stickers, surfactants or buffering agents can increase phytotoxicity.

Phytotoxicity may be severe. Emulsifiable concentrate insecticides can be especially injurious in combination. Do not graze dairy or meat animals in treated areas.

#### **GENERAL APPLICATION INSTRUCTIONS**

**SUGARBEET,** Cercospora Leaf Spot. Apply 2.5 to 5.0 dry ounces per acre(15-7.5 acres/2.34lb. pack or 3-1.5 acres/7.5 oz. pack). Ground (Closed Cabs Only): Apply in at least 15 gallons of water. Full coverage of the foliage is necessary for best results. Aerial (helicopter or fixed wing aircraft). Apply in 5 to 10 gallons of

water. Diluted spray should be directed uniformly to all parts of the plant. Use lower gallonage when plants are small and increase volume with plant size. Use lower rate for protective sprays and the higher rates later in the season or during high infection periods. Applications should begin when Leaf Spot conditions appear or when the disease is in the area and repeated at 10 to 14 day intervals. Do not exceed 15 ounces/acre per season. Do not treat within 21 days of harvest. Do not graze or feed beet tops to livestock.

POTATO, Early Blight, Late Blight, Suppression of Colorado Potato Beetle. Apply 2.5 to 3.75° dry ounces per acre(15-10 acres/2.34 lb. pack or 3-2 acres/7.5 oz pack). Ground (Closed Cabs Only): Apply in a least 15 gallons of water. Full coverage of the foliage is necessary for best results. A spray pressure of less than 200 psi is recommended. Aerial: Apply in 3 to 10 gallons of water. For helicopter application, fly high enough so as not to whip the vines. Diluted spray should be directed uniformly to all parts of the plant and the gallonage increased according to the size of the plants. Application should begin with the appearance of blight weather conditions and continue on a 7-day schedule. Do not treat within 21 7 days of harvest. Do not exceed 15 ounces/acre per season. The lower rate of application should be used early in the season and the high rate mid to late season or when blight infection is in the area.

PEST MANAGEMENT SYSTEMS. When used in combination with another fungicide registered for disease control on potatoes, a 1.87 ounce/acre rate may be employed.

PECAN, Scab, Brown Leaf Spot, Downy Spot, Powdery Mildew, Liver Spot, Sooty Mold, Leaf Blotch. Apply 5.0 to 7.5 dry ounces per acre (7.5-5 acres/2.34 lb. pack or 1.5-1 acre/7.5oz. pack). Ground (Closed Cabs Only): Apply in sufficient water to provide for full coverage. Aerial: Apply in a minimum of 20 gallons of water. Diluted spray should be directed to all parts of the tree. Application should begin at pre-pollination stages when the young leaves are unfolding, and a second application made when the small nuts are forming. Apply a maximum of 10 treatments during a single growing season at 2 to 4 week intervals as needed to maintain control. Use the lower rate for the first two applications or until the disease becomes severe or during dry weather. Use the higher rate during wet weather or during severe Scab, Powdery Mildew or other disease infections. Do not apply after shucks have started to open.

#### **ENGINEERING CONTROLS STATEMENT**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

The closed systems or enclosed cabs must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)]. The handler PPE requirements may be reduced or modified as specified in the WPS.

Human flaggers must be in enclosed cabs.

# **USER SAFETY RECOMMENDATIONS**

Users should wash hands before eating, drinking, chewing gum, or using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate spills. Do not contaminate water when disposing of equipment wash-waters.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Container Disposal: Completely empty outer bag into application equipment. Then dispose of empty bag in a sanitary landfill, or by incineration, or if allowed by state or local authorities, by burning. If burned stay out of the smoke.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

# WARRANTY STATEMENT

Agtrol International warrants that the product conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. This warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer assumes all risk of any such use.

gtrol International	Made in
ouston, TX	