



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

October 19, 2011

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Danielle A. Larochelle Nufarm Americas Inc. 150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Subject:

Application for Label Notification to change the primary brand name, cancel any

alternate brand names, and make minor label editorial changes.

TypRus Plant Growth Regulator Solution

EPA Reg. No.: 55146-85

Your submission dated September 30, 2011

Decision Number: 456045

Dear Ms. Larochelle:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under PR Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted and the label submitted with this application has been stamped "Notification Accepted".

If you have any questions concerning this action, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

4o. 2070-0060, Approval expires 05-31-98 Form Approved, ON. Please read instructions on reverse before compounding form. **United States OPP Identifier Number** Registration **Environmental Protection Agency** ☐ Amendment Washington, DC 20460 Other: Application for Pesticide - Section I 2. EPA Product Manager 1. Company/Product Number 3. Proposed Classification Linda Hollis, Branch Chief 55146-85 4. Company/Product (Name) PM# None Restricted Agtrol International Typrus™ **BPPD** 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section. 3(c)(3) (b)(l), my product is similar or identical in composition **NUFARM AMERICAS INC. - AGT Division** and labeling to: 150 Harvester Drive, Suite 200 **Notification Accepted** EPA Reg. No. Burr Ridge, IL 60527 OCT 19 2011 **Product Name** Check if this is a new address Section - II C. Walsh Reviewer: Final printed labels in response to Agency letter dated Amendment - Explain below. "Me Too" Application Resubmission in response to Agency letter dated _ Other - Explain below Notification - Explain below. Explanation: Use additional page(s) if necessary. (For Section I and Section II.) NOTIFICATION of per PR Notice 98-10 - (1) Primary brand name change to "TypRus® Plant Growth Regulator Solution" and cancellation of any alternate brand name on record for this product; (2) minor editorial changes throughout the label to replace the product name with "this product". This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA CONTACT: Danielle Larochelle, Nufarm Americas Inc, 4020 Aerial Center Parkway, Suite 101, Morrisville, NC 27560. Tel: 919-379-2530. Email: danielle.larochelle@us.nufarm.com Section - III 1. Material This Product Will Be Packaged In: Water Soluble Packaging Child-Resistant Packaging Unit Packaging Type of Container Yes Yes Yes* Metal X No No. M No Plastic If "Yes" No. per If "Yes" No. per Glass Unit Packaging wgt. container Package wgt. container *Certification must Paper be submitted Other 3. Location of Net Contents Information 4. Size(s) Retail Container Location of Label Directions 5. Label Container On Label 32 fl oz., 30 Gallons On labeling accompanying product Lithograph Other 6. Manner in Which Label is Affixed to Product Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application) Title Name Telephone No. (Include Area Code) Danielle A. Larochelle **Registration Manager** 919-379-2530 6. Date Application Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature Registration Manager 4. Date 4. Typed Name Danielle A. Larochelle September 30, 2011

CECC

cccc

ceeeee



NUFARM AMERICAS INC.

150 Harvester Drive, Suite 200 Burr Ridge, IL 60527

Phone: 630-455-2000 ■ Fax: 630-455-2001

September 30, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

PM: Ms. Linda Hollis, BPPD

Dear Ms. Hollis:

Subject: Agtrol International TyprusTM – EPA Reg. No. 55146-85 Notification per PRN 98-10 – Product Name Change & Minor Editorial Labeling Changes

In accordance with PR Notice 98-10, Nufarm Americas Inc. is notifying the Agency of a change in the product name for EPA Reg. No. 55146-85: (1) the brand name "TypRus® Plant Growth Regulator Solution" is now the primary brand name; (2) any alternate brand name currently on record with the EPA for this product is cancelled. Additionally, minor editorial changes were made throughout the label substituting the expression "this product" for the product name.

The following information is enclosed in support of this action:

- Completed Application for Pesticide Registration (Form 8570-1).
- Five (5) copies of the proposed label including one (1) copy with all changes marked (tracking on).
- Certification with Respect to Label Integrity form.

Hulle

CD containing an electronic copy of the label.

If you have any questions regarding this submission, please contact me by phone at (919) 379-2530 or by email at <u>danielle.larochelle@us.nufarm.com</u>.

Sincerely,

Danielle A. Larochelle Registration Manager

Enclosures

TypRus[®] Plant Growth Regulator Solution

Notification Accepted

OCT 19 2011

Reviewer: C. Wolfh

Active Ingredient:

Gibberellins A₄A₇.....

2.0% w/w

(Contains 21 grams active ingredient per liter or 9.93 grams per pint)

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien par que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

SEE LABEL FOR FIRST AID AND PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300 For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 55146-85 EPA EST. NO.

MANUFACTURED FOR NUFARM AMERICAS INC. **AGT DIVISION 150 HARVESTER DRIVE BURR RIDGE, IL 60527**



Net Contents: 32 Fluid Ounces

FIRST AID	
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container with you when calling a poison control center or doctor, or going for treatment advice. You may also contact 1-877-325-1840 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS (AND DOMESTIC ANIMALS) WARNING - AVISO

Causes substantial but temporary eye injury. May be fatal if inhaled, or absorbed through skin. Do not breathe vapor or mist. Wear a mist-filtering respirator. Wear protective eyewear such as safety goggles or face shield. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

All applicators, handlers, mixers and loaders must wear:

- · Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves
- Chemical-resistant footwear plus socks
- Dust / mist filtering respirator (MSHA/NIOSH approval number prefix TC-21), or a NIOSH approved respirator with any R, P, or HE filter
- Protective eyewear
- · Chemical-resistant apron when cleaning equipment, mixing or loading
- · For overhead exposure, wear chemical resistant headgear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

User should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the state or tribal agency responsible for pesticide

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment

(PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over short-sleeved shirt and short pants
- Chemical-resistant gloves, such as barrier laminate; butyl, nitrile, or neoprene rubber; polyvinyl chloride (PVC); or viton
- Shoes plus socks
- Protective eyewear
- Dust / mist filtering respirator (MSHA/NIOSH approval number prefix TC-21), or a NIOSH approved respirator with any R, P, or HE filter

APPLICATION INSTRUCTIONS

Do not apply this product through any type of irrigation system.

Fruit Russet Suppression in Apples

This product is a plant growth regulator containing gibberellins A_4A_7 which can reduce the development of physiological fruit russeting in apples when applied in a post-bloom spray program. Used in years when russet conditions are present, this product may boost overall fresh market grades of the crop.

Physiological russeting is generally associated with the presence of water on the fruit surface during the first 30 to 40 days of fruit development. Russet severity at a given location is therefore specifically influenced by the weather conditions during and following the bloom period. The key conditions influencing russet include precipitation, humidity, and temperature. This product may act only on that russet caused by climatic factors active early in fruit development and will not reduce damage associated with mechanical forces such as limb or pedicel rub, insect damage, or russet produced by certain pesticides.

Application Rate

Apply 26 to 40 fluid ounces per acre for a total seasonal rate.

Timing of Application

Apply this product as two to four consecutive sprays beginning at petal fall, and continuing at 7 to 10 day intervals. This spray timing corresponds to the most sensitive russet development period shown to occur in apples.

Method of Application

Apply 10 fluid ounces* (15 ppm) to 13 fluid ounces (20 ppm) of this product in 100 gallons of water per acre, per application for 2 to 4 total applications. Number and rate of applications must be based on both tree size and local weather conditions. In general, as tree size and overall rainfall increase, increase the number of applications. This increase is necessary to maintain adequate coverage of the developing fruit surface during the most sensitive russet period.

NOTE: Do not apply more than 40 fluid ounces of this product per season.

*Best russet control can be expected with four 10 fluid ounce (15 ppm) per acre applications of this product.

Application Considerations

- 1. Do not use with spray surfactants, spreader stickers, etc. since these materials have been shown to induce russet.
- 2. Do not use in excessive spray volume, (i.e. greater than 100 gal/acre) since excess moisture has been shown to induce russet.
- 3. Use a properly calibrated and adjusted sprayer that insures uniform and complete coverage of all foliage and fruitlets.
- 4. Approximately 85% of the spray volume must be directed into the upper two-thirds of the trees.
- 5. To minimize excessive spray drift, apply when air is calm.
- 6. Rainfall within six hours after spraying can reduce efficacy of this product.
- 7. This product can be applied in combination with other materials; refer to respective labels for directions and precautionary statements.

PREHARVEST FRUIT CRACKING SUPPRESSION IN STAYMAN APPLES

NOTE: Do not treat Stayman apples that have received an application of this product to suppress russet for cracking suppression during the same growing season.

This product is a plant growth regulator containing gibberellins A_4 and A_7 . This material has been shown to suppress preharvest fruit cracking of 'Stayman' apples when used as directed.

This product must be applied at least two to three weeks before any fruit cracking is observed in the orchard. Past history of cracking irritation can serve as a guide to when the first application should be made. If the material is applied after cracking has started, effectiveness of the product will be greatly reduced. Since cracking can occur over an extended period of time, multiple applications are required.

Many factors influence fruit cracking in 'Stayman' apples. This product is one component of a total management program.

Application Rate and Timing

Apply 16 to 32 fluid ounces of this product per acre per application. Higher application rates will provide better suppression of cracking.

Timing of Application

Apply this product in three to six consecutive sprays beginning at least 2 to 3 weeks before fruit cracking is likely to be observed in the orchard. Depending on geographical location and other factors influencing fruit cracking, make the initial application between mid-June and mid-July. Apply subsequent sprays at 14 to 21 days. Best cracking suppression can be expected when at least four consecutive sprays are applied at 14 to 21 day intervals. When conditions favor heavy cracking, better results can be obtained by using the higher specified rates, the greater specified number of applications, and the closer specified spray intervals.

Method of Application

Apply material using conventional spray equipment. Use sufficient water volume to obtain good coverage of the fruit surface. Apply as a complete spray (i.e. treat every row middle).

Application Considerations

- Use of a nonionic wetting agent approved for use on food will improve spray coverage and enhance absorption.
- 2. Since this product must be absorbed to be effective, best performance can be expected with good absorption conditions and healthy trees. High relative humidity and slow drying conditions favor maximum absorption. Applications in morning or evening are preferable. Avoid conditions favoring rapid drying of spray deposits.
- Use a properly calibrated and adjusted sprayer that insures uniform and complete coverage of all foliage and fruit. Spray volume must be adjusted to tree size and density.
- 4. Do not use excessive spray volumes since excess moisture can increase the potential for fruit cracking.
- 5. Approximately 85% of the spray volume must be directed into the upper two-thirds of the trees.
- 6. Rainfall within six hours after spraying can reduce efficacy of this product.
- 7. This product may be tank-mixed with most common pesticides labeled for use on apples.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store below 77°F (25°C). Keep containers tightly closed when not in use.

Pesticide Disposal: Wastes resulting from use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling:

[Note to Reviewer: The following statement will be included on all Final Printed Labels bearing multiple Container Handling statements] "NOTE: This product is available in multiple containers. Refer to the Net Contents section of this product's labeling for the applicable "Nonrefillable" or "Refillable" designation. Follow the container handling instructions below that apply to your container type / size."

Nonrefillable Containers 5 Gallons or Less:]

Nonrefillable container: **DO NOT** reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

[Nonrefillable containers larger than 5 gallons:]

Nonrefillable container. Do not reuse or refill this container. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

[Refillable containers:]

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV093011)

TYPRUS is a registered trademark of Nufarm Americas Inc.

All other trademarks are the property of their respective owners.