

**Glutaraldehyde/Synergistic  
Dual Phenolics**

**ColdCide - 0.25%**

**Pump Spray**

**Formulated as a  
Surface Disinfectant**

- Bactericidal
- Virucidal\*
- Pseudomonacidal
- Fungicidal
- Tuberculocidal

Product No.	MX-5350
Active Ingredients:	
Glutaraldehyde	25%
O-Phenylphenol	125%
P-Tertiary Amyphenol	0125%
Inert Ingredients:	99.8125%
TOTAL	100.0000%

Keep out of reach of children.  
CAUTION: See back panel for additional  
precautionary statements.

**ACCEPTED**  
 JUN 13 1991  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 55195-3

**DIRECTIONS FOR USE:**

It is a violation of U.S. Federal law to use this product in a manner inconsistent with its labeling.  
For use in non-critical care areas as a general disinfectant spray on hard surfaces.

Disinfection: This product is to be used for the disinfection of hard nonporous surfaces such as: counter tops, exam tables, cages, plastic or other similar hard surfaces.

The product is to be used as is, undiluted. Contact time is 10 minutes at room temperature (20°C/68°F or higher) for bactericidal activity, or 2 minutes for virucidal activity.

ColdCide - 0.25% kills *Salmonella choleraesuis*, *Staphylococcus aureus*, *Pseudomonas aeruginosa*, and *Trichophyton mentagrophytes*. *Mycobacterium tuberculosis* is completely inactivated in 15 minutes at room temperature (25°C or higher). Herpes simplex virus 1 & 2 and influenza A, H1N1 are inactivated in 30 seconds, and the listed viruses\* within 2 minutes at 20°C/68°F or higher: Coxsackievirus B5A, Adenovirus-2, Poliovirus 1 & 2, Rotavirus SA-11, Rhinovirus, Vaccinia virus, Cytomegalovirus and Respiratory Syncytial Virus.

ColdCide - 0.25% inactivates the HIV-1 (AIDS virus) on hard, non-porous surfaces in 30 seconds at room temperature (20-25°C).

See accompanying technical literature on HIV-1 (AIDS virus).  
Spray surfaces and allow to air dry.

**PRECAUTIONARY STATEMENTS**

**Hazard to Humans and Domestic Animals**

**CAUTION:** May be irritating to eyes. Do not get in eyes, on skin or on clothing. Wear safety glasses and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. Avoid reuse of unwashed, disinfectant-soaked gloves. Avoid prolonged inhalation.

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, immediately flush with water for at least 15 minutes. Get medical attention. If on skin, wash thoroughly with water. Wash contaminated clothing before reuse.

**WASH THOROUGHLY AFTER HANDLING**

**STORAGE AND DISPOSAL:**

Store in cool, well ventilated area. Unused product may be discarded by pouring out in trash and flushing with large quantity of water. Rinse empty container thoroughly and discard.

Net Contents: 28 Fluid Ounces  
Made in the U.S.A.

Production lot # is stamped on bottom of container.

EXPIRATION DATE: 2 YEARS  
AFTER DATE MANUFACTURED

Manufactured for:

Patented  
E.P.A. Reg. No. 55195-3  
E.P.A. Est. No. 46781-CO-01

ColdCide, Inc.  
Silver Spring, MD 20910

**BEST AVAILABLE COPY**

2072

## HIV-1 (AIDS VIRUS) INFORMATION

### THE ACTIVITY OF COLDCIDE-0.25% (EPA Reg. # 55195-3) AGAINST THE HIV-1 (AIDS VIRUS)

ColdCide-0.25% completely inactivates the HIV-1 (AIDS virus) on hard, non-porous surfaces in the presence of a moderate amount of organic soil (5% blood serum) at a contact time of 30 seconds at room temperature (20-25°C). Although efficacy at a 30-second contact time has been shown to be adequate against HIV-1, this time would not be sufficient for other organisms. Use a 15-minute contact time for disinfection against all of the organisms claimed.

ColdCide-0.25% kills HIV on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

#### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

**Personal Protection:** Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

**Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of ColdCide-0.25%.

**Contact Time:** Leave surfaces wet for 30 seconds. This contact time will not control other common types of viruses and bacteria.

**Disposal of Infectious Materials:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

ColdCide, Inc.  
Silver Spring, MD

