

October 17, 2005

Gary Kruse  
Krudico, Inc.  
308 E 4<sup>th</sup> Street  
Auburn, IA 51433

Subject: CALCIUM HYPOCHLORITE 70%  
DRY CHLORINATING PELLETS  
EPA Registration No. 55304-1  
Application Date: August 3, 2005  
Receipt Date: August 10, 2005

Dear Mr. Kruse:

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is accepted with conditions.

- Update First Aid Statement

**Conditions**

1. The primary brand name for this product is CALCIUM HYPOCHLORITE 70% DRY CHLORINATING PELLETS. Therefore, the PELL-CHLOR ROUNDED which is not a part of the primary brand name is to appear above FOR DRY PELLET CHLORINATORS on the label.

2. Revise the Ingredient Statement as follows:

Active Ingredient: ;  
 Calcium Hypochlorite . . . . . 70%  
 Other Ingredients . . . . . 30%  
 Total . . . . . 100%

3. The instructions "Have the product container or label with you when calling a poison control center or doctor, or going for treatment" must be separated from the "If Inhaled" first aid statement.

CONCURRENCES							
SYMBOL	7570C						
SURNAME	Henson						
DATE	10-17-05						

4. Revise the Precautionary Statement (Hazard to Humans and Domestic Animals) section to read:


DANGER. Highly corrosive. Cause skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

**General Comments**

A stamped copy of the labeling accepted with conditions is enclosed. Submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please call Wanda Henson at (703) 308-6345.

Sincerely,




Emily H. Mitchell  
Product Manager - Team 32  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

Front

Keliper Corp # 8608  
Krudico - 5# label  
4 5/8 x 7 7/8 x 002 2 colors/clear  
100% size proof

7-10  
12-14



ACCEPTED  
with COMMENTS  
EPA Letter Dated:  
OCT 17 2005

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended for the pesticide,  
registered under EPA Reg. No.

55304-1

**FIRST AID:**  
**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.  
**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
**NOTE TO PHYSICIAN:** Probable successful de-stomach may contraindicate the use of gastric lavage.  
**IN CASE OF EMERGENCY CALL: 1-800-424-9111**  
**KEEP OUT OF REACH OF CHILDREN**  
**DANGER:** See back panel for additional precautionary statements.

PELLLET SIZE: 3/8" DIA. x 5/16" LONG (9.5 MM x 7.9 MM)  
 PELLETT WEIGHT: 1 GRAM (0.035 OZ.)

EPA EST. NO. 55304-IA-001  
 EPA REG. NO. 55304-1

15 3/4" u

3/4

Back

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS  
DANGER**

Highly corrosive. Causes skin damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Irritating to nose and throat. Avoid breathing dust and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the operating authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office the EPA.

**PHYSICAL OR CHEMICAL HAZARDS  
STRONG OXIDIZING AGENT:**

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood area with large volumes of water, if necessary.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

**FARM AND HOME WELLS**

1. Shock treat the well to a chlorine residual level of 5 ppm (parts per million) by dropping pellets directly into the well water.
2. Adjust PELL-CHLOR chlorinator pellet feed rate or hand feed to retain a chlorine residual of .6 to 3 ppm.
3. Use test kit provided with your chlorinator or purchased from your PELL-CHLOR dealer to determine your chlorine residual.

(For more information see PELL-CHLOR General Manual)

**NET WEIGHT: 5 lb.**

**KRUDICO, INC.  
308 E. 4TH ST.  
AUBURN, IA 51433**

**CODE: \_\_\_\_\_**

**ACCEPTED  
with COMMENTS  
EPA Letter Dated:**

**OCT. 17 2005**

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended for the pesticide  
registered under EPA Reg. No. 55304-1

4/14

4/14